

**Model** 1705 - Twenty2, Plastic Seat & Back with Arms and Casters

**Dimensions**

Seat Height	18.00	Depth	21.500
Seat Width	22.00	Width	28.00
Overall Height	32.00	Arm Height	25.50



**Nesting** 8"

**Options:**

Cal 133 Black Only

**Frame Construction** Constructed of high carbon content cold rolled seam welded flash controlled steel tubing free of crimping on all bends. Offered in 7/8" O.D. 11 Gauge tube. Stretcher bars are welded to the frame to provide seat support. All connections are metal to metal.

**Seat** The seat is a two part piece, made with from PP plastic. The bottom portion is reinforced with ribbs for added strength.

**Back** The back is made from PP plastic and mechanically fastened to the frame.

**Foam** Open cell cut foam is formulated displacing 25% of the existing non-renewable petroleum material with a sustainable plant based substitute. The foam performs as regular based cut foam and provides a 1.8 PCF density with no changes to the physical properties, comfort, and longevity of the foam.

**Flame retardancy** Foam provided is compounded to meet specifications of the Federal Motor Vehicle Standard MVSS302 and California Bulletin No. 117 (TB117-2013).

**Arms** The arm is constructed from molded glass filled nylon with an inner steel support, available in black.

**Casters** The caster is non-locking, twin wheel and made of a durable nylon pneumatically attached to a 5/16"- 18 threaded steel insert which is threaded through a 1/4" steel tab welded into the frame at the floor.

**Load Test** Exceeds BIFMA Seating Durability Test to 500 lbs