

# CONDUCTOR TABLES



## PLACING AN ORDER IS EASY

### PRODUCT CODE

**2430 RE CT**

**Size**  
Width x Length

**Top Shape**

- D : Round
- SQ : Square
- RE : Rectangle
- RT : Racetrack
- B : Bullet
- H : Halfmoon
- TP : Trapezoid

**Series**

RC90 : Radius (*connector*) Conductor

TC90 : Triangle (*connector*)

CRC90 : Crescent (*connector*)

BT : Boatshape

BTA : Boatshape Arc

**Base**

- X : X-Base
- X4 : 4 Column X-Base
- T : T-Base
- T2 : Double Column T-Base
- T2D : T2 with Door
- C : C-Base
- CEWT : C-Base with Trough

### OPTIONS

**FLIP TOP**



**CASTERS**




**FOLDING**



### FINISHES

**LAMINATE**



Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge

**VENEER**



Select from one of our 9 standard wood stains or stain-to-match at no upcharge

**BASE**



Select from one of our 76 standard Spectone colors

**EDGE**



Check out our website for a complete list of edge profiles.



# CONDUCTOR TABLES GENERAL PURPOSE

MODEL	BASES		TOP SPECIFICATIONS						OPTIONS				LBS
	Code	Qty.	For Laminate Top			For Veneer Top			FLIP TOP (FT)	FOLD (FL)	HARD CASTERS (HC)	SOFT CASTERS (SC)	
			SE PVF 2MM	HF HB	HBV HBVR HBG	HF2 HB2 HKNR4 HBG2	HF HB HBV HBVR HBG	HF2 HB2 HKNR4 HBG2					
<i>Round</i>													
24D	CX	1	499	790	823	911	959	1050	133	-	80	160	34
30D	CX	1	582	872	911	1088	1043	1177	133	-	80	160	44
36D	CX	1	663	1083	1156	1301	1346	1532	133	-	80	160	55
42D	CX	1	895	1367	1466	1683	1705	1961	-	-	-	-	69
	CX4	1	1021	1493	1592	1809	1831	2087	-	-	80	160	77
48D	CX4	1	1041	1672	1781	1890	2275	2603	-	-	80	160	93
54D	CX4	1	1277	2207	2378	2543	2734	3156	-	-	-	-	111
60D	CX4	1	1315	2372	2554	2694	3254	3777	-	-	-	-	130
<i>Square</i>													
24 x 24SQ	CX	1	522	683	714	770	809	945	133	-	80	160	34
30 x 30SQ	CX	1	611	727	770	915	863	1050	133	-	80	160	44
36 x 36SQ	CX	1	680	862	911	1083	1088	1252	133	-	80	160	55
42 x 42SQ	CX4	1	1034	1297	1378	1460	1517	1739	-	-	80	160	77
48 x 48SQ	CX4	1	1159	1390	1476	1514	1823	2110	-	-	80	160	93
54 x 54SQ	CX4	1	1279	1789	1923	2077	2162	2535	-	-	-	-	111
60 x 60SQ	CX4	1	1304	1877	2017	2173	2553	3005	-	-	-	-	130



30D-CX



42D-CX4

### STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.

### OPTIONS

- Custom heights available.

### HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

**Example:** 24D - CX - PVF -





# CONDUCTOR TABLES GENERAL PURPOSE

MODEL	BASES		TOP SPECIFICATIONS						OPTIONS					LBS
	Code	Qty.	For Laminate Top			For Veneer Top			FLIP TOP (FT)	FOLD (FL)	CASTERS		WHEELS (WB)	
			SE PVF 2MM	HF HB	HBV HBVR HBG	HF2 HB2 HKN4 HKNR4 HBG2	HF HB HBV HBVR HBG	HF2 HB2 HKN4 HKNR4 HBG2						HARD (HC)
<i>Rectangle</i>														
24 x 30RE	CX	1	602	710	748	804	847	954	133	-	-	-	-	43
	CT	2	662	770	808	864	907	1014	266	-	80	160	84	52
24 x 36RE	CX	1	602	710	748	804	847	954	136	-	-	-	-	43
	CT	2	662	770	808	864	907	1014	266	-	80	160	84	52
24 x 42RE	CT	2	717	890	935	1018	1067	1215	266	-	80	160	84	60
24 x 48RE	CT	2	717	890	935	1018	1067	1215	266	-	80	160	84	60
24 x 54RE	CT	2	764	1020	1076	1171	1241	1423	266	-	80	160	84	68
24 x 60RE	CT	2	764	1020	1076	1171	1241	1423	266	252	80	160	84	68
24 x 66RE	CT	2	887	1192	1264	1378	1453	1675	266	252	80	160	84	77
24 x 72RE	CT	2	887	1192	1264	1378	1453	1675	266	252	80	160	84	77
30 x 36RE	CX	1	680	804	849	921	973	1101	133	-	-	-	-	49
	CT	2	740	864	909	981	1033	1161	266	-	80	160	84	58
30 x 42RE	CT	2	756	996	1051	1145	1215	1396	266	-	80	160	84	68
30 x 48RE	CT	2	756	996	1051	1145	1215	1396	266	-	80	160	84	68
30 x 54RE	CT	2	804	1131	1205	1339	1418	1644	266	-	80	160	84	79
30 x 60RE	CT	2	804	1131	1205	1339	1418	1644	266	252	80	160	84	79
30 x 66RE	CT	2	950	1214	1301	1438	1516	1765	266	252	80	160	84	89
30 x 72RE	CT	2	997	1342	1430	1606	1697	1972	266	252	80	160	84	89
30 x 78RE	CT	2	1183	1489	1592	1796	1904	2220	266	252	80	160	-	100
30 x 84RE	CT	2	1183	1489	1592	1796	1904	2220	266	252	80	160	-	100
30 x 90RE	CT	2	1201	1673	1796	1986	2115	2475	-	252	80	160	84	110
30 x 96RE	CT	2	1201	1673	1796	1986	2115	2475	-	252	80	160	84	110

\*Folding tables available with PVC Flat (PVF) edge only.



30D-CX



2448RE-CT

### STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.

### OPTIONS

- Custom heights available.

### HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

Example: 2430RE - CX - PVF -





# CONDUCTOR TABLES GENERAL PURPOSE

MODEL	BASES		TOP SPECIFICATIONS						OPTIONS					LBS
	Code	Qty.	For Laminate Top			For Veneer Top			FLIP TOP (FT)	FOLD (FL)	CASTERS		WHEELS (WB)	
			SE PVF 2MM	HF HB	HBV HBVR HBG	HF2 HB2 HKN4 HKNR4 HBG2	HF HB HBV HBVR HBG	HF2 HB2 HKN4 HKNR4 HBG2			HARD (HC)	SOFT (SC)		
<i>Rectangle</i>														
36 x 42RE	CT	2	839	1020	1089	1182	1256	1444	266	-	80	160	84	77
36 x 48RE	CT	2	860	1114	1188	1301	1376	1597	266	-	80	160	84	77
36 x 60RE	CT	2	942	1295	1385	1527	1618	1894	266	252	80	160	84	89
36 x 66RE	CT	2	1012	1381	1484	1642	1741	2044	-	252	80	160	84	102
	CT2	2	1166	1535	1638	1796	1895	2198	-	504	80	160	-	112
36 x 72RE	CT	2	1045	1430	1527	1756	1866	2195	-	252	80	160	84	102
	CT2	2	1199	1584	1681	1910	2020	2349	-	504	80	160	-	112
36 x 78RE	CT	2	1324	1735	1863	2060	2192	2575	-	-	80	160	84	115
	CT2	2	1478	1889	2017	2214	2346	2729	-	504	80	160	-	125
36 x 84RE	CT	2	1324	1735	1863	2060	2192	2575	-	-	80	160	84	115
	CT2	2	1478	1889	2017	2214	2346	2729	-	504	80	160	-	125
36 x 90RE	CT	2	1328	1914	2060	2291	2439	2869	-	-	80	160	84	127
	CT2	2	1482	2068	2214	2445	2593	3023	-	504	80	160	-	137
36 x 96RE	CT	2	1328	1914	2060	2291	2439	2869	-	-	80	160	84	127
	CT2	2	1482	2068	2214	2445	2593	3023	-	504	80	160	-	137
42 x 78RE	CT2	2	1679	2034	2175	2515	2629	3075	-	504	80	160	-	139
	CT2D	2	2685	3040	3181	3521	3635	4081	-	-	-	-	-	153
42 x 84RE	CT2	2	1679	2034	2175	2515	2629	3075	-	504	80	160	-	139
	CT2D	2	2685	3040	3181	3521	3635	4081	-	-	-	-	-	153

\*Folding tables available with PVC Flat (PVF) edge only.



2448RE-CT

### STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.

### OPTIONS

- Custom heights available.

### HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

**Example:** 3642RE - CT - PVF -





# CONDUCTOR TABLES GENERAL PURPOSE

MODEL	BASES		TOP SPECIFICATIONS						OPTIONS				LBS	
	Code	Qty.	For Laminate Top			For Veneer Top			FLIP TOP (FT)	FOLD (FL)	CASTERS			WHEELS (WB)
			SE PVF 2MM	HF HB	HBV HBVR HBG	HF2 HB2 HKN4 HKNR4 HBG2	HF HB HBV HBVR HBG	HF2 HB2 HKN4 HKNR4 HBG2			HARD (HC)	SOFT (SC)		
<i>Racetrack</i>														
36 x 54RT	CT	2	988	1453	1560	1756	1835	2120	266	-	80	160	84	89
	CT2	2	1142	1607	1714	1910	1989	2274	-	-	80	160	84	99
36 x 60RT	CT	2	988	1453	1560	1756	1835	2120	266	-	80	160	84	89
	CT2	2	1142	1607	1714	1910	1989	2274	-	-	80	160	84	99
36 x 66RT	CT	2	1119	1606	1723	1930	2115	2469	266	-	80	160	84	102
	CT2	2	1273	1760	1877	2084	2269	2623	-	-	80	160	84	112
36 x 72RT	CT	2	1119	1606	1723	1930	2115	2469	266	-	80	160	84	102
	CT2	2	1273	1760	1877	2084	2269	2623	-	-	80	160	84	112
36 x 78RT	CT	2	1339	1957	2101	2416	2481	2894	-	-	80	160	84	115
	CT2	2	1493	2111	2255	2570	2635	3048	-	-	80	160	84	125
36 x 84RT	CT	2	1339	1957	2101	2416	2481	2894	-	-	80	160	84	115
	CT2	2	1493	2111	2255	2570	2635	3048	-	-	80	160	84	125
36 x 90RT	CT	2	1342	2167	2339	2691	2774	3247	-	-	80	160	84	127
	CT2	2	1496	2321	2493	2845	2928	3401	-	-	80	160	84	137
36 x 96RT	CT	2	1342	2167	2339	2691	2774	3247	-	-	80	160	84	127
	CT2	2	1496	2321	2493	2845	2928	3401	-	-	80	160	84	137
42 x 78RT	CT2	2	1693	2278	2454	2812	2898	3372	-	-	80	160	84	154
	CT2D	2	2699	3284	3460	3818	3904	4378	-	-	-	-	-	168
42 x 84RT	CT2	2	1693	2278	2454	2812	2898	3372	-	-	80	160	84	154
	CT2D	2	2699	3284	3460	3818	3904	4378	-	-	-	-	-	168
48 x 78RT	CT2	2	1697	2529	2728	3044	3242	3783	-	-	80	160	84	154
	CT2D	2	2703	3535	3734	4050	4248	4789	-	-	-	-	-	168
48 x 84RT	CT2	2	1697	2529	2728	3044	3242	3783	-	-	80	160	84	154
	CT2D	2	2703	3535	3734	4050	4248	4789	-	-	-	-	-	168



2448RE-CT

### STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.

### OPTIONS

- Custom heights available.

### HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

**Example:** 3654RT - CT - PVF -





# CONDUCTOR TABLES GENERAL PURPOSE

MODEL	BASES		TOP SPECIFICATIONS						OPTIONS				LBS	
	Code	Qty.	For Laminate Top			For Veneer Top			FLIP TOP (FT)	FOLD (FL)	CASTERS			WHEELS (WB)
			SE PVF 2MM	HF HB	HBV HBVR HBG	HF2 HB2 HKN4 HKNR4 HBG2	HF HB HBV HBVR HBG	HF2 HB2 HKN4 HKNR4 HBG2					HARD (HC)	
<i>Bullet</i>														
30 x 54B	CT	2	904	1371	1466	1635	1686	1967	266	-	80	160	84	79
30 x 60B	CT	2	904	1371	1466	1635	1686	1967	266	-	80	160	84	79
36 x 54B	CT	2	1005	1785	1924	2173	2205	2561	-	-	80	160	84	89
36 x 60B	CT	2	1005	1785	1924	2173	2205	2561	-	-	80	160	84	89
36 x 72B	CT	2	1118	1980	2134	2399	2553	2995	-	-	80	160	84	102
<i>Halfmoon</i>														
24 x 48H	CC	2	659	1078	1185	1311	1414	1653	-	-	80	160	-	56
	CT	2	729	1148	1255	1381	1484	1723	266	-	80	160	84	60
30 x 60H	CC	2	834	1459	1604	1747	1927	2267	-	-	80	160	-	75
	CT	2	904	1529	1674	1817	1997	2337	266	-	80	160	84	79
36 x 72H	CT	2	1118	1971	2158	2335	2625	3085	-	-	-	-	84	102
<i>Trapezoid</i>														
30 x 60TP	CC	2	834	1219	1308	1464	1508	1769	-	-	80	160	-	75
	CT	2	904	1289	1378	1534	1578	1839	-	-	80	160	-	79
36 x 72TP	CC	2	1048	1568	1687	1956	2021	2397	-	-	80	160	-	98
	CT	2	1118	1638	1757	2026	2091	2467	-	-	80	160	-	102
<i>Radius (connector)</i>														
24 x 24	24RC90	-	321	585	660	757	776	930	-	-	-	-	-	17
30 x 30	30RC90	-	414	774	869	975	1030	1238	-	-	-	-	-	27
<i>Crescent (connector)</i>														
30 x 36	3036CRC90-CT	1	680	1238	1309	1365	1541	1738	-	-	-	-	-	45
36 x 42	3642CRC90-CT	1	975	1502	1595	1671	1914	2179	-	-	-	-	-	58



### STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.

### OPTIONS

- Custom heights available.

### HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

Example: 3054B - CT - PVF -





# CONDUCTOR TABLES TRAINING

MODEL	BASES		TOP SPECIFICATIONS					OPTIONS				LBS	
	Code	Qty.	For Laminate Top			For Veneer Top		FLIP TOP (FT)	FOLD (FL)	CASTERS			WHEELS (WB)
			PVF 2MM	HF	HKN1	HF	HKN1			HARD (HC)	SOFT (SC)		
<i>Rectangle</i>													
18 x 42RE	CC	2	608	764	872	919	1043	-	-	80	160	84	48
	CCEWT	2	820	976	1084	1131	1255	-	-	80	160	84	62
18 x 48RE	CC	2	608	764	872	919	1043	-	-	80	160	84	48
	CCEWT	2	820	976	1084	1131	1255	-	-	80	160	84	62
18 x 54RE	CC	2	647	820	948	997	1145	-	-	80	160	84	54
	CCEWT	2	859	1032	1160	1209	1357	-	-	80	160	84	68
18 x 60RE	CC	2	647	820	948	997	1145	-	252	80	160	84	54
	CCEWT	2	859	1032	1160	1209	1357	-	-	80	160	84	68
18 x 66RE	CC	2	694	950	1101	1171	1353	-	252	80	160	84	60
	CCEWT	2	906	1162	1313	1383	1565	-	-	80	160	84	74
18 x 72RE	CC	2	694	950	1101	1171	1353	-	252	80	160	84	60
	CCEWT	2	906	1162	1313	1383	1565	-	-	80	160	84	74
24 x 42RE	CC	2	647	820	948	997	1145	-	-	80	160	84	56
	CCEWT	2	859	1032	1160	1209	1357	-	-	80	160	84	70
24 x 48RE	CC	2	647	820	948	997	1145	-	-	80	160	84	56
	CCEWT	2	859	1032	1160	1209	1357	-	-	80	160	84	70
24 x 54RE	CC	2	694	950	1101	1171	1353	-	-	80	160	84	64
	CCEWT	2	906	1162	1313	1383	1565	-	-	80	160	84	78
24 x 60RE	CC	2	694	950	1101	1171	1353	-	252	80	160	84	64
	CCEWT	2	906	1162	1313	1383	1565	-	-	80	160	84	78
24 x 66RE	CC	2	817	1122	1308	1383	1605	-	252	80	160	84	73
	CCEWT	2	1029	1334	1520	1595	1817	-	-	80	160	84	87
24 x 72RE	CC	2	817	1122	1308	1383	1605	-	252	80	160	84	73
	CCEWT	2	1029	1334	1520	1595	1817	-	-	80	160	84	87

\*Folding tables available with PVC Flat (PVF) edge only.

### STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.
- Training tables without a wire management trough are provided with inserts to attach a trough later if required.

### OPTIONS

- Custom heights available.

### HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

**Example:** 1842RE - CC - PVF -





# CONDUCTOR TABLES TRAINING

MODEL	BASES		TOP SPECIFICATIONS					OPTIONS					LBS
	Code	Qty.	For Laminate Top			For Veneer Top		FLIP TOP (FT)	FOLD (FL)	CASTERS		WHEELS (WB)	
			PVF 2MM	HF	HKN1	HF	HKN1			HARD (HC)	SOFT (SC)		
<i>Rectangle</i>													
30 x 42RE	CC	2	686	926	1075	1145	1326	-	-	80	160	84	64
	CCEWT	2	898	1138	1287	1357	1538	-	-	80	160	84	78
30 x 48RE	CC	2	686	926	1075	1145	1326	-	-	80	160	84	64
	CCEWT	2	898	1138	1287	1357	1538	-	-	80	160	84	78
30 x 54RE	CC	2	734	1061	1269	1348	1574	-	-	80	160	84	75
	CCEWT	2	946	1273	1481	1560	1786	-	-	80	160	84	89
30 x 60RE	CC	2	734	1061	1269	1348	1574	-	252	80	160	84	75
	CCEWT	2	946	1273	1481	1560	1786	-	-	80	160	84	89
30 x 66RE	CC	2	880	1144	1368	1446	1695	-	252	80	160	84	85
	CCEWT	2	1092	1356	1580	1658	1907	-	-	80	160	84	99
30 x 72RE	CC	2	927	1272	1536	1627	1902	-	252	80	160	84	85
	CCEWT	2	1139	1484	1748	1839	2114	-	-	80	160	84	85
<i>Radius (connector)</i>													
24, 90°	24RC90	-	321	585	757	776	930	-	-	-	-	-	16
30, 90°	30RC90	-	414	774	975	1030	1238	-	-	-	-	-	23
24, 30°	24RC30	-	296	558	732	749	904	-	-	-	-	-	10
30, 30°	30RC30	-	386	748	949	1004	1212	-	-	-	-	-	16
<i>Triangle (connector)</i>													
24, 90°	24TC90	-	321	585	757	776	930	-	-	-	-	-	16
30, 90°	30TC90	-	414	774	975	1030	1238	-	-	-	-	-	23
24, 30°	24TC30	-	296	558	732	749	904	-	-	-	-	-	10
30, 30°	30TC30	-	386	748	949	1004	1212	-	-	-	-	-	16

\*Folding tables available with PVC Flat (PVF) edge only.

### STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.
- Training tables without a wire management trough are provided with inserts to attach a trough later if required.

### OPTIONS

- Custom heights available.

### HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

**Example:** 1842RE - CC - PVF -

