

# CONDUCTOR TABLES



## PLACING AN ORDER IS EASY

### PRODUCT CODE

**2430 RE CT**

**Size**  
Width x Length

**Top Shape**  
 D : Round      RC90 : Radius (*connector*)  
 SQ : Square    TC90 : Triangle (*connector*)  
 RE : Rectangle    CRC90 : Crescent (*connector*)  
 RT : Racetrack    BT : Boatshape  
 B : Bullet      BTA : Boatshape Arc  
 H : Halfmoon  
 TP : Trapezoid

**Series**  
Conductor

**Base**  
 X : X-Base  
 X4 : 4 Column X-Base  
 T : T-Base  
 T2 : Double Column T-Base  
 T2D : T2 with Door  
 C : C-Base  
 CEWT : C-Base with Trough



### OPTIONS

#### FLIP TOP



#### CASTERS




#### FOLDING



### FINISHES

#### LAMINATE



Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge

#### VENEER



Select from one of our 9 standard wood stains or stain-to-match at no upcharge

#### BASE



Select from one of our 76 standard Spectone colors

#### EDGE



Check out our website for a complete list of edge profiles.



# CONDUCTOR TABLES GENERAL PURPOSE

| MODEL         | BASES |      | TOP SPECIFICATIONS |       |              |                         |                    |                         | OPTIONS       |           |                   |                   | LBS |
|---------------|-------|------|--------------------|-------|--------------|-------------------------|--------------------|-------------------------|---------------|-----------|-------------------|-------------------|-----|
|               | Code  | Qty. | For Laminate Top   |       |              | For Veneer Top          |                    |                         | FLIP TOP (FT) | FOLD (FL) | HARD CASTERS (HC) | SOFT CASTERS (SC) |     |
|               |       |      | SE PVF 2MM         | HF HB | HBV HBVR HBG | HF2 HB2 HKN4 HKNR4 HBG2 | HF HB HBV HBVR HBG | HF2 HB2 HKN4 HKNR4 HBG2 |               |           |                   |                   |     |
| <i>Round</i>  |       |      |                    |       |              |                         |                    |                         |               |           |                   |                   |     |
| 24D           | CX    | 1    | 570                | 906   | 941          | 1043                    | 1097               | 1202                    | 144           | -         | 88                | 188               | 34  |
| 30D           | CX    | 1    | 667                | 998   | 1043         | 1246                    | 1194               | 1348                    | 144           | -         | 88                | 188               | 44  |
| 36D           | CX    | 1    | 759                | 1239  | 1323         | 1489                    | 1540               | 1753                    | 144           | -         | 88                | 188               | 55  |
| 42D           | CX    | 1    | 1025               | 1563  | 1679         | 1926                    | 1951               | 2243                    | -             | -         |                   |                   | 69  |
|               | CX4   | 1    | 1169               | 1707  | 1823         | 2070                    | 2095               | 2387                    | -             | -         | 88                | 188               | 77  |
| 48D           | CX4   | 1    | 1191               | 1913  | 2039         | 2162                    | 2604               | 2980                    | -             | -         | 88                | 188               | 93  |
| 54D           | CX4   | 1    | 1462               | 2526  | 2722         | 2909                    | 3130               | 3611                    | -             | -         |                   |                   | 111 |
| 60D           | CX4   | 1    | 1506               | 2715  | 2924         | 3082                    | 3722               | 4321                    | -             | -         |                   |                   | 130 |
| <i>Square</i> |       |      |                    |       |              |                         |                    |                         |               |           |                   |                   |     |
| 24 x 24SQ     | CX    | 1    | 599                | 781   | 816          | 879                     | 925                | 1082                    | 144           | -         | 88                | 188               | 34  |
| 30 x 30SQ     | CX    | 1    | 699                | 831   | 879          | 1047                    | 986                | 1202                    | 144           | -         | 88                | 188               | 44  |
| 36 x 36SQ     | CX    | 1    | 777                | 985   | 1043         | 1239                    | 1246               | 1433                    | 144           | -         | 88                | 188               | 55  |
| 42 x 42SQ     | CX4   | 1    | 1183               | 1484  | 1577         | 1670                    | 1734               | 1990                    | -             | -         | 88                | 188               | 77  |
| 48 x 48SQ     | CX4   | 1    | 1327               | 1591  | 1689         | 1732                    | 2086               | 2415                    | -             | -         | 88                | 188               | 93  |
| 54 x 54SQ     | CX4   | 1    | 1464               | 2047  | 2200         | 2378                    | 2475               | 2901                    | -             | -         |                   |                   | 111 |
| 60 x 60SQ     | CX4   | 1    | 1493               | 2146  | 2309         | 2488                    | 2922               | 3438                    | -             | -         |                   |                   | 130 |



30D-CX



42D-CX4

### STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.

### OPTIONS

- Custom heights available.
- For applicable Power & Data modules, please see Table Accessories Price List.

### HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

Example: 24D - CX - PVF -





# CONDUCTOR TABLES GENERAL PURPOSE

| MODEL            | BASES |      | TOP SPECIFICATIONS |       |              |                         |                           |                           | OPTIONS       |           |         |     | LBS       |             |
|------------------|-------|------|--------------------|-------|--------------|-------------------------|---------------------------|---------------------------|---------------|-----------|---------|-----|-----------|-------------|
|                  | Code  | Qty. | For Laminate Top   |       |              | For Veneer Top          |                           |                           | FLIP TOP (FT) | FOLD (FL) | CASTERS |     |           | WHEELS (WB) |
|                  |       |      | SE PVF 2MM         | HF HB | HBV HBVR HBG | HF2 HB2 HKN4 HKNR4 HBG2 | HF HB HB2 HBN4 HBNR4 HBG2 | HF HB HB2 HBN4 HBNR4 HBG2 |               |           |         |     | HARD (HC) |             |
| <i>Rectangle</i> |       |      |                    |       |              |                         |                           |                           |               |           |         |     |           |             |
| 24 x 30RE        | CX    | 1    | 688                | 812   | 857          | 921                     | 971                       | 1093                      | 144           | -         |         |     | -         | 43          |
|                  | CT    | 2    | 759                | 883   | 928          | 992                     | 1042                      | 1164                      | 288           | -         | 88      | 188 | 88        | 52          |
| 24 x 36RE        | CX    | 1    | 688                | 812   | 857          | 921                     | 971                       | 1093                      | 144           | -         |         |     | -         | 43          |
|                  | CT    | 2    | 759                | 883   | 928          | 992                     | 1042                      | 1164                      | 288           | -         | 88      | 188 | 88        | 52          |
| 24 x 42RE        | CT    | 2    | 821                | 1021  | 1073         | 1167                    | 1224                      | 1393                      | 288           | -         | 88      | 188 | 88        | 60          |
| 24 x 48RE        | CT    | 2    | 821                | 1021  | 1073         | 1167                    | 1224                      | 1393                      | 288           | -         | 88      | 188 | 88        | 60          |
| 24 x 54RE        | CT    | 2    | 877                | 1169  | 1235         | 1343                    | 1424                      | 1631                      | 288           | 278       | 88      | 188 | 88        | 68          |
| 24 x 60RE        | CT    | 2    | 877                | 1169  | 1235         | 1343                    | 1424                      | 1631                      | 288           | 278       | 88      | 188 | 88        | 68          |
| 24 x 66RE        | CT    | 2    | 1016               | 1367  | 1448         | 1580                    | 1665                      | 1919                      | 288           | 278       | 88      | 188 | 88        | 77          |
| 24 x 72RE        | CT    | 2    | 1016               | 1367  | 1448         | 1580                    | 1665                      | 1919                      | 288           | 278       | 88      | 188 | 88        | 77          |
| 30 x 36RE        | CX    | 1    | 777                | 921   | 972          | 1054                    | 1113                      | 1260                      | 144           | -         |         |     | -         | 49          |
|                  | CT    | 2    | 848                | 992   | 1043         | 1125                    | 1184                      | 1331                      | 288           | -         | 88      | 188 | 88        | 58          |
| 30 x 42RE        | CT    | 2    | 868                | 1142  | 1205         | 1313                    | 1393                      | 1599                      | 288           | -         | 88      | 188 | 88        | 68          |
| 30 x 48RE        | CT    | 2    | 868                | 1142  | 1205         | 1313                    | 1393                      | 1599                      | 288           | -         | 88      | 188 | 88        | 68          |
| 30 x 54RE        | CT    | 2    | 924                | 1298  | 1380         | 1534                    | 1626                      | 1884                      | 288           | 278       | 88      | 188 | 88        | 79          |
| 30 x 60RE        | CT    | 2    | 924                | 1298  | 1380         | 1534                    | 1626                      | 1884                      | 288           | 278       | 88      | 188 | 88        | 79          |
| 30 x 66RE        | CT    | 2    | 1090               | 1392  | 1491         | 1648                    | 1737                      | 2022                      | 288           | 278       | 88      | 188 | 88        | 89          |
| 30 x 72RE        | CT    | 2    | 1143               | 1538  | 1638         | 1840                    | 1945                      | 2258                      | 288           | 278       | 88      | 188 | 88        | 89          |
| 30 x 78RE        | CT    | 2    | 1357               | 1706  | 1824         | 2059                    | 2183                      | 2543                      | 288           | 278       | 88      | 188 | -         | 100         |
| 30 x 84RE        | CT    | 2    | 1357               | 1706  | 1824         | 2059                    | 2183                      | 2543                      | 288           | 278       | 88      | 188 | -         | 100         |
| 30 x 90RE        | CT    | 2    | 1377               | 1917  | 2059         | 2276                    | 2422                      | 2832                      | -             | 278       | 88      | 188 | 88        | 110         |
| 30 x 96RE        | CT    | 2    | 1377               | 1917  | 2059         | 2276                    | 2422                      | 2832                      | -             | 278       | 88      | 188 | 88        | 110         |



\*Folding tables available with PVC Flat (PVF) edge only.



30D-CX



2448RE-CT

## STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.

## OPTIONS

- Custom heights available.
- For applicable Power & Data modules, please see Table Accessories Price List.

## HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

Example: 2430RE - CX - PVF -





# CONDUCTOR TABLES GENERAL PURPOSE

| MODEL            | BASES |      | TOP SPECIFICATIONS |          |                    |                                     |                                |                                     | OPTIONS       |           |         |     | LBS       |             |
|------------------|-------|------|--------------------|----------|--------------------|-------------------------------------|--------------------------------|-------------------------------------|---------------|-----------|---------|-----|-----------|-------------|
|                  | Code  | Qty. | For Laminate Top   |          |                    | For Veneer Top                      |                                |                                     | FLIP TOP (FT) | FOLD (FL) | CASTERS |     |           | WHEELS (WB) |
|                  |       |      | SE<br>PVF<br>2MM   | HF<br>HB | HBV<br>HBVR<br>HBG | HF2<br>HB2<br>HKN4<br>HKNR4<br>HBG2 | HF<br>HB<br>HBV<br>HBVR<br>HBG | HF2<br>HB2<br>HKN4<br>HKNR4<br>HBG2 |               |           |         |     | HARD (HC) |             |
| <i>Rectangle</i> |       |      |                    |          |                    |                                     |                                |                                     |               |           |         |     |           |             |
| 36 x 42RE        | CT    | 2    | 963                | 1169     | 1248               | 1356                                | 1439                           | 1655                                | 288           | -         | 88      | 188 | 88        | 77          |
| 36 x 48RE        | CT    | 2    | 987                | 1278     | 1362               | 1491                                | 1577                           | 1829                                | 288           | -         | 88      | 188 | 88        | 77          |
| 36 x 60RE        | CT    | 2    | 1079               | 1484     | 1587               | 1751                                | 1855                           | 2170                                | 288           | 278       | 88      | 188 | 88        | 89          |
| 36 x 66RE        | CT    | 2    | 1163               | 1583     | 1701               | 1882                                | 1995                           | 2342                                | -             | 278       | 88      | 188 | 88        | 102         |
|                  | CT2   | 2    | 1337               | 1757     | 1875               | 2056                                | 2169                           | 2516                                | -             | 556       | 88      | 188 | -         | 112         |
| 36 x 72RE        | CT    | 2    | 1199               | 1638     | 1751               | 2012                                | 2138                           | 2513                                | -             | 278       | 88      | 188 | 88        | 102         |
|                  | CT2   | 2    | 1373               | 1812     | 1925               | 2186                                | 2312                           | 2687                                | -             | 556       | 88      | 188 | -         | 112         |
| 36 x 78RE        | CT    | 2    | 1518               | 1988     | 2135               | 2361                                | 2509                           | 2951                                | -             | -         | 88      | 188 | 88        | 115         |
|                  | CT2   | 2    | 1692               | 2162     | 2309               | 2535                                | 2683                           | 3125                                | -             | 556       | 88      | 188 | -         | 125         |
| 36 x 84RE        | CT    | 2    | 1518               | 1988     | 2135               | 2361                                | 2509                           | 2951                                | -             | -         | 88      | 188 | 88        | 115         |
|                  | CT2   | 2    | 1692               | 2162     | 2309               | 2535                                | 2683                           | 3125                                | -             | 556       | 88      | 188 | -         | 125         |
| 36 x 90RE        | CT    | 2    | 1524               | 2193     | 2361               | 2625                                | 2795                           | 3285                                | -             | -         | 88      | 188 | 88        | 127         |
|                  | CT2   | 2    | 1698               | 2367     | 2535               | 2799                                | 2969                           | 3459                                | -             | 556       | 88      | 188 | -         | 137         |
| 36 x 96RE        | CT    | 2    | 1524               | 2193     | 2361               | 2625                                | 2795                           | 3285                                | -             | -         | 88      | 188 | 88        | 127         |
|                  | CT2   | 2    | 1698               | 2367     | 2535               | 2799                                | 2969                           | 3459                                | -             | 556       | 88      | 188 | -         | 137         |
| 42 x 78RE        | CT2   | 2    | 1923               | 2327     | 2488               | 2878                                | 3006                           | 3518                                | -             | 556       | 88      | 188 | -         | 139         |
|                  | CT2D  | 2    | 3073               | 3477     | 3638               | 4028                                | 4156                           | 4668                                | -             | -         |         |     | -         | 153         |
| 42 x 84RE        | CT2   | 2    | 1923               | 2327     | 2488               | 2878                                | 3006                           | 3518                                | -             | 556       | 88      | 188 | -         | 139         |
|                  | CT2D  | 2    | 3073               | 3477     | 3638               | 4028                                | 4156                           | 4668                                | -             | -         |         |     | -         | 153         |

\*Folding tables available with PVC Flat (PVF) edge only.



2448RE-CT

## STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.

## OPTIONS

- Custom heights available.
- For applicable Power & Data modules, please see Table Accessories Price List.

## HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

**Example:** 3642RE - CT - PVF -





# CONDUCTOR TABLES GENERAL PURPOSE

| MODEL            | BASES |      | TOP SPECIFICATIONS |       |              |                    |                    |                    | OPTIONS       |           |         |     | LBS       |             |
|------------------|-------|------|--------------------|-------|--------------|--------------------|--------------------|--------------------|---------------|-----------|---------|-----|-----------|-------------|
|                  | Code  | Qty. | For Laminate Top   |       |              | For Veneer Top     |                    |                    | FLIP TOP (FT) | FOLD (FL) | CASTERS |     |           | WHEELS (WB) |
|                  |       |      | SE PVF 2MM         | HF HB | HBV HBVR HBG | HF2 HB2 HKNR4 HBG2 | HF HB HBV HBVR HBG | HF2 HB2 HKNR4 HBG2 |               |           |         |     | HARD (HC) |             |
| <i>Racetrack</i> |       |      |                    |       |              |                    |                    |                    |               |           |         |     |           |             |
| 36 x 54RT        | CT    | 2    | 1132               | 1665  | 1790         | 2012               | 2103               | 2428               | 288           | -         | 88      | 188 | 88        | 89          |
|                  | CT2   | 2    | 1306               | 1839  | 1964         | 2186               | 2277               | 2602               | -             | -         | 88      | 188 | 88        | 99          |
| 36 x 60RT        | CT    | 2    | 1132               | 1665  | 1790         | 2012               | 2103               | 2428               | 288           | -         | 88      | 188 | 88        | 89          |
|                  | CT2   | 2    | 1306               | 1839  | 1964         | 2186               | 2277               | 2602               | -             | -         | 88      | 188 | 88        | 99          |
| 36 x 66RT        | CT    | 2    | 1283               | 1840  | 1974         | 2212               | 2422               | 2828               | 288           | -         | 88      | 188 | 88        | 102         |
|                  | CT2   | 2    | 1457               | 2014  | 2148         | 2386               | 2596               | 3002               | -             | -         | 88      | 188 | 88        | 112         |
| 36 x 72RT        | CT    | 2    | 1283               | 1840  | 1974         | 2212               | 2422               | 2828               | 288           | -         | 88      | 188 | 88        | 102         |
|                  | CT2   | 2    | 1457               | 2014  | 2148         | 2386               | 2596               | 3002               | -             | -         | 88      | 188 | 88        | 112         |
| 36 x 78RT        | CT    | 2    | 1534               | 2242  | 2407         | 2767               | 2842               | 3317               | -             | -         | 88      | 188 | 88        | 115         |
|                  | CT2   | 2    | 1708               | 2416  | 2581         | 2941               | 3016               | 3491               | -             | -         | 88      | 188 | 88        | 125         |
| 36 x 84RT        | CT    | 2    | 1534               | 2242  | 2407         | 2767               | 2842               | 3317               | -             | -         | 88      | 188 | 88        | 115         |
|                  | CT2   | 2    | 1708               | 2416  | 2581         | 2941               | 3016               | 3491               | -             | -         | 88      | 188 | 88        | 125         |
| 36 x 90RT        | CT    | 2    | 1538               | 2482  | 2679         | 3082               | 3176               | 3716               | -             | -         | 88      | 188 | 88        | 127         |
|                  | CT2   | 2    | 1712               | 2656  | 2853         | 3256               | 3350               | 3890               | -             | -         | 88      | 188 | 88        | 137         |
| 36 x 96RT        | CT    | 2    | 1538               | 2482  | 2679         | 3082               | 3176               | 3716               | -             | -         | 88      | 188 | 88        | 127         |
|                  | CT2   | 2    | 1712               | 2656  | 2853         | 3256               | 3350               | 3890               | -             | -         | 88      | 188 | 88        | 137         |
| 42 x 78RT        | CT2   | 2    | 1937               | 2606  | 2809         | 3216               | 3314               | 3860               | -             | -         | 88      | 188 | 88        | 154         |
|                  | CT2D  | 2    | 3087               | 3756  | 3959         | 4366               | 4464               | 5010               | -             | -         |         |     | -         | 168         |
| 42 x 84RT        | CT2   | 2    | 1937               | 2606  | 2809         | 3216               | 3314               | 3860               | -             | -         | 88      | 188 | 88        | 154         |
|                  | CT2D  | 2    | 3087               | 3756  | 3959         | 4366               | 4464               | 5010               | -             | -         |         |     | -         | 168         |
| 48 x 78RT        | CT2   | 2    | 1940               | 2894  | 3124         | 3484               | 3709               | 4329               | -             | -         | 88      | 188 | 88        | 154         |
|                  | CT2D  | 2    | 3090               | 4044  | 4274         | 4634               | 4859               | 5479               | -             | -         |         |     | -         | 168         |
| 48 x 84RT        | CT2   | 2    | 1940               | 2894  | 3124         | 3484               | 3709               | 4329               | -             | -         | 88      | 188 | 88        | 154         |
|                  | CT2D  | 2    | 3090               | 4044  | 4274         | 4634               | 4859               | 5479               | -             | -         |         |     | -         | 168         |



2448RE-CT

### STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.

### OPTIONS

- Custom heights available.
- For applicable Power & Data modules, please see Table Accessories Price List.

### HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

**Example:** 3654RT - CT - PVF -





# CONDUCTOR TABLES GENERAL PURPOSE

| MODEL                       | BASES        |      | TOP SPECIFICATIONS |       |              |                         |                    |                         | OPTIONS       |           |         |     | LBS       |             |
|-----------------------------|--------------|------|--------------------|-------|--------------|-------------------------|--------------------|-------------------------|---------------|-----------|---------|-----|-----------|-------------|
|                             | Code         | Qty. | For Laminate Top   |       |              | For Veneer Top          |                    |                         | FLIP TOP (FT) | FOLD (FL) | CASTERS |     |           | WHEELS (WB) |
|                             |              |      | SE PVF 2MM         | HF HB | HBV HBVR HBG | HF2 HB2 HKN4 HKNR4 HBG2 | HF HB HBV HBVR HBG | HF2 HB2 HKN4 HKNR4 HBG2 |               |           |         |     | HARD (HC) |             |
| <i>Bullet</i>               |              |      |                    |       |              |                         |                    |                         |               |           |         |     |           |             |
| 30 x 54B                    | CT           | 2    | 1038               | 1569  | 1680         | 1874                    | 1932               | 2254                    | 288           | -         | 88      | 188 | 88        | 79          |
| 30 x 60B                    | CT           | 2    | 1038               | 1569  | 1680         | 1874                    | 1932               | 2254                    | 288           | -         | 88      | 188 | 88        | 79          |
| 36 x 54B                    | CT           | 2    | 1153               | 2046  | 2204         | 2489                    | 2527               | 2932                    | -             | -         | 88      | 188 | 88        | 89          |
| 36 x 60B                    | CT           | 2    | 1153               | 2046  | 2204         | 2489                    | 2527               | 2932                    | -             | -         | 88      | 188 | 88        | 89          |
| 36 x 72B                    | CT           | 2    | 1282               | 2269  | 2444         | 2748                    | 2924               | 3432                    | -             | -         | 88      | 188 | 88        | 102         |
| <i>Halfmoon</i>             |              |      |                    |       |              |                         |                    |                         |               |           |         |     |           |             |
| 24 x 48H                    | CC           | 2    | 759                | 1239  | 1359         | 1505                    | 1623               | 1896                    | -             | -         | 88      | 188 | -         | 56          |
|                             | CT           | 2    | 837                | 1317  | 1437         | 1583                    | 1701               | 1974                    | 288           | -         | 88      | 188 | 88        | 60          |
| 30 x 60H                    | CC           | 2    | 960                | 1674  | 1840         | 2004                    | 2209               | 2598                    | -             | -         | 88      | 188 | -         | 75          |
|                             | CT           | 2    | 1038               | 1752  | 1918         | 2082                    | 2287               | 2676                    | 288           | -         | 88      | 188 | 88        | 79          |
| 36 x 72H                    | CT           | 2    | 1282               | 2257  | 2472         | 2673                    | 3007               | 3533                    | -             | -         | -       | -   | 88        | 102         |
| <i>Trapezoid</i>            |              |      |                    |       |              |                         |                    |                         |               |           |         |     |           |             |
| 30 x 60TP                   | CC           | 2    | 960                | 1400  | 1502         | 1679                    | 1730               | 2028                    | -             | -         | 88      | 188 | -         | 75          |
|                             | CT           | 2    | 1038               | 1478  | 1580         | 1757                    | 1808               | 2106                    | -             | -         | 88      | 188 | -         | 79          |
| 36 x 72TP                   | CC           | 2    | 1204               | 1800  | 1935         | 2241                    | 2317               | 2746                    | -             | -         | 88      | 188 | -         | 98          |
|                             | CT           | 2    | 1282               | 1878  | 2013         | 2319                    | 2395               | 2824                    | -             | -         | 88      | 188 | -         | 102         |
| <i>Radius (connector)</i>   |              |      |                    |       |              |                         |                    |                         |               |           |         |     |           |             |
| 24 x 24                     | 24RC90       | -    | 369                | 669   | 756          | 867                     | 888                | 1064                    | -             | -         | -       | -   | -         | 17          |
| 30 x 30                     | 30RC90       | -    | 471                | 885   | 995          | 1116                    | 1179               | 1415                    | -             | -         | -       | -   | -         | 27          |
| <i>Crescent (connector)</i> |              |      |                    |       |              |                         |                    |                         |               |           |         |     |           |             |
| 30 x 36                     | 3036CRC90-CT | 1    | 778                | 1418  | 1499         | 1562                    | 1766               | 1989                    | -             | -         | -       | -   | -         | 45          |
| 36 x 42                     | 3642CRC90-CT | 1    | 1117               | 1718  | 1828         | 1912                    | 2191               | 2494                    | -             | -         | -       | -   | -         | 58          |



## STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.

## OPTIONS

- Custom heights available.
- For applicable Power & Data modules, please see Table Accessories Price List.

## HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

Example: 3054B - CT - PVF -





# CONDUCTOR TABLES TRAINING

| MODEL            | BASES |      | TOP SPECIFICATIONS |      |      |                |      | OPTIONS       |           |                   |           | LBS |             |
|------------------|-------|------|--------------------|------|------|----------------|------|---------------|-----------|-------------------|-----------|-----|-------------|
|                  | Code  | Qty. | For Laminate Top   |      |      | For Veneer Top |      | FLIP TOP (FT) | FOLD (FL) | CASTERS HARD (HC) | SOFT (SC) |     | WHEELS (WB) |
|                  |       |      | PVF 2MM            | HF   | HKN1 | HF             | HKN1 |               |           |                   |           |     |             |
| <i>Rectangle</i> |       |      |                    |      |      |                |      |               |           |                   |           |     |             |
| 18 x 42RE        | CC    | 2    | 700                | 878  | 1001 | 1055           | 1198 | -             | -         | 88                | 188       | 88  | 48          |
|                  | CCEWT | 2    | 938                | 1116 | 1239 | 1293           | 1436 | -             | -         | 88                | 188       | 88  | 62          |
| 18 x 48RE        | CC    | 2    | 700                | 878  | 1001 | 1055           | 1198 | -             | -         | 88                | 188       | 88  | 48          |
|                  | CCEWT | 2    | 938                | 1116 | 1239 | 1293           | 1436 | -             | -         | 88                | 188       | 88  | 62          |
| 18 x 54RE        | CC    | 2    | 743                | 943  | 1089 | 1146           | 1315 | -             | -         | 88                | 188       | 88  | 54          |
|                  | CCEWT | 2    | 981                | 1181 | 1327 | 1384           | 1553 | -             | -         | 88                | 188       | 88  | 68          |
| 18 x 60RE        | CC    | 2    | 743                | 943  | 1089 | 1146           | 1315 | -             | 278       | 88                | 188       | 88  | 54          |
|                  | CCEWT | 2    | 981                | 1181 | 1327 | 1384           | 1553 | -             | -         | 88                | 188       | 88  | 68          |
| 18 x 66RE        | CC    | 2    | 799                | 1091 | 1265 | 1346           | 1553 | -             | 278       | 88                | 188       | 88  | 60          |
|                  | CCEWT | 2    | 1037               | 1329 | 1503 | 1584           | 1791 | -             | -         | 88                | 188       | 88  | 74          |
| 18 x 72RE        | CC    | 2    | 799                | 1091 | 1265 | 1346           | 1553 | -             | 278       | 88                | 188       | 88  | 60          |
|                  | CCEWT | 2    | 1037               | 1329 | 1503 | 1584           | 1791 | -             | -         | 88                | 188       | 88  | 74          |
| 24 x 42RE        | CC    | 2    | 743                | 943  | 1089 | 1146           | 1315 | -             | -         | 88                | 188       | 88  | 56          |
|                  | CCEWT | 2    | 981                | 1181 | 1327 | 1384           | 1553 | -             | -         | 88                | 188       | 88  | 70          |
| 24 x 48RE        | CC    | 2    | 743                | 943  | 1089 | 1146           | 1315 | -             | -         | 88                | 188       | 88  | 56          |
|                  | CCEWT | 2    | 981                | 1181 | 1327 | 1384           | 1553 | -             | -         | 88                | 188       | 88  | 70          |
| 24 x 54RE        | CC    | 2    | 799                | 1091 | 1265 | 1346           | 1553 | -             | -         | 88                | 188       | 88  | 64          |
|                  | CCEWT | 2    | 1037               | 1329 | 1503 | 1584           | 1791 | -             | -         | 88                | 188       | 88  | 78          |
| 24 x 60RE        | CC    | 2    | 799                | 1091 | 1265 | 1346           | 1553 | -             | 278       | 88                | 188       | 88  | 64          |
|                  | CCEWT | 2    | 1037               | 1329 | 1503 | 1584           | 1791 | -             | -         | 88                | 188       | 88  | 78          |
| 24 x 66RE        | CC    | 2    | 938                | 1289 | 1502 | 1587           | 1841 | -             | 278       | 88                | 188       | 88  | 73          |
|                  | CCEWT | 2    | 1176               | 1527 | 1740 | 1825           | 2079 | -             | -         | 88                | 188       | 88  | 87          |
| 24 x 72RE        | CC    | 2    | 938                | 1289 | 1502 | 1587           | 1841 | -             | 278       | 88                | 188       | 88  | 73          |
|                  | CCEWT | 2    | 1176               | 1527 | 1740 | 1825           | 2079 | -             | -         | 88                | 188       | 88  | 87          |

\*Folding tables available with PVC Flat (PVF) edge only.



## STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.
- Training tables without a wire management trough are provided with inserts to attach a trough later if required.

## OPTIONS

- Custom heights available.
- For applicable Power & Data modules, please see Table Accessories Price List.

## HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

**Example:** 1842RE - CC - PVF -





# CONDUCTOR TABLES TRAINING

| MODEL                       | BASES  |      | TOP SPECIFICATIONS |      |      |                |      | OPTIONS          |              |              |              |                | LBS |
|-----------------------------|--------|------|--------------------|------|------|----------------|------|------------------|--------------|--------------|--------------|----------------|-----|
|                             | Code   | Qty. | For Laminate Top   |      |      | For Veneer Top |      | FLIP TOP<br>(FT) | FOLD<br>(FL) | CASTERS      |              | WHEELS<br>(WB) |     |
|                             |        |      | PVF<br>2MM         | HF   | HKN1 | HF             | HKN1 |                  |              | HARD<br>(HC) | SOFT<br>(SC) |                |     |
| <i>Rectangle</i>            |        |      |                    |      |      |                |      |                  |              |              |              |                |     |
| 30 x 42RE                   | CC     | 2    | 790                | 1064 | 1235 | 1315           | 1521 | -                | -            | 88           | 188          | 88             | 64  |
|                             | CCEWT  | 2    | 1028               | 1302 | 1473 | 1553           | 1759 | -                | -            | 88           | 188          | 88             | 78  |
| 30 x 48RE                   | CC     | 2    | 790                | 1064 | 1235 | 1315           | 1521 | -                | -            | 88           | 188          | 88             | 64  |
|                             | CCEWT  | 2    | 1028               | 1302 | 1473 | 1553           | 1759 | -                | -            | 88           | 188          | 88             | 78  |
| 30 x 54RE                   | CC     | 2    | 846                | 1220 | 1456 | 1548           | 1806 | -                | -            | 88           | 188          | 88             | 75  |
|                             | CCEWT  | 2    | 1084               | 1458 | 1694 | 1786           | 2044 | -                | -            | 88           | 188          | 88             | 89  |
| 30 x 60RE                   | CC     | 2    | 846                | 1220 | 1456 | 1548           | 1806 | -                | 278          | 88           | 188          | 88             | 75  |
|                             | CCEWT  | 2    | 1084               | 1458 | 1694 | 1786           | 2044 | -                | -            | 88           | 188          | 88             | 89  |
| 30 x 66RE                   | CC     | 2    | 1012               | 1314 | 1570 | 1659           | 1944 | -                | 278          | 88           | 188          | 88             | 85  |
|                             | CCEWT  | 2    | 1250               | 1552 | 1808 | 1897           | 2182 | -                | -            | 88           | 188          | 88             | 99  |
| 30 x 72RE                   | CC     | 2    | 1065               | 1460 | 1762 | 1867           | 2180 | -                | 278          | 88           | 188          | 88             | 85  |
|                             | CCEWT  | 2    | 1303               | 1698 | 2000 | 2105           | 2418 | -                | -            | 88           | 188          | 88             | 85  |
| <i>Radius (connector)</i>   |        |      |                    |      |      |                |      |                  |              |              |              |                |     |
| 24, 90°                     | 24RC90 | -    | 369                | 669  | 867  | 888            | 1064 | -                | -            |              |              | -              | 16  |
| 30, 90°                     | 30RC90 | -    | 471                | 885  | 1116 | 1179           | 1415 | -                | -            |              |              | -              | 23  |
| 24, 30°                     | 24RC30 | -    | 337                | 639  | 837  | 857            | 1033 | -                | -            |              |              | -              | 10  |
| 30, 30°                     | 30RC30 | -    | 443                | 856  | 1086 | 1150           | 1387 | -                | -            |              |              | -              | 16  |
| <i>Triangle (connector)</i> |        |      |                    |      |      |                |      |                  |              |              |              |                |     |
| 24, 90°                     | 24TC90 | -    | 369                | 669  | 867  | 888            | 1064 | -                | -            |              |              | -              | 16  |
| 30, 90°                     | 30TC90 | -    | 471                | 885  | 1116 | 1179           | 1415 | -                | -            |              |              | -              | 23  |
| 24, 30°                     | 24TC30 | -    | 337                | 639  | 837  | 857            | 1033 | -                | -            |              |              | -              | 10  |
| 30, 30°                     | 30TC30 | -    | 443                | 856  | 1086 | 1150           | 1387 | -                | -            |              |              | -              | 16  |

\*Folding tables available with PVC Flat (PVF) edge only.



## STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.
- Training tables without a wire management trough are provided with inserts to attach a trough later if required.

## OPTIONS

- Custom heights available.
- For applicable Power & Data modules, please see Table Accessories Price List.

## HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

**Example:** 1842RE - CC - PVF -

