

CONDUCTOR TABLES



PLACING AN ORDER IS EASY

PRODUCT CODE

2430 RE CT

Size
Width x Length

Top Shape

- D : Round
- SQ : Square
- RE : Rectangle
- RT : Racetrack
- B : Bullet
- H : Halfmoon
- TP : Trapezoid

Series

RC90 : Radius (*connector*) Conductor

TC90 : Triangle (*connector*)

CRC90 : Crescent (*connector*)

BT : Boatshape

BTA : Boatshape Arc

Base

- X : X-Base
- X4 : 4 Column X-Base
- T : T-Base
- T2 : Double Column T-Base
- T2D : T2 with Door
- C : C-Base
- CEWT : C-Base with Trough



OPTIONS

FLIP TOP



CASTERS




FOLDING



FINISHES

LAMINATE



Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge

VENEER



Select from one of our 9 standard wood stains or stain-to-match at no upcharge

BASE



Select from one of our 76 standard Spectone colors

EDGE



Check out our website for a complete list of edge profiles.



CONDUCTOR TABLES GENERAL PURPOSE

MODEL	BASES		TOP SPECIFICATIONS						OPTIONS				LBS
	Code	Qty.	For Laminate Top			For Veneer Top			FLIP TOP (FT)	FOLD (FL)	HARD CASTERS (HC)	SOFT CASTERS (SC)	
			SE PVF 2MM	HF HB	HBV HBVR HBG	HF2 HB2 HKN4 HKNR4 HBG2	HF HB HBV HBVR HBG	HF2 HB2 HKN4 HKNR4 HBG2					
<i>Round</i>													
24D	CX	1	570	906	941	1043	1097	1202	144	-	88	188	34
30D	CX	1	667	998	1043	1246	1194	1348	144	-	88	188	44
36D	CX	1	759	1239	1323	1489	1540	1753	144	-	88	188	55
42D	CX	1	1025	1563	1679	1926	1951	2243	-	-	-	-	69
	CX4	1	1169	1707	1823	2070	2095	2387	-	-	88	188	77
48D	CX4	1	1191	1913	2039	2162	2604	2980	-	-	88	188	93
54D	CX4	1	1462	2526	2722	2909	3130	3611	-	-	-	-	111
60D	CX4	1	1506	2715	2924	3082	3722	4321	-	-	-	-	130
<i>Square</i>													
24 x 24SQ	CX	1	599	781	816	879	925	1082	144	-	88	188	34
30 x 30SQ	CX	1	699	831	879	1047	986	1202	144	-	88	188	44
36 x 36SQ	CX	1	777	985	1043	1239	1246	1433	144	-	88	188	55
42 x 42SQ	CX4	1	1183	1484	1577	1670	1734	1990	-	-	88	188	77
48 x 48SQ	CX4	1	1327	1591	1689	1732	2086	2415	-	-	88	188	93
54 x 54SQ	CX4	1	1464	2047	2200	2378	2475	2901	-	-	-	-	111
60 x 60SQ	CX4	1	1493	2146	2309	2488	2922	3438	-	-	-	-	130



30D-CX



42D-CX4

STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.

OPTIONS

- Custom heights available.

HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

Example: 24D - CX - PVF -





CONDUCTOR TABLES GENERAL PURPOSE

MODEL	BASES		TOP SPECIFICATIONS						OPTIONS				LBS	
	Code	Qty.	For Laminate Top			For Veneer Top			FLIP TOP (FT)	FOLD (FL)	CASTERS			WHEELS (WB)
			SE PVF 2MM	HF HB	HBV HBVR HBG	HF2 HB2 HKN4 HKNR4 HBG2	HF HB HBV HBVR HBG	HF2 HB2 HKN4 HKNR4 HBG2					HARD (HC)	
<i>Rectangle</i>														
24 x 30RE	CX	1	688	812	857	921	971	1093	144	-	-	-	-	43
	CT	2	759	883	928	992	1042	1164	288	-	88	188	88	52
24 x 36RE	CX	1	688	812	857	921	971	1093	144	-	-	-	-	43
	CT	2	759	883	928	992	1042	1164	288	-	88	188	88	52
24 x 42RE	CT	2	821	1021	1073	1167	1224	1393	288	-	88	188	88	60
24 x 48RE	CT	2	821	1021	1073	1167	1224	1393	288	-	88	188	88	60
24 x 54RE	CT	2	877	1169	1235	1343	1424	1631	288	278	88	188	88	68
24 x 60RE	CT	2	877	1169	1235	1343	1424	1631	288	278	88	188	88	68
24 x 66RE	CT	2	1016	1367	1448	1580	1665	1919	288	278	88	188	88	77
24 x 72RE	CT	2	1016	1367	1448	1580	1665	1919	288	278	88	188	88	77
30 x 36RE	CX	1	777	921	972	1054	1113	1260	144	-	-	-	-	49
	CT	2	848	992	1043	1125	1184	1331	288	-	88	188	88	58
30 x 42RE	CT	2	868	1142	1205	1313	1393	1599	288	-	88	188	88	68
30 x 48RE	CT	2	868	1142	1205	1313	1393	1599	288	-	88	188	88	68
30 x 54RE	CT	2	924	1298	1380	1534	1626	1884	288	278	88	188	88	79
30 x 60RE	CT	2	924	1298	1380	1534	1626	1884	288	278	88	188	88	79
30 x 66RE	CT	2	1090	1392	1491	1648	1737	2022	288	278	88	188	88	89
30 x 72RE	CT	2	1143	1538	1638	1840	1945	2258	288	278	88	188	88	89
30 x 78RE	CT	2	1357	1706	1824	2059	2183	2543	288	278	88	188	-	100
30 x 84RE	CT	2	1357	1706	1824	2059	2183	2543	288	278	88	188	-	100
30 x 90RE	CT	2	1377	1917	2059	2276	2422	2832	-	278	88	188	88	110
30 x 96RE	CT	2	1377	1917	2059	2276	2422	2832	-	278	88	188	88	110



*Folding tables available with PVC Flat (PVF) edge only.



30D-CX



2448RE-CT

STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.

OPTIONS

- Custom heights available.

HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

Example: 2430RE - CX - PVF -





CONDUCTOR TABLES GENERAL PURPOSE

MODEL	BASES		TOP SPECIFICATIONS						OPTIONS				LBS	
	Code	Qty.	For Laminate Top			For Veneer Top			FLIP TOP (FT)	FOLD (FL)	CASTERS			WHEELS (WB)
			SE PVF 2MM	HF HB	HBV HBVR HBG	HF2 HB2 HKN4 HKNR4 HBG2	HF HB HBV HBVR HBG	HF2 HB2 HKN4 HKNR4 HBG2					HARD (HC)	
<i>Rectangle</i>														
36 x 42RE	CT	2	963	1169	1248	1356	1439	1655	288	-	88	188	88	77
36 x 48RE	CT	2	987	1278	1362	1491	1577	1829	288	-	88	188	88	77
36 x 60RE	CT	2	1079	1484	1587	1751	1855	2170	288	278	88	188	88	89
36 x 66RE	CT	2	1163	1583	1701	1882	1995	2342	-	278	88	188	88	102
	CT2	2	1337	1757	1875	2056	2169	2516	-	556	88	188	-	112
36 x 72RE	CT	2	1199	1638	1751	2012	2138	2513	-	278	88	188	88	102
	CT2	2	1373	1812	1925	2186	2312	2687	-	556	88	188	-	112
36 x 78RE	CT	2	1518	1988	2135	2361	2509	2951	-	-	88	188	88	115
	CT2	2	1692	2162	2309	2535	2683	3125	-	556	88	188	-	125
36 x 84RE	CT	2	1518	1988	2135	2361	2509	2951	-	-	88	188	88	115
	CT2	2	1692	2162	2309	2535	2683	3125	-	556	88	188	-	125
36 x 90RE	CT	2	1524	2193	2361	2625	2795	3285	-	-	88	188	88	127
	CT2	2	1698	2367	2535	2799	2969	3459	-	556	88	188	-	137
36 x 96RE	CT	2	1524	2193	2361	2625	2795	3285	-	-	88	188	88	127
	CT2	2	1698	2367	2535	2799	2969	3459	-	556	88	188	-	137
42 x 78RE	CT2	2	1923	2327	2488	2878	3006	3518	-	556	88	188	-	139
	CT2D	2	3073	3477	3638	4028	4156	4668	-	-	-	-	-	153
42 x 84RE	CT2	2	1923	2327	2488	2878	3006	3518	-	556	88	188	-	139
	CT2D	2	3073	3477	3638	4028	4156	4668	-	-	-	-	-	153



*Folding tables available with PVC Flat (PVF) edge only.



2448RE-CT

STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.

OPTIONS

- Custom heights available.

HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

Example: 3642RE - CT - PVF -





CONDUCTOR TABLES GENERAL PURPOSE

MODEL	BASES		TOP SPECIFICATIONS						OPTIONS				LBS	
	Code	Qty.	For Laminate Top			For Veneer Top			FLIP TOP (FT)	FOLD (FL)	CASTERS			WHEELS (WB)
			SE PVF 2MM	HF HB	HBV HBVR HBG	HF2 HB2 HKN4 HKNR4 HBG2	HF HB HBV HBVR HBG	HF2 HB2 HKN4 HKNR4 HBG2					HARD (HC)	
<i>Racetrack</i>														
36 x 54RT	CT	2	1132	1665	1790	2012	2103	2428	288	-	88	188	88	89
	CT2	2	1306	1839	1964	2186	2277	2602	-	-	88	188	88	99
36 x 60RT	CT	2	1132	1665	1790	2012	2103	2428	288	-	88	188	88	89
	CT2	2	1306	1839	1964	2186	2277	2602	-	-	88	188	88	99
36 x 66RT	CT	2	1283	1840	1974	2212	2422	2828	288	-	88	188	88	102
	CT2	2	1457	2014	2148	2386	2596	3002	-	-	88	188	88	112
36 x 72RT	CT	2	1283	1840	1974	2212	2422	2828	288	-	88	188	88	102
	CT2	2	1457	2014	2148	2386	2596	3002	-	-	88	188	88	112
36 x 78RT	CT	2	1534	2242	2407	2767	2842	3317	-	-	88	188	88	115
	CT2	2	1708	2416	2581	2941	3016	3491	-	-	88	188	88	125
36 x 84RT	CT	2	1534	2242	2407	2767	2842	3317	-	-	88	188	88	115
	CT2	2	1708	2416	2581	2941	3016	3491	-	-	88	188	88	125
36 x 90RT	CT	2	1538	2482	2679	3082	3176	3716	-	-	88	188	88	127
	CT2	2	1712	2656	2853	3256	3350	3890	-	-	88	188	88	137
36 x 96RT	CT	2	1538	2482	2679	3082	3176	3716	-	-	88	188	88	127
	CT2	2	1712	2656	2853	3256	3350	3890	-	-	88	188	88	137
42 x 78RT	CT2	2	1937	2606	2809	3216	3314	3860	-	-	88	188	88	154
	CT2D	2	3087	3756	3959	4366	4464	5010	-	-	-	-	-	168
42 x 84RT	CT2	2	1937	2606	2809	3216	3314	3860	-	-	88	188	88	154
	CT2D	2	3087	3756	3959	4366	4464	5010	-	-	-	-	-	168
48 x 78RT	CT2	2	1940	2894	3124	3484	3709	4329	-	-	88	188	88	154
	CT2D	2	3090	4044	4274	4634	4859	5479	-	-	-	-	-	168
48 x 84RT	CT2	2	1940	2894	3124	3484	3709	4329	-	-	88	188	88	154
	CT2D	2	3090	4044	4274	4634	4859	5479	-	-	-	-	-	168



2448RE-CT

STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.

OPTIONS

- Custom heights available.

HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

Example: 3654RT - CT - PVF -





CONDUCTOR TABLES

GENERAL PURPOSE

MODEL	BASES		TOP SPECIFICATIONS						OPTIONS				LBS	
	Code	Qty.	For Laminate Top			For Veneer Top			FLIP TOP (FT)	FOLD (FL)	CASTERS			WHEELS (WB)
			SE PVF 2MM	HF HB	HBV HBVR HBG	HF2 HB2 HKN4 HKNR4 HBG2	HF HB HBV HBVR HBG	HF2 HB2 HKN4 HKNR4 HBG2					HARD (HC)	
<i>Bullet</i>														
30 x 54B	CT	2	1038	1569	1680	1874	1932	2254	288	-	88	188	88	79
30 x 60B	CT	2	1038	1569	1680	1874	1932	2254	288	-	88	188	88	79
36 x 54B	CT	2	1153	2046	2204	2489	2527	2932	-	-	88	188	88	89
36 x 60B	CT	2	1153	2046	2204	2489	2527	2932	-	-	88	188	88	89
36 x 72B	CT	2	1282	2269	2444	2748	2924	3432	-	-	88	188	88	102
<i>Halfmoon</i>														
24 x 48H	CC	2	759	1239	1359	1505	1623	1896	-	-	88	188	-	56
	CT	2	837	1317	1437	1583	1701	1974	288	-	88	188	88	60
30 x 60H	CC	2	960	1674	1840	2004	2209	2598	-	-	88	188	-	75
	CT	2	1038	1752	1918	2082	2287	2676	288	-	88	188	88	79
36 x 72H	CT	2	1282	2257	2472	2673	3007	3533	-	-	-	-	88	102
<i>Trapezoid</i>														
30 x 60TP	CC	2	960	1400	1502	1679	1730	2028	-	-	88	188	-	75
	CT	2	1038	1478	1580	1757	1808	2106	-	-	88	188	-	79
36 x 72TP	CC	2	1204	1800	1935	2241	2317	2746	-	-	88	188	-	98
	CT	2	1282	1878	2013	2319	2395	2824	-	-	88	188	-	102
<i>Radius (connector)</i>														
24 x 24	24RC90	-	369	669	756	867	888	1064	-	-	-	-	-	17
30 x 30	30RC90	-	471	885	995	1116	1179	1415	-	-	-	-	-	27
<i>Crescent (connector)</i>														
30 x 36	3036CRC90-CT	1	778	1418	1499	1562	1766	1989	-	-	-	-	-	45
36 x 42	3642CRC90-CT	1	1117	1718	1828	1912	2191	2494	-	-	-	-	-	58



STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.

OPTIONS

- Custom heights available.

HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

Example: 3054B - CT - PVF -





CONDUCTOR TABLES TRAINING

MODEL	BASES		TOP SPECIFICATIONS					OPTIONS				LBS	
	Code	Qty.	For Laminate Top			For Veneer Top		FLIP TOP (FT)	FOLD (FL)	CASTERS			WHEELS (WB)
			PVF 2MM	HF	HKN1	HF	HKN1			HARD (HC)	SOFT (SC)		
<i>Rectangle</i>													
18 x 42RE	CC	2	700	878	1001	1055	1198	-	-	88	188	88	48
	CCEWT	2	938	1116	1239	1293	1436	-	-	88	188	88	62
18 x 48RE	CC	2	700	878	1001	1055	1198	-	-	88	188	88	48
	CCEWT	2	938	1116	1239	1293	1436	-	-	88	188	88	62
18 x 54RE	CC	2	743	943	1089	1146	1315	-	-	88	188	88	54
	CCEWT	2	981	1181	1327	1384	1553	-	-	88	188	88	68
18 x 60RE	CC	2	743	943	1089	1146	1315	-	278	88	188	88	54
	CCEWT	2	981	1181	1327	1384	1553	-	-	88	188	88	68
18 x 66RE	CC	2	799	1091	1265	1346	1553	-	278	88	188	88	60
	CCEWT	2	1037	1329	1503	1584	1791	-	-	88	188	88	74
18 x 72RE	CC	2	799	1091	1265	1346	1553	-	278	88	188	88	60
	CCEWT	2	1037	1329	1503	1584	1791	-	-	88	188	88	74
24 x 42RE	CC	2	743	943	1089	1146	1315	-	-	88	188	88	56
	CCEWT	2	981	1181	1327	1384	1553	-	-	88	188	88	70
24 x 48RE	CC	2	743	943	1089	1146	1315	-	-	88	188	88	56
	CCEWT	2	981	1181	1327	1384	1553	-	-	88	188	88	70
24 x 54RE	CC	2	799	1091	1265	1346	1553	-	-	88	188	88	64
	CCEWT	2	1037	1329	1503	1584	1791	-	-	88	188	88	78
24 x 60RE	CC	2	799	1091	1265	1346	1553	-	278	88	188	88	64
	CCEWT	2	1037	1329	1503	1584	1791	-	-	88	188	88	78
24 x 66RE	CC	2	938	1289	1502	1587	1841	-	278	88	188	88	73
	CCEWT	2	1176	1527	1740	1825	2079	-	-	88	188	88	87
24 x 72RE	CC	2	938	1289	1502	1587	1841	-	278	88	188	88	73
	CCEWT	2	1176	1527	1740	1825	2079	-	-	88	188	88	87

*Folding tables available with PVC Flat (PVF) edge only.



STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.
- Training tables without a wire management trough are provided with inserts to attach a trough later if required.

OPTIONS

- Custom heights available.

HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

Example: 1842RE - CC - PVF -





CONDUCTOR TABLES TRAINING

MODEL	BASES		TOP SPECIFICATIONS					OPTIONS					LBS
	Code	Qty.	For Laminate Top			For Veneer Top		FLIP TOP (FT)	FOLD (FL)	CASTERS		WHEELS (WB)	
			PVF 2MM	HF	HKN1	HF	HKN1				HARD (HC)		SOFT (SC)
<i>Rectangle</i>													
30 x 42RE	CC	2	790	1064	1235	1315	1521	-	-	88	188	88	64
	CCEWT	2	1028	1302	1473	1553	1759	-	-	88	188	88	78
30 x 48RE	CC	2	790	1064	1235	1315	1521	-	-	88	188	88	64
	CCEWT	2	1028	1302	1473	1553	1759	-	-	88	188	88	78
30 x 54RE	CC	2	846	1220	1456	1548	1806	-	-	88	188	88	75
	CCEWT	2	1084	1458	1694	1786	2044	-	-	88	188	88	89
30 x 60RE	CC	2	846	1220	1456	1548	1806	-	278	88	188	88	75
	CCEWT	2	1084	1458	1694	1786	2044	-	-	88	188	88	89
30 x 66RE	CC	2	1012	1314	1570	1659	1944	-	278	88	188	88	85
	CCEWT	2	1250	1552	1808	1897	2182	-	-	88	188	88	99
30 x 72RE	CC	2	1065	1460	1762	1867	2180	-	278	88	188	88	85
	CCEWT	2	1303	1698	2000	2105	2418	-	-	88	188	88	85
<i>Radius (connector)</i>													
24, 90°	24RC90	-	369	669	867	888	1064	-	-	-	-	-	16
30, 90°	30RC90	-	471	885	1116	1179	1415	-	-	-	-	-	23
24, 30°	24RC30	-	337	639	837	857	1033	-	-	-	-	-	10
30, 30°	30RC30	-	443	856	1086	1150	1387	-	-	-	-	-	16
<i>Triangle (connector)</i>													
24, 90°	24TC90	-	369	669	867	888	1064	-	-	-	-	-	16
30, 90°	30TC90	-	471	885	1116	1179	1415	-	-	-	-	-	23
24, 30°	24TC30	-	337	639	837	857	1033	-	-	-	-	-	10
30, 30°	30TC30	-	443	856	1086	1150	1387	-	-	-	-	-	16

*Folding tables available with PVC Flat (PVF) edge only.

STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.
- Training tables without a wire management trough are provided with inserts to attach a trough later if required.

OPTIONS

- Custom heights available.

HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

Example: 1842RE - CC - PVF -

