

# POST LEGS TABLES



PLACING AN ORDER IS EASY

## PRODUCT CODE

**2430 RE P LO**

**Size**  
Width x Length

**Top Shape**

- D : Round
- SQ : Square
- RE : Rectangle
- RT : Racetrack
- B : Bullet
- H : Halfmoon
- TP : Trapezoid
- C90 : Radius
- CRC90 : Crescent (*connector*)
- BT : Boatshape
- BTA : Boatshape Arc

**Series**  
Post

**Base**

- PL : Post Legs/29" High
- PLO : Oval Post Legs/29" High
- PL18 : Post Leg/18" High
- PLO18 : Oval Post Legs/18" High



## OPTIONS

### CASTERS




### FOLDING



## FINISHES

### LAMINATE



Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge

### VENEER



Select from one of our 9 standard wood stains or stain-to-match at no upcharge

### BASE



Select from one of our 76 standard Spectone colors

### EDGE



Check out our website for a complete list of edge profiles.



# POST LEGS TABLES

## OCCASIONAL AND LOUNGE

| MODEL         | BASES |      | TOP SPECIFICATIONS |          |                    |                                     |                                |                                     | OPTIONS | LBS |
|---------------|-------|------|--------------------|----------|--------------------|-------------------------------------|--------------------------------|-------------------------------------|---------|-----|
|               | Code  | Qty. | For Laminate Top   |          |                    | For Veneer Top                      |                                |                                     |         |     |
|               |       |      | SE<br>PVF<br>2MM   | HF<br>HB | HBV<br>HBVR<br>HBG | HF2<br>HB2<br>HKN4<br>HKNR4<br>HBG2 | HF<br>HB<br>HBV<br>HBVR<br>HBG | HF2<br>HB2<br>HKN4<br>HKNR4<br>HBG2 |         |     |
| <i>Round</i>  |       |      |                    |          |                    |                                     |                                |                                     |         |     |
| 24D           | PL18  | 4    | 607                | 943      | 978                | 1080                                | 1134                           | 1239                                |         | 37  |
|               | PL018 | 4    | 643                | 979      | 1014               | 1116                                | 1170                           | 1275                                |         | 37  |
| 30D           | PL18  | 4    | 704                | 1035     | 1080               | 1283                                | 1231                           | 1385                                |         | 47  |
|               | PL018 | 4    | 740                | 1071     | 1116               | 1319                                | 1267                           | 1421                                |         | 47  |
| 36D           | PL18  | 4    | 796                | 1276     | 1360               | 1526                                | 1577                           | 1790                                |         | 58  |
|               | PL018 | 4    | 832                | 1312     | 1396               | 1562                                | 1613                           | 1826                                |         | 58  |
| 42D           | PL18  | 4    | 1062               | 1600     | 1716               | 1963                                | 1988                           | 2280                                |         | 76  |
|               | PL018 | 4    | 1098               | 1636     | 1752               | 1999                                | 2024                           | 2316                                |         | 76  |
| <i>Square</i> |       |      |                    |          |                    |                                     |                                |                                     |         |     |
| 18 x 18SQ     | PL18  | 4    | 625                | 818      | 853                | 916                                 | 962                            | 1119                                |         | 34  |
|               | PL018 | 4    | 661                | 854      | 889                | 952                                 | 998                            | 1155                                |         | 34  |
| 24 x 24SQ     | PL18  | 4    | 636                | 818      | 853                | 916                                 | 962                            | 1119                                |         | 41  |
|               | PL018 | 4    | 672                | 854      | 889                | 952                                 | 998                            | 1155                                |         | 41  |
| 30 x 30SQ     | PL18  | 4    | 736                | 868      | 916                | 1084                                | 1023                           | 1239                                |         | 51  |
|               | PL018 | 4    | 772                | 904      | 952                | 1120                                | 1059                           | 1275                                |         | 51  |
| 36 x 36SQ     | PL18  | 4    | 814                | 1022     | 1080               | 1276                                | 1283                           | 1470                                |         | 62  |
|               | PL018 | 4    | 850                | 1058     | 1116               | 1312                                | 1319                           | 1506                                |         | 62  |



24D-PL18



24D-PL018



24SQ-PL18



24SQ-PL018

### STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 18".
- All bases are standard with floor leveling glides.
- PL is constructed from 2.5" dia round steel tube, PLO is constructed from 3.5" x 2.5" OD oval steel tube.

### OPTIONS

- Custom heights available.
- For applicable Power & Data modules, please see Table Accessories Price List.

### HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Top Finish
5. Select Edge Finish
6. Select Base Finish

**Example:** 24D - PL18 - PVF  
 MODEL | BASE | EDGE



# POST LEGS TABLES OCCASIONAL AND LOUNGE

| MODEL            | BASES       |             | TOP SPECIFICATIONS |                         |      |       |                       |       | OPTIONS | LBS |
|------------------|-------------|-------------|--------------------|-------------------------|------|-------|-----------------------|-------|---------|-----|
|                  | <i>Code</i> | <i>Qty.</i> |                    | <i>For Laminate Top</i> |      |       | <i>For Veneer Top</i> |       |         |     |
|                  |             |             | SE                 | HF                      | HBV  | HF2   | HF                    | HF2   |         |     |
|                  |             |             | PVF                | HB                      | HBVR | HB2   | HB                    | HB2   |         |     |
|                  |             |             | 2MM                |                         | HGG  | HKN4  | HBV                   | HKN4  |         |     |
|                  |             |             |                    |                         |      | HKNR4 | HBVR                  | HKNR4 |         |     |
|                  |             |             |                    |                         |      | HGG2  | HGG                   | HGG2  |         |     |
| <i>Rectangle</i> |             |             |                    |                         |      |       |                       |       |         |     |
| 24 x 36RE        | PL18        | 4           | 725                | 849                     | 894  | 958   | 1008                  | 1130  |         | 50  |
|                  | PL018       | 4           | 761                | 885                     | 930  | 994   | 1044                  | 1166  |         | 50  |
| 24 x 42RE        | PL18        | 4           | 787                | 987                     | 1039 | 1133  | 1190                  | 1359  |         | 58  |
|                  | PL018       | 4           | 823                | 1023                    | 1075 | 1169  | 1226                  | 1395  |         | 58  |
| 24 x 48RE        | PL18        | 4           | 787                | 987                     | 1039 | 1133  | 1190                  | 1359  |         | 58  |
|                  | PL018       | 4           | 823                | 1023                    | 1075 | 1169  | 1226                  | 1395  |         | 58  |
| 30 x 36RE        | PL18        | 4           | 814                | 958                     | 1009 | 1091  | 1150                  | 1297  |         | 56  |
|                  | PL018       | 4           | 850                | 994                     | 1045 | 1127  | 1186                  | 1333  |         | 56  |
| 30 x 42RE        | PL18        | 4           | 834                | 1108                    | 1171 | 1279  | 1359                  | 1565  |         | 66  |
|                  | PL018       | 4           | 870                | 1144                    | 1207 | 1315  | 1395                  | 1601  |         | 66  |
| 30 x 48RE        | PL18        | 4           | 834                | 1108                    | 1171 | 1279  | 1359                  | 1565  |         | 66  |
|                  | PL018       | 4           | 870                | 1144                    | 1207 | 1315  | 1395                  | 1601  |         | 66  |



2448RE-PL18

### STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 18".
- All bases are standard with floor leveling glides.
- PL is constructed from 2.5" dia round steel tube, PLO is constructed from 3.5" x 2.5" OD oval steel tube.

### OPTIONS

- Custom heights available.
- For applicable Power & Data modules, please see Table Accessories Price List.

### HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Top Finish
5. Select Edge Finish
6. Select Base Finish

**Example:** 2448RE - PL18 - PVF





# POST LEGS TABLES GENERAL PURPOSE

| MODEL        | BASES |      | TOP SPECIFICATIONS |          |                    |                                     |                                |                                     | OPTIONS       |           |         |     | LBS       |             |
|--------------|-------|------|--------------------|----------|--------------------|-------------------------------------|--------------------------------|-------------------------------------|---------------|-----------|---------|-----|-----------|-------------|
|              | Code  | Qty. | For Laminate Top   |          |                    | For Veneer Top                      |                                |                                     | FLIP TOP (FT) | FOLD (FL) | CASTERS |     |           | WHEELS (WB) |
|              |       |      | SE<br>PVF<br>2MM   | HF<br>HB | HBV<br>HBVR<br>HBG | HF2<br>HB2<br>HKN4<br>HKNR4<br>HBG2 | HF<br>HB<br>HBV<br>HBVR<br>HBG | HF2<br>HB2<br>HKN4<br>HKNR4<br>HBG2 |               |           |         |     | HARD (HC) |             |
| <i>Round</i> |       |      |                    |          |                    |                                     |                                |                                     |               |           |         |     |           |             |
| 24D          | PL    | 4    | 607                | 943      | 978                | 1080                                | 1134                           | 1239                                | -             | -         | 88      | 188 | -         | 41          |
|              | PLO   | 4    | 643                | 979      | 1014               | 1116                                | 1170                           | 1275                                | -             | -         | 88      | 188 | -         | 37          |
| 30D          | PL    | 4    | 704                | 1035     | 1080               | 1283                                | 1231                           | 1385                                | -             | -         | 88      | 188 | -         | 51          |
|              | PLO   | 4    | 740                | 1071     | 1116               | 1319                                | 1267                           | 1421                                | -             | -         | 88      | 188 | -         | 47          |
| 36D          | PL    | 4    | 796                | 1276     | 1360               | 1526                                | 1577                           | 1790                                | -             | -         | 88      | 188 | -         | 62          |
|              | PLO   | 4    | 832                | 1312     | 1396               | 1562                                | 1613                           | 1826                                | -             | -         | 88      | 188 | -         | 58          |
| 42D          | PL    | 4    | 1062               | 1600     | 1716               | 1963                                | 1988                           | 2280                                | -             | -         | 88      | 188 | -         | 76          |
|              | PLO   | 4    | 1098               | 1636     | 1752               | 1999                                | 2024                           | 2316                                | -             | -         | 88      | 188 | -         | 72          |
| 48D          | PL    | 4    | 1084               | 1806     | 1932               | 2055                                | 2497                           | 2873                                | -             | -         | 88      | 188 | -         | 92          |
|              | PLO   | 4    | 1120               | 1842     | 1968               | 2091                                | 2533                           | 2909                                | -             | -         | 88      | 188 | -         | 88          |
| 54D          | PL    | 4    | 1355               | 2419     | 2615               | 2802                                | 3023                           | 3504                                | -             | 556       | 88      | 188 | -         | 110         |
|              | PLO   | 4    | 1391               | 2455     | 2651               | 2838                                | 3059                           | 3540                                | -             | -         | 88      | 188 | -         | 106         |
| 60D          | PL    | 4    | 1399               | 2608     | 2817               | 2975                                | 3615                           | 4214                                | -             | 556       | 88      | 188 | -         | 129         |
|              | PLO   | 4    | 1435               | 2644     | 2853               | 3011                                | 3651                           | 4250                                | -             | -         | 88      | 188 | -         | 125         |

\*Folding tables available with PVC Flat (PVF) edge only.



2448RE-PL



2448RE-PLO

### STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.
- PL is constructed from 2.5" dia round steel tube, PLO is constructed from 3.5" x 2.5" OD oval steel tube.

### OPTIONS

- Custom heights available.
- For applicable Power & Data modules, please see Table Accessories Price List.

### HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

Example: 24D - PL - PVF -





# POST LEGS TABLES GENERAL PURPOSE

| MODEL         | BASES |      | TOP SPECIFICATIONS |          |                    |                                     |                                |                                     | OPTIONS       |           |         |     | LBS       |             |
|---------------|-------|------|--------------------|----------|--------------------|-------------------------------------|--------------------------------|-------------------------------------|---------------|-----------|---------|-----|-----------|-------------|
|               | Code  | Qty. | For Laminate Top   |          |                    | For Veneer Top                      |                                |                                     | FLIP TOP (FT) | FOLD (FL) | CASTERS |     |           | WHEELS (WB) |
|               |       |      | SE<br>PVF<br>2MM   | HF<br>HB | HBV<br>HBVR<br>HBG | HF2<br>HB2<br>HKN4<br>HKNR4<br>HBG2 | HF<br>HB<br>HBV<br>HBVR<br>HBG | HF2<br>HB2<br>HKN4<br>HKNR4<br>HBG2 |               |           |         |     | HARD (HC) |             |
| <i>Square</i> |       |      |                    |          |                    |                                     |                                |                                     |               |           |         |     |           |             |
| 24 x 24SQ     | PL    | 4    | 636                | 818      | 853                | 916                                 | 962                            | 1119                                | -             | -         | 88      | 188 | -         | 41          |
|               | PLO   | 4    | 672                | 854      | 889                | 952                                 | 998                            | 1155                                | -             | -         | 88      | 188 | -         | 37          |
| 30 x 30SQ     | PL    | 4    | 736                | 868      | 916                | 1084                                | 1023                           | 1239                                | -             | -         | 88      | 188 | -         | 51          |
|               | PLO   | 4    | 772                | 904      | 952                | 1120                                | 1059                           | 1275                                | -             | -         | 88      | 188 | -         | 47          |
| 36 x 36SQ     | PL    | 4    | 814                | 1022     | 1080               | 1276                                | 1283                           | 1470                                | -             | -         | 88      | 188 | -         | 58          |
|               | PLO   | 4    | 850                | 1058     | 1116               | 1312                                | 1319                           | 1506                                | -             | -         | 88      | 188 | -         | 58          |
| 42 x 42SQ     | PL    | 4    | 1076               | 1377     | 1470               | 1563                                | 1627                           | 1883                                | -             | 556       | 88      | 188 | -         | 76          |
|               | PLO   | 4    | 1112               | 1413     | 1506               | 1599                                | 1663                           | 1919                                | -             | -         | 88      | 188 | -         | 72          |
| 48 x 48SQ     | PL    | 4    | 1220               | 1484     | 1582               | 1625                                | 1979                           | 2308                                | -             | 556       | 88      | 188 | -         | 92          |
|               | PLO   | 4    | 1256               | 1520     | 1618               | 1661                                | 2015                           | 2344                                | -             | -         | 88      | 188 | -         | 88          |
| 54 x 54SQ     | PL    | 5    | 1467               | 2050     | 2203               | 2381                                | 2478                           | 2904                                | -             | 695       | 88      | 188 | -         | 116         |
|               | PLO   | 5    | 1512               | 2095     | 2248               | 2426                                | 2523                           | 2949                                | -             | -         | 88      | 188 | -         | 111         |
| 60 x 60SQ     | PL    | 5    | 1496               | 2149     | 2312               | 2491                                | 2925                           | 3441                                | -             | 695       | 88      | 188 | -         | 135         |
|               | PLO   | 5    | 1541               | 2194     | 2357               | 2536                                | 2970                           | 3486                                | -             | -         | 88      | 188 | -         | 130         |

\*Folding tables available with PVC Flat (PVF) edge only.



2448RE-PL



2448RE-PLO

### STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.
- PL is constructed from 2.5" dia round steel tube, PLO is constructed from 3.5" x 2.5" OD oval steel tube.

### OPTIONS

- Custom heights available.
- For applicable Power & Data modules, please see Table Accessories Price List.

### HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

**Example:** 2424SQ - PL - PVF -





# POST LEGS TABLES GENERAL PURPOSE

| MODEL            | BASES |      | TOP SPECIFICATIONS |       |              |                         |                    |                         | OPTIONS       |           |         |     | LBS       |             |
|------------------|-------|------|--------------------|-------|--------------|-------------------------|--------------------|-------------------------|---------------|-----------|---------|-----|-----------|-------------|
|                  | Code  | Qty. | For Laminate Top   |       |              | For Veneer Top          |                    |                         | FLIP TOP (FT) | FOLD (FL) | CASTERS |     |           | WHEELS (WB) |
|                  |       |      | SE PVF 2MM         | HF HB | HBV HBVR HBG | HF2 HB2 HKN4 HKNR4 HBG2 | HF HB HBV HBVR HBG | HF2 HB2 HKN4 HKNR4 HBG2 |               |           |         |     | HARD (HC) |             |
| <i>Rectangle</i> |       |      |                    |       |              |                         |                    |                         |               |           |         |     |           |             |
| 24 x 30RE        | PL    | 4    | 725                | 849   | 894          | 958                     | 1008               | 1130                    | -             | -         | 88      | 188 | -         | 50          |
|                  | PLO   | 4    | 761                | 885   | 930          | 994                     | 1044               | 1166                    | -             | -         | 88      | 188 | -         | 46          |
| 24 x 36RE        | PL    | 4    | 725                | 849   | 894          | 958                     | 1008               | 1130                    | -             | -         | 88      | 188 | -         | 50          |
|                  | PLO   | 4    | 761                | 885   | 930          | 994                     | 1044               | 1166                    | -             | -         | 88      | 188 | -         | 46          |
| 24 x 42RE        | PL    | 4    | 787                | 987   | 1039         | 1133                    | 1190               | 1359                    | -             | -         | 88      | 188 | -         | 58          |
|                  | PLO   | 4    | 823                | 1023  | 1075         | 1169                    | 1226               | 1395                    | -             | -         | 88      | 188 | -         | 54          |
| 24 x 48RE        | PL    | 4    | 787                | 987   | 1039         | 1133                    | 1190               | 1359                    | -             | -         | 88      | 188 | -         | 58          |
|                  | PLO   | 4    | 823                | 1023  | 1075         | 1169                    | 1226               | 1395                    | -             | -         | 88      | 188 | -         | 54          |
| 24 x 54RE        | PL    | 4    | 843                | 1135  | 1201         | 1309                    | 1390               | 1597                    | -             | -         | 88      | 188 | -         | 66          |
|                  | PLO   | 4    | 879                | 1171  | 1237         | 1345                    | 1426               | 1633                    | -             | -         | 88      | 188 | -         | 62          |
| 24 x 60RE        | PL    | 4    | 843                | 1135  | 1201         | 1309                    | 1390               | 1597                    | -             | 556       | 88      | 188 | -         | 66          |
|                  | PLO   | 4    | 879                | 1171  | 1237         | 1345                    | 1426               | 1633                    | -             | -         | 88      | 188 | -         | 62          |
| 24 x 66RE        | PL    | 4    | 982                | 1333  | 1414         | 1546                    | 1631               | 1885                    | -             | -         | 88      | 188 | -         | 81          |
|                  | PLO   | 4    | 1018               | 1369  | 1450         | 1582                    | 1667               | 1921                    | -             | -         | 88      | 188 | -         | 76          |
| 24 x 72RE        | PL    | 5    | 1092               | 1443  | 1524         | 1656                    | 1741               | 1995                    | -             | -         | 110     | 235 | -         | 81          |
|                  | PLO   | 5    | 1137               | 1488  | 1569         | 1701                    | 1786               | 2040                    | -             | -         | 110     | 235 | -         | 76          |



\*Folding tables available with PVC Flat (PVF) edge only.



2448RE-PL



2448RE-PLO

### STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.
- PL is constructed from 2.5" dia round steel tube, PLO is constructed from 3.5" x 2.5" OD oval steel tube.

### OPTIONS

- Custom heights available.
- For applicable Power & Data modules, please see Table Accessories Price List.

### HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

**Example:** 2430RE - PL - PVF -





# POST LEGS TABLES

## GENERAL PURPOSE

| MODEL            | BASES |      | TOP SPECIFICATIONS |       |              |                    |                    |                    | OPTIONS       |           |         |     | LBS       |             |
|------------------|-------|------|--------------------|-------|--------------|--------------------|--------------------|--------------------|---------------|-----------|---------|-----|-----------|-------------|
|                  | Code  | Qty. | For Laminate Top   |       |              | For Veneer Top     |                    |                    | FLIP TOP (FT) | FOLD (FL) | CASTERS |     |           | WHEELS (WB) |
|                  |       |      | SE PVF 2MM         | HF HB | HBV HBVR HBG | HF2 HB2 HKNR4 HBG2 | HF HB HBV HBVR HBG | HF2 HB2 HKNR4 HBG2 |               |           |         |     | HARD (HC) |             |
| <i>Rectangle</i> |       |      |                    |       |              |                    |                    |                    |               |           |         |     |           |             |
| 30 x 36RE        | PL    | 4    | 814                | 958   | 1009         | 1091               | 1150               | 1297               | -             | -         | 88      | 188 | -         | 56          |
|                  | PLO   | 4    | 850                | 994   | 1045         | 1127               | 1186               | 1333               | -             | -         | 88      | 188 | -         | 52          |
| 30 x 42RE        | PL    | 4    | 834                | 1108  | 1171         | 1279               | 1359               | 1565               | -             | -         | 88      | 188 | -         | 66          |
|                  | PLO   | 4    | 870                | 1144  | 1207         | 1315               | 1395               | 1601               | -             | -         | 88      | 188 | -         | 62          |
| 30 x 48RE        | PL    | 4    | 834                | 1108  | 1171         | 1279               | 1359               | 1565               | -             | -         | 88      | 188 | -         | 66          |
|                  | PLO   | 4    | 870                | 1144  | 1207         | 1315               | 1395               | 1601               | -             | -         | 88      | 188 | -         | 62          |
| 30 x 54RE        | PL    | 4    | 890                | 1264  | 1346         | 1500               | 1592               | 1850               | -             | -         | 88      | 188 | -         | 77          |
|                  | PLO   | 4    | 926                | 1300  | 1382         | 1536               | 1628               | 1886               | -             | -         | 88      | 188 | -         | 73          |
| 30 x 60RE        | PL    | 4    | 890                | 1264  | 1346         | 1500               | 1592               | 1850               | -             | 556       | 88      | 188 | -         | 77          |
|                  | PLO   | 4    | 926                | 1300  | 1382         | 1536               | 1628               | 1886               | -             | -         | 88      | 188 | -         | 73          |
| 30 x 66RE        | PL    | 4    | 1056               | 1358  | 1457         | 1614               | 1703               | 1988               | -             | 556       | 88      | 188 | -         | 93          |
|                  | PLO   | 4    | 1092               | 1394  | 1493         | 1650               | 1739               | 2024               | -             | -         | 88      | 188 | -         | 88          |
| 30 x 72RE        | PL    | 5    | 1219               | 1614  | 1714         | 1916               | 2021               | 2334               | -             | 695       | 110     | 235 | -         | 93          |
|                  | PLO   | 5    | 1264               | 1659  | 1759         | 1961               | 2066               | 2379               | -             | -         | 110     | 235 | -         | 88          |
| 30 x 78RE        | PL    | 5    | 1433               | 1782  | 1900         | 2135               | 2259               | 2619               | -             | 695       | 110     | 235 | -         | 104         |
|                  | PLO   | 5    | 1478               | 1827  | 1945         | 2180               | 2304               | 2664               | -             | -         | 110     | 235 | -         | 99          |
| 30 x 84RE        | PL    | 5    | 1433               | 1782  | 1900         | 2135               | 2259               | 2619               | -             | 695       | 110     | 235 | -         | 104         |
|                  | PLO   | 5    | 1478               | 1827  | 1945         | 2180               | 2304               | 2664               | -             | -         | 110     | 235 | -         | 99          |
| 30 x 90RE        | PL    | 5    | 1453               | 1993  | 2135         | 2352               | 2498               | 2908               | -             | 695       | 110     | 235 | -         | 114         |
|                  | PLO   | 5    | 1498               | 2038  | 2180         | 2397               | 2543               | 2953               | -             | -         | 110     | 235 | -         | 109         |
| 30 x 96RE        | PL    | 6    | 1563               | 2103  | 2245         | 2462               | 2608               | 3018               | -             | -         | 132     | 282 | -         | 114         |
|                  | PLO   | 6    | 1617               | 2157  | 2299         | 2516               | 2662               | 3072               | -             | -         | 132     | 282 | -         | 109         |



2448RE-PL



2448RE-PLO

### STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.
- PL is constructed from 2.5" dia round steel tube, PLO is constructed from 3.5" x 2.5" OD oval steel tube.

### OPTIONS

- Custom heights available.
- For applicable Power & Data modules, please see Table Accessories Price List.

### HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

**Example:** 3036RE - PL - PVF -





# POST LEGS TABLES GENERAL PURPOSE

| MODEL            | BASES |      | TOP SPECIFICATIONS |          |                    |                                     |                                |                                     | OPTIONS       |           |           |           | LBS |             |
|------------------|-------|------|--------------------|----------|--------------------|-------------------------------------|--------------------------------|-------------------------------------|---------------|-----------|-----------|-----------|-----|-------------|
|                  | Code  | Qty. | For Laminate Top   |          |                    | For Veneer Top                      |                                |                                     | FLIP TOP (FT) | FOLD (FL) | CASTERS   |           |     | WHEELS (WB) |
|                  |       |      | SE<br>PVF<br>2MM   | HF<br>HB | HBV<br>HBVR<br>HBG | HF2<br>HB2<br>HKN4<br>HKNR4<br>HBG2 | HF<br>HB<br>HBV<br>HBVR<br>HBG | HF2<br>HB2<br>HKN4<br>HKNR4<br>HBG2 |               |           | HARD (HC) | SOFT (SC) |     |             |
| <i>Rectangle</i> |       |      |                    |          |                    |                                     |                                |                                     |               |           |           |           |     |             |
| 36 x 42RE        | PL    | 4    | 929                | 1135     | 1214               | 1322                                | 1405                           | 1621                                | -             | -         | 88        | 188       | -   | 75          |
|                  | PLO   | 4    | 965                | 1171     | 1250               | 1358                                | 1441                           | 1657                                | -             | -         | 88        | 188       | -   | 71          |
| 36 x 48RE        | PL    | 4    | 953                | 1244     | 1328               | 1457                                | 1543                           | 1795                                | -             | -         | 88        | 188       | -   | 75          |
|                  | PLO   | 4    | 989                | 1280     | 1364               | 1493                                | 1579                           | 1831                                | -             | -         | 88        | 188       | -   | 71          |
| 36 x 60RE        | PL    | 4    | 1045               | 1450     | 1553               | 1717                                | 1821                           | 2136                                | -             | 556       | 88        | 188       | -   | 87          |
|                  | PLO   | 4    | 1081               | 1486     | 1589               | 1753                                | 1857                           | 2172                                | -             | -         | 88        | 188       | -   | 83          |
| 36 x 66RE        | PL    | 4    | 1129               | 1549     | 1667               | 1848                                | 1961                           | 2308                                | -             | 556       | 88        | 188       | -   | 106         |
|                  | PLO   | 4    | 1165               | 1585     | 1703               | 1884                                | 1997                           | 2344                                | -             | -         | 88        | 188       | -   | 101         |
| 36 x 72RE        | PL    | 5    | 1275               | 1714     | 1827               | 2088                                | 2214                           | 2589                                | -             | 695       | 110       | 235       | -   | 106         |
|                  | PLO   | 5    | 1320               | 1759     | 1872               | 2133                                | 2259                           | 2634                                | -             | -         | 110       | 235       | -   | 101         |
| 36 x 78RE        | PL    | 5    | 1594               | 2064     | 2211               | 2437                                | 2585                           | 3027                                | -             | 695       | 110       | 235       | -   | 119         |
|                  | PLO   | 5    | 1639               | 2109     | 2256               | 2482                                | 2630                           | 3072                                | -             | -         | 110       | 235       | -   | 114         |
| 36 x 84RE        | PL    | 5    | 1594               | 2064     | 2211               | 2437                                | 2585                           | 3027                                | -             | 695       | 110       | 235       | -   | 119         |
|                  | PLO   | 5    | 1639               | 2109     | 2256               | 2482                                | 2630                           | 3072                                | -             | -         | 110       | 235       | -   | 114         |
| 36 x 90RE        | PL    | 6    | 1710               | 2379     | 2547               | 2811                                | 2981                           | 3471                                | -             | -         | 132       | 282       | -   | 137         |
|                  | PLO   | 6    | 1764               | 2433     | 2601               | 2865                                | 3035                           | 3525                                | -             | -         | 132       | 282       | -   | 131         |
| 36 x 96RE        | PL    | 6    | 1710               | 2379     | 2547               | 2811                                | 2981                           | 3471                                | -             | -         | 132       | 282       | -   | 137         |
|                  | PLO   | 6    | 1764               | 2433     | 2601               | 2865                                | 3035                           | 3525                                | -             | -         | 132       | 282       | -   | 131         |



2448RE-PL



2448RE-PLO

### STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.
- PL is constructed from 2.5" dia round steel tube, PLO is constructed from 3.5" x 2.5" OD oval steel tube.

### OPTIONS

- Custom heights available.
- For applicable Power & Data modules, please see Table Accessories Price List.

### HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

**Example:** 3642RE - PL - PVF -







# POST LEGS TABLES GENERAL PURPOSE

| MODEL            | BASES |      | TOP SPECIFICATIONS |          |                    |                                     |                                |                                     | OPTIONS          |              |         |     | LBS          |                |
|------------------|-------|------|--------------------|----------|--------------------|-------------------------------------|--------------------------------|-------------------------------------|------------------|--------------|---------|-----|--------------|----------------|
|                  | Code  | Qty. | For Laminate Top   |          |                    | For Veneer Top                      |                                |                                     | FLIP TOP<br>(FT) | FOLD<br>(FL) | CASTERS |     |              | WHEELS<br>(WB) |
|                  |       |      | SE<br>PVF<br>2MM   | HF<br>HB | HBV<br>HBVR<br>HBG | HF2<br>HB2<br>HKN4<br>HKNR4<br>HBG2 | HF<br>HB<br>HBV<br>HBVR<br>HBG | HF2<br>HB2<br>HKN4<br>HKNR4<br>HBG2 |                  |              |         |     | HARD<br>(HC) |                |
| <i>Rectangle</i> |       |      |                    |          |                    |                                     |                                |                                     |                  |              |         |     |              |                |
| 42 x 78RE        | PL    | 5    | 1825               | 2229     | 2390               | 2780                                | 2908                           | 3420                                | -                | -            | 110     | 235 | -            | 133            |
|                  | PLO   | 5    | 1870               | 2274     | 2435               | 2825                                | 2953                           | 3465                                | -                | -            | 110     | 235 | -            | 128            |
| 42 x 84RE        | PL    | 5    | 1825               | 2229     | 2390               | 2780                                | 2908                           | 3420                                | -                | -            | 110     | 235 | -            | 133            |
|                  | PLO   | 5    | 1870               | 2274     | 2435               | 2825                                | 2953                           | 3465                                | -                | -            | 110     | 235 | -            | 128            |



2448RE-PL



2448RE-PLO

### STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.
- PL is constructed from 2.5" dia round steel tube, PLO is constructed from 3.5" x 2.5" OD oval steel tube.

### OPTIONS

- Custom heights available.
- For applicable Power & Data modules, please see Table Accessories Price List.

### HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

**Example:** 3696RE - PL - PVF -





# POST LEGS TABLES GENERAL PURPOSE

| MODEL            | BASES |      | TOP SPECIFICATIONS |       |              |                         |                    |                         | OPTIONS       |           |         |     | LBS       |             |
|------------------|-------|------|--------------------|-------|--------------|-------------------------|--------------------|-------------------------|---------------|-----------|---------|-----|-----------|-------------|
|                  | Code  | Qty. | For Laminate Top   |       |              | For Veneer Top          |                    |                         | FLIP TOP (FT) | FOLD (FL) | CASTERS |     |           | WHEELS (WB) |
|                  |       |      | SE PVF 2MM         | HF HB | HBV HBVR HBG | HF2 HB2 HKN4 HKNR4 HBG2 | HF HB HBV HBVR HBG | HF2 HB2 HKN4 HKNR4 HBG2 |               |           |         |     | HARD (HC) |             |
| <i>Racetrack</i> |       |      |                    |       |              |                         |                    |                         |               |           |         |     |           |             |
| 36 x 54RT        | PL    | 4    | 1098               | 1631  | 1756         | 1978                    | 2069               | 2394                    | -             | -         | 88      | 188 | -         | 87          |
|                  | PLO   | 4    | 1134               | 1667  | 1792         | 2014                    | 2105               | 2430                    | -             | -         | 88      | 188 | -         | 83          |
| 36 x 60RT        | PL    | 4    | 1098               | 1631  | 1756         | 1978                    | 2069               | 2394                    | -             | -         | 88      | 188 | -         | 87          |
|                  | PLO   | 4    | 1134               | 1667  | 1792         | 2014                    | 2105               | 2430                    | -             | -         | 88      | 188 | -         | 83          |
| 36 x 66RT        | PL    | 4    | 1249               | 1806  | 1940         | 2178                    | 2388               | 2794                    | -             | -         | 88      | 188 | -         | 100         |
|                  | PLO   | 4    | 1285               | 1842  | 1976         | 2214                    | 2424               | 2830                    | -             | -         | 88      | 188 | -         | 96          |
| 36 x 72RT        | PL    | 4    | 1249               | 1806  | 1940         | 2178                    | 2388               | 2794                    | -             | -         | 88      | 188 | -         | 100         |
|                  | PLO   | 4    | 1285               | 1842  | 1976         | 2214                    | 2424               | 2830                    | -             | -         | 88      | 188 | -         | 96          |
| 36 x 78RT        | PL    | 4    | 1500               | 2208  | 2373         | 2733                    | 2808               | 3283                    | -             | -         | 88      | 188 | -         | 119         |
|                  | PLO   | 4    | 1536               | 2244  | 2409         | 2769                    | 2844               | 3319                    | -             | -         | 88      | 188 | -         | 114         |
| 36 x 84RT        | PL    | 5    | 1610               | 2318  | 2483         | 2843                    | 2918               | 3393                    | -             | -         | 110     | 235 | -         | 119         |
|                  | PLO   | 5    | 1655               | 2363  | 2528         | 2888                    | 2963               | 3438                    | -             | -         | 110     | 235 | -         | 114         |
| 36 x 90RT        | PL    | 5    | 1614               | 2558  | 2755         | 3158                    | 3252               | 3792                    | -             | -         | 110     | 235 | -         | 131         |
|                  | PLO   | 5    | 1659               | 2603  | 2800         | 3203                    | 3297               | 3837                    | -             | -         | 110     | 235 | -         | 126         |
| 36 x 96RT        | PL    | 6    | 1724               | 2668  | 2865         | 3268                    | 3362               | 3902                    | -             | -         | 132     | 282 | -         | 131         |
|                  | PLO   | 6    | 1778               | 2722  | 2919         | 3322                    | 3416               | 3956                    | -             | -         | 132     | 282 | -         | 126         |



2448RE-PL



2448RE-PLO

### STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.
- PL is constructed from 2.5" dia round steel tube, PLO is constructed from 3.5" x 2.5" OD oval steel tube.

### OPTIONS

- Custom heights available.
- For applicable Power & Data modules, please see Table Accessories Price List.

### HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

**Example:** 3654RT - PL - PVF -





# POST LEGS TABLES GENERAL PURPOSE

| MODEL            | BASES |      | TOP SPECIFICATIONS |          |                    |                                     |                                |                                     | OPTIONS          |              |         |     | LBS          |                |
|------------------|-------|------|--------------------|----------|--------------------|-------------------------------------|--------------------------------|-------------------------------------|------------------|--------------|---------|-----|--------------|----------------|
|                  | Code  | Qty. | For Laminate Top   |          |                    | For Veneer Top                      |                                |                                     | FLIP TOP<br>(FT) | FOLD<br>(FL) | CASTERS |     |              | WHEELS<br>(WB) |
|                  |       |      | SE<br>PVF<br>2MM   | HF<br>HB | HBV<br>HBVR<br>HBG | HF2<br>HB2<br>HKN4<br>HKNR4<br>HBG2 | HF<br>HB<br>HBV<br>HBVR<br>HBG | HF2<br>HB2<br>HKN4<br>HKNR4<br>HBG2 |                  |              |         |     | HARD<br>(HC) |                |
| <i>Racetrack</i> |       |      |                    |          |                    |                                     |                                |                                     |                  |              |         |     |              |                |
| 42 x 78RT        | PL    | 4    | 1729               | 2398     | 2601               | 3008                                | 3106                           | 3652                                | -                | -            | 88      | 188 | -            | 142            |
|                  | PLO   | 4    | 1765               | 2434     | 2637               | 3044                                | 3142                           | 3688                                | -                | -            | 88      | 188 | -            | 138            |
| 42 x 84RT        | PL    | 4    | 1729               | 2398     | 2601               | 3008                                | 3106                           | 3652                                | -                | -            | 88      | 188 | -            | 142            |
|                  | PLO   | 4    | 1765               | 2434     | 2637               | 3044                                | 3142                           | 3688                                | -                | -            | 88      | 188 | -            | 138            |
| 48 x 78RT        | PL    | 4    | 1732               | 2686     | 2916               | 3276                                | 3501                           | 4121                                | -                | -            | 88      | 188 | -            | 142            |
|                  | PLO   | 4    | 1768               | 2722     | 2952               | 3312                                | 3537                           | 4157                                | -                | -            | 88      | 188 | -            | 138            |
| 48 x 84RT        | PL    | 4    | 1732               | 2686     | 2916               | 3276                                | 3501                           | 4121                                | -                | -            | 88      | 188 | -            | 142            |
|                  | PLO   | 4    | 1768               | 2722     | 2952               | 3312                                | 3537                           | 4157                                | -                | -            | 88      | 188 | -            | 138            |



2448RE-PL



2448RE-PLO

### STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.
- PL is constructed from 2.5" dia round steel tube, PLO is constructed from 3.5" x 2.5" OD oval steel tube.

### OPTIONS

- Custom heights available.
- For applicable Power & Data modules, please see Table Accessories Price List.

### HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

**Example:** 4278RT - PL - PVF -





# POST LEGS TABLES GENERAL PURPOSE

| MODEL         | BASES |      | TOP SPECIFICATIONS |          |                    |                                     |                                |                                     | OPTIONS       |           |         |     | LBS       |             |
|---------------|-------|------|--------------------|----------|--------------------|-------------------------------------|--------------------------------|-------------------------------------|---------------|-----------|---------|-----|-----------|-------------|
|               | Code  | Qty. | For Laminate Top   |          |                    | For Veneer Top                      |                                |                                     | FLIP TOP (FT) | FOLD (FL) | CASTERS |     |           | WHEELS (WB) |
|               |       |      | SE<br>PVF<br>2MM   | HF<br>HB | HBV<br>HBVR<br>HBG | HF2<br>HB2<br>HKN4<br>HKNR4<br>HBG2 | HF<br>HB<br>HBV<br>HBVR<br>HBG | HF2<br>HB2<br>HKN4<br>HKNR4<br>HBG2 |               |           |         |     | HARD (HC) |             |
| <i>Bullet</i> |       |      |                    |          |                    |                                     |                                |                                     |               |           |         |     |           |             |
| 30 x 54B      | PL    | 4    | 1004               | 1535     | 1646               | 1840                                | 1898                           | 2220                                | -             | -         | 88      | 188 | -         | 77          |
|               | PLO   | 4    | 1040               | 1571     | 1682               | 1876                                | 1934                           | 2256                                | -             | -         | 88      | 188 | -         | 73          |
| 30 x 60B      | PL    | 4    | 1004               | 1535     | 1646               | 1840                                | 1898                           | 2220                                | -             | -         | 88      | 188 | -         | 77          |
|               | PLO   | 4    | 1040               | 1571     | 1682               | 1876                                | 1934                           | 2256                                | -             | -         | 88      | 188 | -         | 73          |
| 36 x 54B      | PL    | 4    | 1119               | 2012     | 2170               | 2455                                | 2493                           | 2898                                | -             | -         | 88      | 188 | -         | 87          |
|               | PLO   | 4    | 1155               | 2048     | 2206               | 2491                                | 2529                           | 2934                                | -             | -         | 88      | 188 | -         | 83          |
| 36 x 60B      | PL    | 4    | 1119               | 2012     | 2170               | 2455                                | 2493                           | 2898                                | -             | -         | 88      | 188 | -         | 87          |
|               | PLO   | 4    | 1155               | 2048     | 2206               | 2491                                | 2529                           | 2934                                | -             | -         | 88      | 188 | -         | 83          |
| 36 x 72B      | PL    | 4    | 1248               | 2235     | 2410               | 2714                                | 2890                           | 3398                                | -             | -         | 88      | 188 | -         | 100         |
|               | PLO   | 4    | 1284               | 2271     | 2446               | 2750                                | 2926                           | 3434                                | -             | -         | 88      | 188 | -         | 96          |



2448RE-PL



2448RE-PLO

### STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.
- PL is constructed from 2.5" dia round steel tube, PLO is constructed from 3.5" x 2.5" OD oval steel tube.

### OPTIONS

- Custom heights available.
- For applicable Power & Data modules, please see Table Accessories Price List.

### HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

**Example:** 3054B - PL - PVF -





# POST LEGS TABLES GENERAL PURPOSE

| MODEL                     | BASES         |      | TOP SPECIFICATIONS |          |                    |                                     |                                |                                     | OPTIONS       |           |         |     | LBS       |             |
|---------------------------|---------------|------|--------------------|----------|--------------------|-------------------------------------|--------------------------------|-------------------------------------|---------------|-----------|---------|-----|-----------|-------------|
|                           | Code          | Qty. | For Laminate Top   |          |                    | For Veneer Top                      |                                |                                     | FLIP TOP (FT) | FOLD (FL) | CASTERS |     |           | WHEELS (WB) |
|                           |               |      | SE<br>PVF<br>2MM   | HF<br>HB | HBV<br>HBVR<br>HBG | HF2<br>HB2<br>HKN4<br>HKNR4<br>HBG2 | HF<br>HB<br>HBV<br>HBVR<br>HBG | HF2<br>HB2<br>HKN4<br>HKNR4<br>HBG2 |               |           |         |     | HARD (HC) |             |
| <i>Halfmoon</i>           |               |      |                    |          |                    |                                     |                                |                                     |               |           |         |     |           |             |
| 24 x 48H                  | PL            | 4    | 803                | 1283     | 1403               | 1549                                | 1667                           | 1940                                | -             | -         | 88      | 188 | -         | 58          |
|                           | PLO           | 4    | 839                | 1319     | 1439               | 1585                                | 1703                           | 1976                                | -             | -         | 88      | 188 | -         | 54          |
| 30 x 60H                  | PL            | 4    | 1004               | 1718     | 1884               | 2048                                | 2253                           | 2642                                | -             | -         | 88      | 188 | -         | 77          |
|                           | PLO           | 4    | 1040               | 1754     | 1920               | 2084                                | 2289                           | 2678                                | -             | -         | 88      | 188 | -         | 73          |
| 36 x 72H                  | PL            | 4    | 1248               | 2223     | 2438               | 2639                                | 2973                           | 3499                                | -             | -         | 88      | 188 | -         | 100         |
|                           | PLO           | 4    | 1284               | 2259     | 2474               | 2675                                | 3009                           | 3535                                | -             | -         | 88      | 188 | -         | 96          |
| <i>Trapezoid</i>          |               |      |                    |          |                    |                                     |                                |                                     |               |           |         |     |           |             |
| 30 x 60TP                 | PL            | 4    | 1004               | 1444     | 1546               | 1723                                | 1774                           | 2072                                | -             | -         | 88      | 188 | -         | 77          |
|                           | PLO           | 4    | 1040               | 1480     | 1582               | 1759                                | 1810                           | 2108                                | -             | -         | 88      | 188 | -         | 73          |
| 36 x 72TP                 | PL            | 4    | 1248               | 1844     | 1979               | 2285                                | 2361                           | 2790                                | -             | -         | 88      | 188 | -         | 100         |
|                           | PLO           | 4    | 1284               | 1880     | 2015               | 2321                                | 2397                           | 2826                                | -             | -         | 88      | 188 | -         | 96          |
| <i>Radius (connector)</i> |               |      |                    |          |                    |                                     |                                |                                     |               |           |         |     |           |             |
| 24 x 24                   | 24RC90        | -    | 369                | 669      | 756                | 867                                 | 888                            | 1064                                | -             | -         | -       | -   | -         | 17          |
|                           | 30RC90        | -    | 471                | 885      | 995                | 1116                                | 1179                           | 1415                                | -             | -         | -       | -   | -         | 27          |
| <i>Crescent</i>           |               |      |                    |          |                    |                                     |                                |                                     |               |           |         |     |           |             |
| 30 x 36                   | 3036CRC90-PL  | 1    | 651                | 1291     | 1372               | 1435                                | 1639                           | 1862                                | -             | -         | -       | -   | -         | 38          |
|                           | 3036CRC90-PLO | 1    | 660                | 1300     | 1381               | 1444                                | 1648                           | 1871                                | -             | -         | -       | -   | -         | 37          |
| 36 x 42                   | 3642CRC90-PL  | 1    | 990                | 1591     | 1701               | 1785                                | 2064                           | 2367                                | -             | -         | -       | -   | -         | 51          |
|                           | 3642CRC90-PLO | 1    | 999                | 1600     | 1710               | 1794                                | 2073                           | 2376                                | -             | -         | -       | -   | -         | 50          |



2448RE-PL



2448RE-PLO

### STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.
- PL is constructed from 2.5" dia round steel tube, PLO is constructed from 3.5" x 2.5" OD oval steel tube.

### OPTIONS

- Custom heights available.
- For applicable Power & Data modules, please see Table Accessories Price List.

### HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

Example: 2448H - PL - PVF -





# POST LEGS TABLES BOARDROOM

| MODEL            | BASES |      | TOP SPECIFICATIONS |          |                    |                                     |                                |                                     | OPTIONS | LBS |
|------------------|-------|------|--------------------|----------|--------------------|-------------------------------------|--------------------------------|-------------------------------------|---------|-----|
|                  | Code  | Qty. | For Laminate Top   |          |                    | For Veneer Top                      |                                |                                     |         |     |
|                  |       |      | SE<br>PVF<br>2MM   | HF<br>HB | HBV<br>HBVR<br>HBG | HF2<br>HB2<br>HKN4<br>HKNR4<br>HBG2 | HF<br>HB<br>HBV<br>HBVR<br>HBG | HF2<br>HB2<br>HKN4<br>HKNR4<br>HBG2 |         |     |
| <i>Rectangle</i> |       |      |                    |          |                    |                                     |                                |                                     |         |     |
| 42 x 96RE        | PL    | 5    | 1874               | 2724     | 2954               | 3186                                | 3530                           | 4195                                |         | 165 |
|                  | PLO   | 5    | 1919               | 2769     | 2999               | 3231                                | 3575                           | 4240                                |         | 160 |
|                  | PLH   | 5    | 2284               | 3134     | 3364               | 3596                                | 3940                           | 4605                                |         | 179 |
| 48 x 96RE        | PL    | 5    | 1874               | 2724     | 2954               | 3186                                | 3530                           | 4195                                |         | 165 |
|                  | PLO   | 5    | 1919               | 2769     | 2999               | 3231                                | 3575                           | 4240                                |         | 160 |
|                  | PLH   | 5    | 2284               | 3134     | 3364               | 3596                                | 3940                           | 4605                                |         | 179 |
| 48 x 120RE       | PLH   | 6    | 2792               | 3889     | 4149               | 4709                                | 4792                           | 5569                                |         | 234 |
| 48 x 144RE       | PLH   | 6    | 3162               | 4735     | 5077               | 5610                                | 5484                           | 6419                                |         | 268 |
| 48 x 168RE       | PLH   | 6    | 3633               | 5216     | 5606               | 6351                                | 6179                           | 7266                                |         | 302 |
| 60 x 120RE       | PLH   | 6    | 3244               | 4884     | 5242               | 5796                                | 5664                           | 6639                                |         | 276 |
| 60 x 144RE       | PLH   | 6    | 3663               | 5631     | 6060               | 6723                                | 6567                           | 7736                                |         | 318 |
| 60 x 168RE       | PLH   | 6    | 4082               | 6378     | 6876               | 7653                                | 7469                           | 8833                                |         | 360 |



4296BTA-PL



4296BTA-PLO



4296BTA-PLH

### STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.
- PL is constructed from 2.5" dia round steel tube, PLO from 3.5" x 2.5" OD oval steel tube, and PLH from 3.5" dia round steel tube.

### OPTIONS

- Custom heights available.
- For applicable Power & Data modules, please see Table Accessories Price List.

### HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Top Finish
5. Select Edge Finish
6. Select Base Finish

**Example:** 4296RE - PL - PVF





# POST LEGS TABLES BOARDROOM

| MODEL            | BASES |      | TOP SPECIFICATIONS |          |                    |                                     |                                |                                     | OPTIONS | LBS |
|------------------|-------|------|--------------------|----------|--------------------|-------------------------------------|--------------------------------|-------------------------------------|---------|-----|
|                  | Code  | Qty. | For Laminate Top   |          |                    | For Veneer Top                      |                                |                                     |         |     |
|                  |       |      | SE<br>PVF<br>2MM   | HF<br>HB | HBV<br>HBVR<br>HBG | HF2<br>HB2<br>HKN4<br>HKNR4<br>HBG2 | HF<br>HB<br>HBV<br>HBVR<br>HBG | HF2<br>HB2<br>HKN4<br>HKNR4<br>HBG2 |         |     |
| <i>Racetrack</i> |       |      |                    |          |                    |                                     |                                |                                     |         |     |
| 42 x 96RT        | PL    | 5    | 1894               | 2854     | 3088               | 3651                                | 4049                           | 4758                                |         | 165 |
|                  | PLO   | 5    | 1939               | 2899     | 3133               | 3696                                | 4094                           | 4803                                |         | 160 |
|                  | PLH   | 5    | 2304               | 3264     | 3498               | 4061                                | 4459                           | 5168                                |         | 179 |
| 48 x 96RT        | PL    | 5    | 1894               | 2854     | 3088               | 3651                                | 4049                           | 4758                                |         | 165 |
|                  | PLO   | 5    | 1939               | 2899     | 3133               | 3696                                | 4094                           | 4803                                |         | 160 |
|                  | PLH   | 5    | 2304               | 3264     | 3498               | 4061                                | 4459                           | 5168                                |         | 179 |
| 48 x 120RT       | PLH   | 6    | 2817               | 4341     | 4646               | 5422                                | 5389                           | 6217                                |         | 234 |
| 48 x 144RT       | PLH   | 6    | 3190               | 5088     | 5462               | 6424                                | 6201                           | 7205                                |         | 268 |
| 48 x 168RT       | PLH   | 6    | 3663               | 5727     | 6164               | 7232                                | 7024                           | 8188                                |         | 302 |
| 60 x 120RT       | PLH   | 6    | 3234               | 5138     | 5517               | 6492                                | 6448                           | 7487                                |         | 276 |
| 60 x 144RT       | PLH   | 6    | 3700               | 6071     | 6541               | 7745                                | 7465                           | 8719                                |         | 318 |
| 60 x 168RT       | PLH   | 6    | 4293               | 6873     | 7419               | 8750                                | 8493                           | 9947                                |         | 360 |



4296BTA-PL



4296BTA-PLO



4296BTA-PLH

### STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.
- PL is constructed from 2.5" dia round steel tube, PLO from 3.5" x 2.5" OD oval steel tube, and PLH from 3.5" dia round steel tube.

### OPTIONS

- Custom heights available.
- For applicable Power & Data modules, please see Table Accessories Price List.

### HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Top Finish
5. Select Edge Finish
6. Select Base Finish

**Example:** 4296RT - PL - PVF





# POST LEGS TABLES BOARDROOM

| MODEL            | BASES |      | TOP SPECIFICATIONS |          |                    |                                     |                                |                                     | OPTIONS | LBS |
|------------------|-------|------|--------------------|----------|--------------------|-------------------------------------|--------------------------------|-------------------------------------|---------|-----|
|                  | Code  | Qty. | For Laminate Top   |          |                    | For Veneer Top                      |                                |                                     |         |     |
|                  |       |      | SE<br>PVF<br>2MM   | HF<br>HB | HBV<br>HBVR<br>HBG | HF2<br>HB2<br>HKN4<br>HKNR4<br>HBG2 | HF<br>HB<br>HBV<br>HBVR<br>HBG | HF2<br>HB2<br>HKN4<br>HKNR4<br>HBG2 |         |     |
| <i>Boatshape</i> |       |      |                    |          |                    |                                     |                                |                                     |         |     |
| 42 x 96BT        | PL    | 5    | 1894               | 3509     | 3810               | 4120                                | 4560                           | 4946                                |         | 165 |
|                  | PLO   | 5    | 1939               | 3554     | 3855               | 4165                                | 4605                           | 4991                                |         | 160 |
|                  | PLH   | 5    | 2304               | 3919     | 4220               | 4530                                | 4970                           | 5356                                |         | 179 |
| 48 x 96BT        | PL    | 5    | 1894               | 3509     | 3810               | 4120                                | 4560                           | 4946                                |         | 165 |
|                  | PLO   | 5    | 1939               | 3554     | 3855               | 4165                                | 4605                           | 4991                                |         | 160 |
|                  | PLH   | 5    | 2304               | 3919     | 4220               | 4530                                | 4970                           | 5356                                |         | 179 |
| 48 x 120BT       | PLH   | 6    | 2817               | 5059     | 5432               | 5825                                | 5993                           | 6439                                |         | 234 |
| 48 x 144BT       | PLH   | 6    | 3190               | 5806     | 6251               | 6723                                | 7319                           | 7725                                |         | 268 |
| 48 x 168BT       | PLH   | 6    | 3663               | 6521     | 7038               | 7584                                | 7863                           | 8490                                |         | 302 |
| 60 x 120BT       | PLH   | 6    | 3234               | 6034     | 6503               | 6994                                | 7205                           | 7760                                |         | 276 |
| 60 x 144BT       | PLH   | 6    | 3700               | 6971     | 7527               | 8118                                | 8860                           | 9369                                |         | 318 |
| 60 x 168BT       | PLH   | 6    | 4293               | 7866     | 8511               | 9194                                | 9538                           | 10325                               |         | 360 |



4296BTA-PL



4296BTA-PLO



4296BTA-PLH

### STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.
- PL is constructed from 2.5" dia round steel tube, PLO from 3.5" x 2.5" OD oval steel tube, and PLH from 3.5" dia round steel tube.

### OPTIONS

- Custom heights available.
- For applicable Power & Data modules, please see Table Accessories Price List.

### HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Top Finish
5. Select Edge Finish
6. Select Base Finish

**Example:** 4296BT - PL - PVF







# POST LEGS TABLES BOARDROOM

| MODEL            | BASES |      | TOP SPECIFICATIONS |          |                    |                                     |                                |                                     | OPTIONS | LBS |
|------------------|-------|------|--------------------|----------|--------------------|-------------------------------------|--------------------------------|-------------------------------------|---------|-----|
|                  | Code  | Qty. | For Laminate Top   |          |                    | For Veneer Top                      |                                |                                     |         |     |
|                  |       |      | SE<br>PVF<br>2MM   | HF<br>HB | HBV<br>HBVR<br>HBG | HF2<br>HB2<br>HKN4<br>HKNR4<br>HBG2 | HF<br>HB<br>HBV<br>HBVR<br>HBG | HF2<br>HB2<br>HKN4<br>HKNR4<br>HBG2 |         |     |
| <i>Boatshape</i> |       |      |                    |          |                    |                                     |                                |                                     |         |     |
| <i>Arc Ends</i>  |       |      |                    |          |                    |                                     |                                |                                     |         |     |
| 42 x 96BTA       | PL    | 5    | 2058               | 4024     | 4326               | 4638                                | 5075                           | 5462                                |         | 165 |
|                  | PLO   | 5    | 2103               | 4069     | 4371               | 4683                                | 5120                           | 5507                                |         | 160 |
|                  | PLH   | 5    | 2468               | 4434     | 4736               | 5048                                | 5485                           | 5872                                |         | 179 |
| 48 x 96BTA       | PL    | 5    | 2058               | 4024     | 4326               | 4638                                | 5075                           | 5462                                |         | 165 |
|                  | PLO   | 5    | 2103               | 4069     | 4371               | 4683                                | 5120                           | 5507                                |         | 160 |
|                  | PLH   | 5    | 2468               | 4434     | 4736               | 5048                                | 5485                           | 5872                                |         | 179 |
| 48 x 120BTA      | PLH   | 6    | 2981               | 5576     | 5949               | 6343                                | 6510                           | 6954                                |         | 234 |
| 48 x 144BTA      | PLH   | 6    | 3354               | 6321     | 6769               | 7241                                | 7834                           | 8242                                |         | 268 |
| 48 x 168BTA      | PLH   | 6    | 3828               | 7038     | 7557               | 8102                                | 8378                           | 9008                                |         | 302 |
| 60 x 120BTA      | PLH   | 6    | 3440               | 6682     | 7148               | 7640                                | 7849                           | 8404                                |         | 276 |
| 60 x 144BTA      | PLH   | 6    | 3904               | 7615     | 8174               | 8763                                | 9506                           | 10013                               |         | 318 |
| 60 x 168BTA      | PLH   | 6    | 4497               | 8511     | 9157               | 9837                                | 10186                          | 10973                               |         | 360 |



4296BTA-PL



4296BTA-PLO



4296BTA-PLH

### STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.
- PL is constructed from 2.5" dia round steel tube, PLO from 3.5" x 2.5" OD oval steel tube, and PLH from 3.5" dia round steel tube.

### OPTIONS

- Custom heights available.
- For applicable Power & Data modules, please see Table Accessories Price List.

### HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Top Finish
5. Select Edge Finish
6. Select Base Finish

**Example:** 4296BTA - PL - PVF

