

TABLE ACCESSORIES

MODESTY PANELS

SIZE	MODEL	DESCRIPTION	LIST	
For 42W Top	PMP-SR42	SMALL ROUND (.266) PERFORATIONS Perforated Metal Modesty Panels are available in any Spectone color. Modesty Panels are 3" shorter than table and are 10" in height.	233	
For 48W Top	PMP-SR48		233	
For 54W Top	PMP-SR54		233	
For 60W Top	PMP-SR60		233	
For 66W Top	PMP-SR66		233	
For 72W Top	PMP-SR72		233	
For 42W Top	PMP-SS42	SMALL SQUARE (.255) PERFORATIONS Perforated Metal Modesty Panels are available in any Spectone color. Modesty Panels are 3" shorter than table and are 10" in height.	233	
For 48W Top	PMP-SS48		233	
For 54W Top	PMP-SS54		233	
For 60W Top	PMP-SS60		233	
For 66W Top	PMP-SS66		233	
For 72W Top	PMP-SS72		233	
For 42W Top	PMP-BACKER42	LARGE SQUARE (1.0) PERFORATIONS WITH ACRYLIC BACKER Perforated Metal Modesty Panels are available in any Spectone color. Modesty Panels are 3" shorter than table and are 10" in height. Acrylic backer available in semi-opaque Nickel.	518	
For 48W Top	PMP-BACKER48		518	
For 54W Top	PMP-BACKER54		518	
For 60W Top	PMP-BACKER60		518	
For 66W Top	PMP-BACKER66		518	
For 72W Top	PMP-BACKER72		518	
For 42W Top	PMP-RESIN42	ACRYLIC MODESTY PANEL Available in semi-opaque Nickel.	283	
For 48W Top	PMP-RESIN48		283	
For 54W Top	PMP-RESIN54		283	
For 60W Top	PMP-RESIN60		283	
For 66W Top	PMP-RESIN66		283	
For 72W Top	PMP-RESIN72		283	
For 42W Top	MP42	WOOD OR LAMINATE MODESTY PANEL Self edge veneer or laminate modesty panel. Available on fixed tables only.	271	
For 48W Top	MP48		271	
For 54W Top	MP54		271	
For 60W Top	MP60		271	
For 66W Top	MP66		271	
For 72W Top	MP72		271	

OPTIONS

- Specify Modesty Panel to be fixed (add suffix F) or hinged (add suffix H)

TABLE ACCESSORIES



POWER AND COMMUNICATION COMPATIBILITY MATRIX

Tables \ Power	Grommets	Phantom 2	Phantom 4	Villa	Cove	Cove Mini	CPCMJ	Power access door with trough
Acute	•	•	•	•	•		•	
Annex	•	•	•	•	•		•	
Ark	•	•	•	•	•		•	
Boardgames	•	•	•	•	•		•	
Companion		•	•	•	•		•	
Conductor	•	•	•	•	•		•	
Cooper								
Dani	•			•	•		•	
Drum/Cube	•			•	•		•	
Drum Base	•	•	•	•	•		•	
EndZone	•			•	•			•
Fitt	•	•	•	•	•		•	
Half Round	•	•	•	•	•		•	
Manhattan	•	•	•	•	•		•	
Midway		•	•	•	•		•	
Post Legs	•	•	•	•	•		•	
Sidekick								
Tailgate								•
Trumpet & Disc	•	•	•	•	•		•	
Tubular	•	•	•	•	•		•	
Varsity	•	•	•	•	•		•	

TABLE ACCESSORIES

POWER AND COMMUNICATION

CPCM AND CPCMJ PACKAGES

MODEL	DESCRIPTION	LIST	
CPCMPP1	CPCM POWER PACKAGE 1 Includes CPCM, CSP Surge Supressed Power Bar with 10' cord, CSP Snap in Power Bar Holder and 5" PVC Wire Managers (set of 4). Does not include data communication jacks. Specify 3", 6" or 10" cord length for CPCM.	302	
CPCMJPP2	CPCMJ POWER PACKAGE 2 Includes CPCMJ, CSP Surge Supressed Power Bar with 10' cord, CSP Snap in Power Bar Holder and 5" PVC Wire Managers (set of 4). Includes RJ45 Cat 6 or RJ11. Specify 1 of each or 2 of either. Specify 3", 6" or 10" cord length for CPCMJ.	347	



STANDARD FEATURES

- 15 Amp
- UL and CSA Listed



TABLE ACCESSORIES

POWER AND COMMUNICATION

CPCM AND CPCMJ ACCESSORIES








	MODEL	DESCRIPTION	LIST	
	CPCM-3 CPCM-6 CPCM-10	SINGLE DUPLEX WITHOUT JACKS Molded plastic housing and "flip-drop" lid. Available with cord lengths of 3', 6' or 10'.	169 169 169	
	CPCMJ-3 CPCMJ-6 CPCMJ-10	SINGLE DUPLEX WITH JACKS Molded plastic housing and "flip-drop" lid. Includes RJ45 Cat 6 or RJ11. Specify 1 of each or 2 of either. Available with cord lengths of 3', 6' or 10'.	214 214 214	
	GSP	SURGE SUPPRESSED SIX OUTLET POWER BAR Fits snug in the wire management trough and is standard with 10' cord in matte black. Is UL and CSA approved and can meet regional requirements.	49	
	CSPHOLDER	CSP HOLDER PVC snap in holder secures power bar beneath table top.	37	

TABLE ACCESSORIES

POWER AND COMMUNICATION

PHANTOM

	MODEL	DESCRIPTION	LIST	
	PH2	<p>PHANTOM 2</p> <p>The Phantom 2 is Split into 2 sections. Each section can hold either 1 duplex or 1 data plate with 3 units of options.</p>	581	
	PH4	<p>PHANTOM 4</p> <p>The Phantom 4 is Split into 4 sections. Each section can hold either 1 duplex or 1 data plate with 3 units of options.</p>	720	

STANDARD FEATURES

- Available in Black Textured or Nickel Textured finishes.
- Standard with 9' plug in cord with a 6" cord with single receptacle.
- Units daisy chain together.
- 15 amp.
- UL and CSA Listed.

OPTIONS


- For hardwired applications, contact Spec™ for pricing.

TABLE ACCESSORIES


POWER AND COMMUNICATION

PHANTOM CONFIGURATION OPTIONS

PHANTOM 2 (PH2)



2 Duplexes



1 Duplex and 1 Data

PHANTOM 4 (PH4)



4 Duplexes
Audio/Video
Faceplate



3 Duplexes
1 Data/Phone
Audio/Video
Faceplate



2 Duplexes
2 Data/Phone
Audio/Video
Faceplate



1 Duplex
3 Data/Phone
Audio/Video
Faceplate



4 Data/Phone
Audio/Video
Faceplate

PLEASE NOTE

- When ordering a phantom box with no communication plate option, a safety plate will be provided.

TO ORDER

- Specify either PH2 or PH4 and add the letter to the desired configuration. e.g. PH2-B.
- Also specify quantity of: RJ11 voice jack and RJ45 Cat 6 data jack. e.g. 3xRJ25 or 3xRJ45.


TABLE ACCESSORIES

POWER AND COMMUNICATION

PHANTOM - EXAMPLES OF 1 DATA PLATE

PHANTOM PLATE CONFIGURATION OPTIONS FOR DATA & PHONE

6x RJ 45 (CAT.6)




CONFIGURATION A

Consists of the following:

- 3x **OPTION 28** = \$45 LIST
- TOTAL LIST = \$135 LIST**

1x RJ 11 (CAT.3), AND 5x RJ 45 (CAT.6)



CONFIGURATION B


Consists of the following:

- 1x **OPTION 30** = \$54 LIST
- 2x **OPTION 28** = \$45 LIST
- TOTAL LIST = \$144 LIST**



PHANTOM PLATE CONFIGURATION OPTIONS FOR AUDIO/VIDEO

1x 15 PIN VGA, BLANK AND RJ 11, RJ 45 (CAT. 6)




CONFIGURATION C

Consists of the following:

- 1x **OPTION 2** = \$251 LIST
- 1x **OPTION 13** = NO CHARGE
- 1x **OPTION 30** = \$54 LIST
- TOTAL LIST = \$305 LIST**

1x HDMI A/V CONNECTOR, 15 PIN V99 AND BLANK



CONFIGURATION D

Consists of the following:

- 1x **OPTION 23** = \$345 LIST
- 1x **OPTION 2** = \$251 LIST
- 1x **OPTION 13** = NO CHARGE
- TOTAL LIST = \$596 LIST**



TABLE ACCESSORIES

POWER AND COMMUNICATION - PHANTOM



OPTION 2 - \$251 List
15 Pin VGA, 3.5mm Stereo
(1.5 Unit)
Front: 15 Pin VGA Female, 3.5mm
Back: Solder



OPTION 11 - \$109 List
15 Pin VGA
(1 Unit)
Front: 15 Pin Female
Back: 15 Pin Female



OPTION 13 - No Charge
Blank
(0.5 Unit)



OPTION 14 - No Charge
Blank
(1 Unit)



OPTION 15 - No Charge
Blank
(1.5 Unit)



OPTION 30 - \$54 List
RJ 11 (cat. 3)/
RJ 45 (cat. 6)
(1 Unit)



OPTION 17 - \$61 List
RJ 11 (cat. 3) X 2
(1 Unit)



OPTION 28 - \$45 List
RJ 45 (cat. 6) X 2
(1 Unit)



OPTION 19 - \$35 List
RJ 11 (cat. 3) X 1
(1 Unit)



OPTION 29 - \$25 List
RJ 45 (cat. 6) X 1
(1 Unit)



OPTION 21 - \$267 List
USB 2.0 Performance
(1 Unit)
Front: Type A & B (F/F)
Back: Type A & B (F/F)



OPTION 22 - \$267 List
USB 2.0 Performance
(1 Unit)
Front: Type A & A (F/F)
Back: Type A & A (F/F)



OPTION 23 - \$345 List
HDMI-A/V Connector
(1 Unit)
Front: Female
Back: Female



OPTION 32 - \$167 List
RJ 45 (cat. 6)
USB 2.0 (F/F) Type A & A
(1 Unit)




OPTION 26 - \$167 List
RJ 45 (cat. 6)
USB 2.0 (F/F) Type A-toB
(1 Unit)



OPTION 27 - \$180 List
RJ 11 (cat. 3)
USB 2.0 (F/F) Type A-to-B
(1 Unit)

(1 Unit) (1 Unit) (1 Unit) (0.5 Unit) (1.5 Unit) (1 Unit)



NOTE: Phantom 2 with 1 duplex will only accept 3 X 1 Unit or 2 X 1.5 Unit.
Phantom 2 with no duplex will accept 6 X 1 Unit or 4 X 1.5 Unit.

All plate options are standard in black color only.

TABLE ACCESSORIES

POWER AND COMMUNICATION

COVE

	MODEL	DESCRIPTION	LIST	
	COVC2P2U-B COVC2P2U-S COVC2P2U-W	Cove, Clamp Mounted Cove, 2 power, 2 USB, Black Cove, 2 power, 2 USB, Silver Pearl Cove, 2 power, 2 USB, Gloss White Clamp mount method works well for desks, benches, tables and casegoods. Cord is 108" long. USB is for charging only.	443	
			443	
			443	
			443	
	COVS2P2U-B COVS2P2U-S COVS2P2U-W	Cove, Screw Mounted Cove, 2 power, 2 USB, Black Cove, 2 power, 2 USB, Silver Pearl Cove, 2 power, 2 USB, Gloss White Screw mount method is best suited to installations where the back of the unit has limited or no access. Cord is 108" long. USB is for charging only.	443	
			443	
			443	
			443	
	COVC2PC-B COVC2PC-S COVC2PC-W	Cove, Clamp Mounted, 1 Convenience Outlet Cove, 2 power, 1 Convenience Outlet, Black Cove, 2 power, 1 Convenience Outlet, Silver Pearl Cove, 2 power, 1 Convenience Outlet, Gloss White Clamp mount method works well for desks, benches, tables and casegoods. Cord is 108" long.	320	
			320	
			320	
			320	
	COVC2P2U2C-B COVC2P2U2C-S COVC2P2U2C-W	Cove, Clamp Mounted, 2 Convenience Outlets Cove, 2 power, 2 USB, 2 Convenience Outlets, Black Cove, 2 power, 2 USB, 2 Convenience Outlets, Silver Pearl Cove, 2 power, 2 USB, 2 Convenience Outlets, Gloss White Clamp mount method works well for desks, benches, tables and casegoods. Cord is 108" long. USB is for charging only.	591	
			591	
			591	
			591	





TABLE ACCESSORIES

POWER AND COMMUNICATION

VILLA™ SERIES - DAISYLINK™ SYSTEM - SINGLE KIT

TABLE SIZE	MODEL	DESCRIPTION	LIST	
36" L TABLE	VILLS2P2D-36B	36" Villa, 2 power, 2 data ports, Black	400	
	VILLS2P2D-36S	36" Villa, 2 power, 2 data ports, Silver	400	
	VILLS2P2D-36W	36" Villa, 2 power, 2 data ports, White	449	
42" L TABLE	VILLS2P2D-42B	42" Villa, 2 power, 2 data ports, Black	400	
	VILLS2P2D-42S	42" Villa, 2 power, 2 data ports, Silver	400	
	VILLS2P2D-42W	42" Villa, 2 power, 2 data ports, White	449	
48" L TABLE	VILLS2P2D-48B	48" Villa, 2 power, 2 data ports, Black	400	
	VILLS2P2D-48S	48" Villa, 2 power, 2 data ports, Silver	400	
	VILLS2P2D-48W	48" Villa, 2 power, 2 data ports, White	449	
60" L TABLE	VILLS2P2D-60B	60" Villa, 2 power, 2 data ports, Black	400	
	VILLS2P2D-60S	60" Villa, 2 power, 2 data ports, Silver	400	
	VILLS2P2D-60W	60" Villa, 2 power, 2 data ports, White	449	
72" L TABLE	VILLS2P2D-72B	72" Villa, 2 power, 2 data ports, Black	400	
	VILLS2P2D-72S	72" Villa, 2 power, 2 data ports, Silver	400	
	VILLS2P2D-72W	72" Villa, 2 power, 2 data ports, White	449	
		2 Data Caps are included. RJ45 Data Jacks are not included.		
36" L TABLE	VILLS2P2U2RJ-36B	36" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Black	665	
	VILLS2P2U2RJ-36S	36" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Silver	665	
	VILLS2P2U2RJ-36W	36" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, White	665	
42" L TABLE	VILLS2P2U2RJ-42B	42" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Black	665	
	VILLS2P2U2RJ-42S	42" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Silver	665	
	VILLS2P2U2RJ-42W	42" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, White	665	
48" L TABLE	VILLS2P2U2RJ-48B	48" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Black	665	
	VILLS2P2U2RJ-48S	48" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Silver	665	
	VILLS2P2U2RJ-48W	48" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, White	665	
60" L TABLE	VILLS2P2U2RJ-60B	60" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Black	665	
	VILLS2P2U2RJ-60S	60" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Silver	665	
	VILLS2P2U2RJ-60W	60" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, White	665	
72" L TABLE	VILLS2P2U2RJ-72B	72" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Black	665	
	VILLS2P2U2RJ-72S	72" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Silver	665	
	VILLS2P2U2RJ-72W	72" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, White	665	
	VRJ45	Single RJ45 Cat6, Black	62	
	VHDMI-KEY	HDMI F/F Keystone Jack, Black	62	

SINGLE KIT INCLUDES:




TABLE ACCESSORIES

POWER AND COMMUNICATION


VILLA™ SERIES - DAISYLINK™ SYSTEM - DOUBLE KIT

TABLE SIZE	MODEL	DESCRIPTION	LIST	
60" L TABLE	VILLD2P2D-60B	60" Villa, 2 power, 2 data ports, Black	751	
	VILLD2P2D-60S	60" Villa, 2 power, 2 data ports, Silver	751	
	VILLD2P2D-60W	60" Villa, 2 power, 2 data ports, White	800	
72" L TABLE	VILLD2P2D-72B	72" Villa, 2 power, 2 data ports, Black	751	
	VILLD2P2D-72S	72" Villa, 2 power, 2 data ports, Silver	751	
	VILLD2P2D-72W	72" Villa, 2 power, 2 data ports, White	800	
84" L TABLE	VILLD2P2D-84B	84" Villa, 2 power, 2 data ports, Black	751	
	VILLD2P2D-84S	84" Villa, 2 power, 2 data ports, Silver	751	
	VILLD2P2D-84W	84" Villa, 2 power, 2 data ports, White	800	
96" L TABLE	VILLD2P2D-96B	96" Villa, 2 power, 2 data ports, Black	751	
	VILLD2P2D-96S	96" Villa, 2 power, 2 data ports, Silver	751	
	VILLD2P2D-96W	96" Villa, 2 power, 2 data ports, White	800	
		2 Data Caps are included. RJ45 Data Jacks are not included.		
60" L TABLE	VILLD2P2U2RJ-60B	60" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Black	1,059	
	VILLD2P2U2RJ-60S	60" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Silver	1,059	
	VILLD2P2U2RJ-60W	60" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, White	1,059	
72" L TABLE	VILLD2P2U2RJ-72B	72" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Black	1,059	
	VILLD2P2U2RJ-72S	72" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Silver	1,059	
	VILLD2P2U2RJ-72W	72" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, White	1,059	
84" L TABLE	VILLD2P2U2RJ-84B	84" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Black	1,059	
	VILLD2P2U2RJ-84S	84" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Silver	1,059	
	VILLD2P2U2RJ-84W	84" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, White	1,059	
96" L TABLE	VILLD2P2U2RJ-96B	96" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Black	1,059	
	VILLD2P2U2RJ-96S	96" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Silver	1,059	
	VILLD2P2U2RJ-96W	96" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, White	1,059	
	VRJ45	Single RJ45 Cat6, Black	62	
	VHDMI-KEY	HDMI F/F Keystone Jack, Black	62	

Specify double kit when two Villas are in one single table

DOUBLE KIT INCLUDES

Villa Power Base



Villa Flush Lid




TABLE ACCESSORIES

POWER AND COMMUNICATION

VILLA™ SERIES - CORDED







	MODEL	DESCRIPTION	LIST	
	VILLCDKO-36B	Corded Villa, 2 power, 2 data ports, 36" cord, Black	302	
	VILLCDKO-36S	Corded Villa, 2 power, 2 data ports, 36" cord, Silver	302	
	VILLCDKO-72B	Corded Villa, 2 power, 2 data ports, 72" cord, Black	302	
	VILLCDKO-72S	Corded Villa, 2 power, 2 data ports, 72" cord, Silver	302	
	VILLCDKO-108B	Corded Villa, 2 power, 2 data ports, 108" cord, Black	302	
	VILLCDKO-108S	Corded Villa, 2 power, 2 data ports, 108 cord, Silver	302	
	VILLCUDKO-72B	Corded Villa, 2 power, 2 USB 2.1 AMP charging ports, 2 data ports, 72" cord, Black	449	 
	VILLCUDKO-72S	Corded Villa, 2 power, 2 USB 2.1 AMP charging ports, 2 data ports, 72" cord, Silver 2 Data Caps are included. RJ45 Data Jacks are not included.	449	
	VRJ45	Single RJ45 Cat6, Black	62	 
	VHDMI-KEY	HDMI F/F Keystone Jack, Black	62	



TABLE ACCESSORIES

POWER AND COMMUNICATION

VILLA™ SERIES - OPTIONS

	MODEL	DESCRIPTION	LIST	
	VILLPOWERFEED	Multi-Circuit Hardwired Power Infeed UL Listed & CSA Certified	172	
	VILLQDINSERT	Insert for floor box and wall outlet applications. Fits standard Decora® opening. UL Listed & CSA Certified	99	
	VILLFEEDPLUG	Single Circuit Power Infeed with 72" Molded Plug Required for non-sequenced power applications. UL Listed	219	
	VILL42FFL-72	Female/Female Interconnecting Cable UL Listed & CSA Certified	138	
	VILLDAISYT	Daisy-T Power Manager	148	



TABLE ACCESSORIES

WIRE MANAGEMENT TROUGHS

SIZE	MODEL	DESCRIPTION	LIST	
For 42W Top	CRWT42	PERFORATED WIRE MANAGEMENT/MODESTY PANEL Perforated Wire Management/Modesty Panel available in any Spectone color.	271	
For 48W Top	CRWT48		271	
For 54W Top	CRWT54		271	
For 60W Top	CRWT60		271	
For 66W Top	CRWT66		271	
For 72W Top	CRWT72		271	
For 42W Top	CRWTR42	REVERSE MOUNTED PERFORATED WIRE MANAGEMENT/MODESTY PANEL Perforated Wire Management/Modesty Panel available in any Spectone color.	271	
For 48W Top	CRWTR48		271	
For 54W Top	CRWTR54		271	
For 60W Top	CRWTR60		271	
For 66W Top	CRWTR66		271	
For 72W Top	CRWTR72		271	
For 42W Top	CEWT42	EXTRUDED WIRE MANAGEMENT TROUGH Extruded Wire Management Trough is standard 3" shorter than table length and come with a 1.5" x 3.5" oval wire pass-through placed 3.5" from each end to allow for entry and exit of wiring. Available in any Spectone color. To fill 3" gap use CET Trough Joiner.	209	
For 48W Top	CEWT48		209	
For 54W Top	CEWT54		209	
For 60W Top	CEWT60		209	
For 66W Top	CEWT66		209	
For 72W Top	CEWT72		209	
For 42W Top	CEPD42	PERFORATED DOOR FOR WIRE MANAGEMENT TROUGH Spring hinged door attaches to the Extruded Wire Management Trough.	209	
For 48W Top	CEPD48		209	
For 54W Top	CEPD54		209	
For 60W Top	CEPD60		209	
For 66W Top	CEPD66		209	
For 72W Top	CEPD72		209	



TABLE ACCESSORIES

WIRE MANAGEMENT TROUGHS





SIZE	MODEL	DESCRIPTION	LIST	
12" LENGTH	CESWN	PVC WIRE MANAGER Snaps neatly in place inside or under the Extruded Wire Management Trough. There are two inside channels and two channels under the trough. All channels run the entire length of the trough. PVC Wire Manager is standard in 12" lengths in matte black.	11	
	CECAP	END CAP For Extruded Wire Management Troughs. Specify left or right when seated.	36	
	CET	EXTRUDED TROUGH JOINER To join Extruded Wire Management Troughs in a straight line together.	29	
	CCET	EXTRUDED CORNER TROUGH JOINER To join corners of Extruded Wire Management Troughs.	65	

TABLE ACCESSORIES

GROMMETS, SEAM CONNECTORS AND TABLE CART









	MODEL	DESCRIPTION	LIST		LBS
	CTRG	OVAL GROMMET 3" x 5" oval surface grommet. Specify centered or to the left or right on the desktop. Custom locations are available, please specify.	33		
	CTRS	ROUND GROMMET 2" round surface grommet. Specify centered or to the left or right on the desktop. Custom locations are available, please specify.	22		
	CSC	SEAM CONNECTOR Seam Connectors join and level tops. Includes 2 connectors, 4 thumb screws, 4 counter sunk threaded metal inserts.	74		
	TABLE CART	TABLE CART Holds 4 to 6 tables of varying sizes. Comes standard with hard wheel swivel casters. Custom Carts are available. Ships KD.	762		48

TABLE ACCESSORIES

WIRE MANAGEMENT

	MODEL	DESCRIPTION	LIST	
	CWMT	<p>PVC SNAP TO LEG WIRE MANAGER</p> <p>Snaps to table base column to conceal and manage unsightly wires. Standard in 13.5" lengths and matte black or Nickel finish.</p>	33	
	VELCROWIREMGR	<p>VELCRO WIRE MANAGER</p> <p>Affix to underside of table.</p>	9	
	WIREMGR	<p>UNDER TABLE WIRE MANAGER</p> <p>24" PVC under table wire manager affix to underside of table.</p>	23	
	5PVCWIREMGR	<p>5" PVC WIRE MANAGER</p> <p>Set of 4, for under table wire management.</p>	46	
	CMHA	<p>CABLE MANAGER FOR HEIGHT ADJUSTABLE TABLES</p> <p>Cable management, spiral tube. Black. Plastic. 6" base diameter. Spiral 3-3/8" dia. Maximum height 84".</p>	221	