






## TABLE ACCESSORIES

### MODESTY PANELS

SIZE	MODEL	DESCRIPTION	LIST	
For 42W Top	PMP-SR42	<b>SMALL ROUND (.266) PERFORATIONS</b>  Perforated Metal Modesty Panels are available in any Spectone color. Modesty Panels are 3" shorter than table and are 10" in height.	254	
For 48W Top	PMP-SR48		254	
For 54W Top	PMP-SR54		254	
For 60W Top	PMP-SR60		254	
For 66W Top	PMP-SR66		254	
For 72W Top	PMP-SR72		254	
For 42W Top	PMP-SS42	<b>SMALL SQUARE (.255) PERFORATIONS</b>  Perforated Metal Modesty Panels are available in any Spectone color. Modesty Panels are 3" shorter than table and are 10" in height.	254	
For 48W Top	PMP-SS48		254	
For 54W Top	PMP-SS54		254	
For 60W Top	PMP-SS60		254	
For 66W Top	PMP-SS66		254	
For 72W Top	PMP-SS72		254	
For 42W Top	PMP-BACKER42	<b>LARGE SQUARE (1.0) PERFORATIONS WITH ACRYLIC BACKER</b>  Perforated Metal Modesty Panels are available in any Spectone color. Modesty Panels are 3" shorter than table and are 10" in height. Acrylic backer available in semi-opaque Nickel.	589	
For 48W Top	PMP-BACKER48		589	
For 54W Top	PMP-BACKER54		589	
For 60W Top	PMP-BACKER60		589	
For 66W Top	PMP-BACKER66		589	
For 72W Top	PMP-BACKER72		589	
For 42W Top	PMP-RESIN42	<b>ACRYLIC MODESTY PANEL</b>  Available in semi-opaque Nickel.	329	
For 48W Top	PMP-RESIN48		329	
For 54W Top	PMP-RESIN54		329	
For 60W Top	PMP-RESIN60		329	
For 66W Top	PMP-RESIN66		329	
For 72W Top	PMP-RESIN72		329	
For 42W Top	MP42	<b>WOOD OR LAMINATE MODESTY PANEL</b>  Self edge veneer or laminate modesty panel. Available on fixed tables only.	313	
For 48W Top	MP48		313	
For 54W Top	MP54		313	
For 60W Top	MP60		313	
For 66W Top	MP66		313	
For 72W Top	MP72		313	

#### OPTIONS

- Specify Modesty Panel to be fixed (add suffix F) or hinged (add suffix H)



# TABLE ACCESSORIES





## WIRE MANAGEMENT TROUGHS

SIZE	MODEL	DESCRIPTION	LIST	
For 42W Top	CRWT42	<b>PERFORATED WIRE MANAGEMENT/MODESTY PANEL</b>  Perforated Wire Management/Modesty Panel available in any Spectone color.	294	
For 48W Top	CRWT48		294	
For 54W Top	CRWT54		294	
For 60W Top	CRWT60		294	
For 66W Top	CRWT66		294	
For 72W Top	CRWT72		294	
For 42W Top	CRWTR42	<b>REVERSE MOUNTED PERFORATED WIRE MANAGEMENT/MODESTY PANEL</b>  Perforated Wire Management/Modesty Panel available in any Spectone color.	294	
For 48W Top	CRWTR48		294	
For 54W Top	CRWTR54		294	
For 60W Top	CRWTR60		294	
For 66W Top	CRWTR66		294	
For 72W Top	CRWTR72		294	
For 42W Top	CEWT42	<b>EXTRUDED WIRE MANAGEMENT TROUGH</b>  Extruded Wire Management Trough is standard 3" shorter than table length and come with a 1.5" x 3.5" oval wire pass-through placed 3.5" from each end to allow for entry and exit of wiring. Available in any Spectone color. To fill 3" gap use CET Trough Joiner.	242	
For 48W Top	CEWT48		242	
For 54W Top	CEWT54		242	
For 60W Top	CEWT60		242	
For 66W Top	CEWT66		242	
For 72W Top	CEWT72		242	
For 42W Top	CEPD42	<b>PERFORATED DOOR FOR WIRE MANAGEMENT TROUGH</b>  Spring hinged door attaches to the Extruded Wire Management Trough.	242	
For 48W Top	CEPD48		242	
For 54W Top	CEPD54		242	
For 60W Top	CEPD60		242	
For 66W Top	CEPD66		242	
For 72W Top	CEPD72		242	



## TABLE ACCESSORIES





### WIRE MANAGEMENT TROUGHS

SIZE	MODEL	DESCRIPTION	LIST	
12" LENGTH	CESWN	<b>PVC WIRE MANAGER</b>  Snaps neatly in place inside or under the Extruded Wire Management Trough. There are two inside channels and two channels under the trough. All channels run the entire length of the trough. PVC Wire Manager is standard in 12" lengths in matte black.	14	
	CECAP	<b>END CAP</b>  For Extruded Wire Management Troughs. Specify left or right when seated.	39	
	CET	<b>EXTRUDED TROUGH JOINER</b>  To join Extruded Wire Management Troughs in a straight line together.	30	
	CCET	<b>EXTRUDED CORNER TROUGH JOINER</b>  To join corners of Extruded Wire Management Troughs.	70	



## TABLE ACCESSORIES







### GROMMETS, SEAM CONNECTORS AND TABLE CART

	MODEL	DESCRIPTION	LIST		LBS
	<b>CTRG</b>	<b>OVAL GROMMET</b>  3" x 5" oval surface grommet. Specify centered or to the left or right on the desktop. Custom locations are available, please specify.	36		
	<b>CTRS</b>	<b>ROUND GROMMET</b>  2" round surface grommet. Specify centered or to the left or right on the desktop. Custom locations are available, please specify.	22		
	<b>CSC</b>	<b>SEAM CONNECTOR</b>  Seam Connectors join and level tops. Includes 2 connectors, 4 thumb screws, 4 counter sunk threaded metal inserts.	82		
	<b>TABLE CART</b>	<b>TABLE CART</b>  Holds 4 to 6 tables of varying sizes. Comes standard with hard wheel swivel casters. Custom Carts are available. Ships KD.	920		48



## TABLE ACCESSORIES



### WIRE MANAGEMENT

	MODEL	DESCRIPTION	LIST	
	CWMT	<p><b>PVC SNAP TO LEG WIRE MANAGER</b></p> <p>Snaps to table base column to conceal and manage unsightly wires. Standard in 13.5" lengths and matte black or Nickel finish.</p>	36	
	VELCROWIREMGR	<p><b>VELCRO WIRE MANAGER</b></p> <p>Affix to underside of table.</p>	12	
	WIREMGR	<p><b>UNDER TABLE WIRE MANAGER</b></p> <p>24" PVC under table wire manager affix to underside of table.</p>	28	
	5PVCWIREMGR	<p><b>5" PVC WIRE MANAGER</b></p> <p>Set of 4, for under table wire management.</p>	50	
	CMHA	<p><b>CABLE MANAGER FOR HEIGHT ADJUSTABLE TABLES</b></p> <p>Cable management, spiral tube. Black. Plastic. 6" base diameter. Spiral 3-3/8" dia. Maximum height 84".</p>	265	

# TABLE ACCESSORIES

## POWER AND COMMUNICATION

### CPCM AND CPCMJ PACKAGES

MODEL	DESCRIPTION	LIST	
CPCMPP1	<b>CPCM POWER PACKAGE 1</b>  Includes CPCM, CSP Surge Supressed Power Bar with 10' cord, CSP Snap in Power Bar Holder and 5" PVC Wire Managers (set of 4). Does not include data communication jacks. Specify 3", 6" or 9" cord length for CPCM.	347	
CPCMJPP2	<b>CPCMJ POWER PACKAGE 2</b>  Includes CPCMJ, CSP Surge Supressed Power Bar with 10' cord, CSP Snap in Power Bar Holder and 5" PVC Wire Managers (set of 4). <b>Includes RJ45 Cat 6 or RJ11.</b> Specify 1 of each or 2 of either. Specify 3", 6" or 9" cord length for CPCMJ.	427	



#### STANDARD FEATURES

- 15 Amp
- UL and CSA Listed





# TABLE ACCESSORIES

## POWER AND COMMUNICATION

### CPCM AND CPCMJ ACCESSORIES

MODEL	DESCRIPTION	LIST	
<b>CPCM-3</b> <b>CPCM-6</b> <b>CPCM-9</b>	<b>SINGLE DUPLEX WITHOUT JACKS</b>  Molded plastic housing and "flip-drop" lid. Available with cord lengths of 3', 6' or 9'.	196	
		196	
		196	
<b>CPCMJ-3</b> <b>CPCMJ-6</b> <b>CPCMJ-9</b>	<b>SINGLE DUPLEX WITH JACKS</b>  Molded plastic housing and "flip-drop" lid. Includes RJ45 Cat 6 or RJ11. Specify 1 of each or 2 of either. Available with cord lengths of 3', 6' or 9'.	276	
		276	
		276	
<b>CSP</b>	<b>SURGE SUPPRESSED SIX OUTLET POWER BAR</b>  Fits snug in the wire management trough and is standard with 10' cord in matte black. Is UL and CSA approved and can meet regional requirements.	54	
<b>CSPHOLDER</b>	<b>CSP HOLDER</b>  PVC snap in holder secures power bar beneath table top.	42	



# TABLE ACCESSORIES

## POWER AND COMMUNICATION

### PHANTOM

	MODEL	DESCRIPTION	LIST	
	PH2	<p><b>PHANTOM 2</b></p> <p>The Phantom 2 is Split into 2 sections. Each section can hold either 1 duplex or 1 data plate with 3 units of options.</p>	665	
	PH4	<p><b>PHANTOM 4</b></p> <p>The Phantom 4 is Split into 4 sections. Each section can hold either 1 duplex or 1 data plate with 3 units of options.</p>	823	



#### STANDARD FEATURES

- Available in Black Textured or Nickel Textured finishes.
- Standard with 9' plug in cord with a 6" cord with single receptacle.
- Units daisy chain together.
- 15 amp.
- UL and CSA Listed.

#### OPTIONS

- For hardwired applications, contact Spec for pricing.






# TABLE ACCESSORIES


## POWER AND COMMUNICATION

### PHANTOM CONFIGURATION OPTIONS

#### PHANTOM 2 (PH2)



2 Duplexes



1 Duplex and 1 Data

#### PHANTOM 4 (PH4)



4 Duplexes  
Audio/Video  
Faceplate



3 Duplexes  
1 Data/Phone  
Audio/Video  
Faceplate



2 Duplexes  
2 Data/Phone  
Audio/Video  
Faceplate



1 Duplex  
3 Data/Phone  
Audio/Video  
Faceplate



4 Data/Phone  
Audio/Video  
Faceplate



#### PLEASE NOTE

- When ordering a phantom box with no communication plate option, a safety plate will be provided.

#### TO ORDER


- Specify either PH2 or PH4 and add the letter to the desired configuration. e.g. PH2-B.
- Also specify quantity of: RJ11 voice jack and RJ45 Cat 6 data jack. e.g. 3xRJ25 or 3xRJ45.



**TABLE ACCESSORIES**  
**POWER AND COMMUNICATION**  
**PHANTOM - EXAMPLES OF 1 DATA PLATE**

**PHANTOM PLATE CONFIGURATION OPTIONS FOR DATA & PHONE**

**6x RJ 45 (CAT.6)**




**CONFIGURATION A**

Consists of the following:

- 3x **OPTION 28** = \$53 LIST
- TOTAL LIST = \$159 LIST**

**1x RJ 11 (CAT.3), AND 5x RJ 45 (CAT.6)**



**CONFIGURATION B**


Consists of the following:

- 1x **OPTION 30** = \$61 LIST
- 2x **OPTION 28** = \$53 LIST
- TOTAL LIST = \$167 LIST**



**PHANTOM PLATE CONFIGURATION OPTIONS FOR AUDIO/VIDEO**

**1x 15 PIN VGA, BLANK AND RJ 11, RJ 45 (CAT. 6)**



**CONFIGURATION C**

Consists of the following:

- 1x **OPTION 2** = \$296 LIST
- 1x **OPTION 13** = NO CHARGE
- 1x **OPTION 30** = \$61 LIST
- TOTAL LIST = \$357 LIST**

**1x HDMI A/V CONNECTOR, 15 PIN V99 AND BLANK**



**CONFIGURATION D**

Consists of the following:

- 1x **OPTION 23** = \$407 LIST
- 1x **OPTION 2** = \$296 LIST
- 1x **OPTION 13** = NO CHARGE
- TOTAL LIST = \$703 LIST**



# TABLE ACCESSORIES

## POWER AND COMMUNICATION

### PHANTOM ACCESSORIES



**OPTION 2** - \$296 List  
15 Pin VGA, 3.5mm Stereo  
(1.5 Unit)  
Front: 15 Pin VGA Female, 3.5mm  
Back: Solder



**OPTION 11** - \$129 List  
15 Pin VGA  
(1 Unit)  
Front: 15 Pin Female  
Back: 15 Pin Female



**OPTION 13** - No Charge  
Blank  
(0.5 Unit)



**OPTION 14** - No Charge  
Blank  
(1 Unit)



**OPTION 15** - No Charge  
Blank  
(1.5 Unit)



**OPTION 30** - \$61 List  
RJ 11 (cat. 3)/  
RJ 45 (cat. 6)  
(1 Unit)



**OPTION 17** - \$71 List  
RJ 11 (cat. 3) X 2  
(1 Unit)



**OPTION 28** - \$53 List  
RJ 45 (cat. 6) X 2  
(1 Unit)



**OPTION 19** - \$41 List  
RJ 11 (cat. 3) X 1  
(1 Unit)



**OPTION 29** - \$32 List  
RJ 45 (cat. 6) X 1  
(1 Unit)



**OPTION 21** - \$321 List  
USB 2.0 Performance  
(1 Unit)  
Front: Type A & B (F/F)  
Back: Type A & B (F/F)



**OPTION 22** - \$315 List  
USB 2.0 Performance  
(1 Unit)  
Front: Type A & A (F/F)  
Back: Type A & A (F/F)



**OPTION 23** - \$407 List  
HDMI-A/V Connector  
(1 Unit)  
Front: Female  
Back: Female



**OPTION 32** - \$198 List  
RJ 45 (cat. 6)  
USB 2.0 (F/F) Type A & A  
(1 Unit)




**OPTION 26** - \$198 List  
RJ 45 (cat. 6)  
USB 2.0 (F/F) Type A-toB  
(1 Unit)



**OPTION 27** - \$213 List  
RJ 11 (cat. 3)  
USB 2.0 (F/F) Type A-to-B  
(1 Unit)

(1 Unit) (1 Unit) (1 Unit) (0.5 Unit) (1.5 Unit) (1 Unit)



**NOTE:** Phantom 2 with 1 duplex will only accept 3 X 1 Unit or 2 X 1.5 Unit.  
Phantom 2 with no duplex will accept 6 X 1 Unit or 4 X 1.5 Unit.

All plate options are standard in black color only.



# TABLE ACCESSORIES

## POWER AND COMMUNICATION

### COVE

	MODEL	DESCRIPTION	LIST	
		<b>Cove, Clamp Mounted</b>		
	<b>COVC2P2U-B</b>	Cove, 2 power, 2 USB, <b>Black</b>	386	
	<b>COVC2P2U-S</b>	Cove, 2 power, 2 USB, <b>Silver Pearl</b>	386	
	<b>COVC2P2U-W</b>	Cove, 2 power, 2 USB, <b>Gloss White</b>	386	
		<b>Clamp mount method works well for desks, benches, tables and casegoods. Cord is 108" long. USB is for charging only.</b>		
		<b>Cove, Screw Mounted</b>		
	<b>COVS2P2U-B</b>	Cove, 2 power, 2 USB, <b>Black</b>	386	
	<b>COVS2P2U-S</b>	Cove, 2 power, 2 USB, <b>Silver Pearl</b>	386	
	<b>COVS2P2U-W</b>	Cove, 2 power, 2 USB, <b>Gloss White</b>	386	
		<b>Screw mount method is best suited to installations where the back of the unit has limited or no access. Cord is 108" long. USB is for charging only.</b>		
		<b>Cove, Clamp Mounted, 1 Convenience Outlet</b>		
	<b>COVC2PC-B</b>	Cove, 2 power, 1 Convenience Outlet, <b>Black</b>	278	
	<b>COVC2PC-S</b>	Cove, 2 power, 1 Convenience Outlet, <b>Silver Pearl</b>	278	
	<b>COVC2PC-W</b>	Cove, 2 power, 1 Convenience Outlet, <b>Gloss White</b>	278	
		<b>Clamp mount method works well for desks, benches, tables and casegoods. Cord is 108" long.</b>		
		<b>Cove, Clamp Mounted, 2 Convenience Outlets</b>		
	<b>COVC2P2U2C-B</b>	Cove, 2 power, 2 USB, 2 Convenience Outlets, <b>Black</b>	514	
	<b>COVC2P2U2C-S</b>	Cove, 2 power, 2 USB, 2 Convenience Outlets, <b>Silver Pearl</b>	514	
	<b>COVC2P2U2C-W</b>	Cove, 2 power, 2 USB, 2 Convenience Outlets, <b>Gloss White</b>	514	
		<b>Clamp mount method works well for desks, benches, tables and casegoods. Cord is 108" long. USB is for charging only.</b>		






# TABLE ACCESSORIES

## POWER AND COMMUNICATION

### VILLA™ SERIES - DAISYLINK™ SYSTEM - SINGLE KIT

TABLE SIZE	MODEL	DESCRIPTION	LIST	
36" L TABLE	VILLS2P2D-36B	36" Villa, 2 power, 2 data ports, <b>Black</b>	348	
	VILLS2P2D-36S	36" Villa, 2 power, 2 data ports, <b>Silver</b>	348	
	VILLS2P2D-36W	36" Villa, 2 power, 2 data ports, <b>White</b>	391	
42" L TABLE	VILLS2P2D-42B	42" Villa, 2 power, 2 data ports, <b>Black</b>	348	
	VILLS2P2D-42S	42" Villa, 2 power, 2 data ports, <b>Silver</b>	348	
	VILLS2P2D-42W	42" Villa, 2 power, 2 data ports, <b>White</b>	391	
48" L TABLE	VILLS2P2D-48B	48" Villa, 2 power, 2 data ports, <b>Black</b>	348	
	VILLS2P2D-48S	48" Villa, 2 power, 2 data ports, <b>Silver</b>	348	
	VILLS2P2D-48W	48" Villa, 2 power, 2 data ports, <b>White</b>	391	
60" L TABLE	VILLS2P2D-60B	60" Villa, 2 power, 2 data ports, <b>Black</b>	348	
	VILLS2P2D-60S	60" Villa, 2 power, 2 data ports, <b>Silver</b>	348	
	VILLS2P2D-60W	60" Villa, 2 power, 2 data ports, <b>White</b>	391	
72" L TABLE	VILLS2P2D-72B	72" Villa, 2 power, 2 data ports, <b>Black</b>	348	
	VILLS2P2D-72S	72" Villa, 2 power, 2 data ports, <b>Silver</b>	348	
	VILLS2P2D-72W	72" Villa, 2 power, 2 data ports, <b>White</b>	391	
		<b>2 Data Caps are included. RJ45 Data Jacks are not included.</b>		
36" L TABLE	VILLS2P2U2RJ-36B	36" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, <b>Black</b>	578	
	VILLS2P2U2RJ-36S	36" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, <b>Silver</b>	578	
	VILLS2P2U2RJ-36W	36" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, <b>White</b>	578	
42" L TABLE	VILLS2P2U2RJ-42B	42" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, <b>Black</b>	578	
	VILLS2P2U2RJ-42S	42" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, <b>Silver</b>	578	
	VILLS2P2U2RJ-42W	42" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, <b>White</b>	578	
48" L TABLE	VILLS2P2U2RJ-48B	48" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, <b>Black</b>	578	
	VILLS2P2U2RJ-48S	48" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, <b>Silver</b>	578	
	VILLS2P2U2RJ-48W	48" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, <b>White</b>	578	
60" L TABLE	VILLS2P2U2RJ-60B	60" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, <b>Black</b>	578	
	VILLS2P2U2RJ-60S	60" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, <b>Silver</b>	578	
	VILLS2P2U2RJ-60W	60" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, <b>White</b>	578	
72" L TABLE	VILLS2P2U2RJ-72B	72" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, <b>Black</b>	578	
	VILLS2P2U2RJ-72S	72" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, <b>Silver</b>	578	
	VILLS2P2U2RJ-72W	72" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, <b>White</b>	578	
	VRJ45	Single RJ45 Cat6, <b>Black</b>	55	
	VHDMI-KEY	HDMI F/F Keystone Jack, <b>Black</b>	55	

**SINGLE KIT INCLUDES:**





# TABLE ACCESSORIES

## POWER AND COMMUNICATION

### VILLA™ SERIES - DAISYLINK™ SYSTEM - DOUBLE KIT


TABLE SIZE	MODEL	DESCRIPTION	LIST	
60" L TABLE	VILLD2P2D-60B	60" Villa, 2 power, 2 data ports, <b>Black</b>	653	
	VILLD2P2D-60S	60" Villa, 2 power, 2 data ports, <b>Silver</b>	653	
	VILLD2P2D-60W	60" Villa, 2 power, 2 data ports, <b>White</b>	696	
72" L TABLE	VILLD2P2D-72B	72" Villa, 2 power, 2 data ports, <b>Black</b>	653	
	VILLD2P2D-72S	72" Villa, 2 power, 2 data ports, <b>Silver</b>	653	
	VILLD2P2D-72W	72" Villa, 2 power, 2 data ports, <b>White</b>	696	
84" L TABLE	VILLD2P2D-84B	84" Villa, 2 power, 2 data ports, <b>Black</b>	653	
	VILLD2P2D-84S	84" Villa, 2 power, 2 data ports, <b>Silver</b>	653	
	VILLD2P2D-84W	84" Villa, 2 power, 2 data ports, <b>White</b>	696	
96" L TABLE	VILLD2P2D-96B	96" Villa, 2 power, 2 data ports, <b>Black</b>	653	
	VILLD2P2D-96S	96" Villa, 2 power, 2 data ports, <b>Silver</b>	653	
	VILLD2P2D-96W	96" Villa, 2 power, 2 data ports, <b>White</b>	696	
		<b>2 Data Caps are included. RJ45 Data Jacks are not included.</b>		
60" L TABLE	VILLD2P2U2RJ-60B	60" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, <b>Black</b>	921	
	VILLD2P2U2RJ-60S	60" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, <b>Silver</b>	921	
	VILLD2P2U2RJ-60W	60" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, <b>White</b>	921	
72" L TABLE	VILLD2P2U2RJ-72B	72" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, <b>Black</b>	921	
	VILLD2P2U2RJ-72S	72" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, <b>Silver</b>	921	
	VILLD2P2U2RJ-72W	72" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, <b>White</b>	921	
84" L TABLE	VILLD2P2U2RJ-84B	84" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, <b>Black</b>	921	
	VILLD2P2U2RJ-84S	84" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, <b>Silver</b>	921	
	VILLD2P2U2RJ-84W	84" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, <b>White</b>	921	
96" L TABLE	VILLD2P2U2RJ-96B	96" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, <b>Black</b>	921	
	VILLD2P2U2RJ-96S	96" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, <b>Silver</b>	921	
	VILLD2P2U2RJ-96W	96" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, <b>White</b>	921	
	<b>VRJ45</b>	Single RJ45 Cat6, <b>Black</b>	54	
	<b>VHDMI-KEY</b>	HDMI F/F Keystone Jack, <b>Black</b>	54	




Specify double kit when two Villas are in one single table

#### DOUBLE KIT INCLUDES

Villa Power Base







Villa Flush Lid



## TABLE ACCESSORIES

### POWER AND COMMUNICATION

### VILLA™ SERIES - CORDED

	MODEL	DESCRIPTION	LIST	
	VILLCDKO-36B	Corded Villa, 2 power, 2 data ports, 36" cord, <b>Black</b>	262	
	VILLCDKO-36S	Corded Villa, 2 power, 2 data ports, 36" cord, <b>Silver</b>	262	
	VILLCDKO-72B	Corded Villa, 2 power, 2 data ports, 72" cord, <b>Black</b>	262	
	VILLCDKO-72S	Corded Villa, 2 power, 2 data ports, 72" cord, <b>Silver</b>	262	
	VILLCDKO-108B	Corded Villa, 2 power, 2 data ports, 108" cord, <b>Black</b>	262	
	VILLCDKO-108S	Corded Villa, 2 power, 2 data ports, 108 cord, <b>Silver</b>	262	
	VILLCUDKO-72B	Corded Villa, 2 power, 2 USB 2.1 AMP charging ports, 2 data ports, 72" cord, <b>Black</b>	391	
	VILLCUDKO-72S	Corded Villa, 2 power, 2 USB 2.1 AMP charging ports, 2 data ports, 72" cord, <b>Silver</b> <b>2 Data Caps are included. RJ45 Data Jacks are not included.</b>	391	
	VRJ45	Single RJ45 Cat6, <b>Black</b>	54	 
	VHDMI-KEY	HDMI F/F Keystone Jack, <b>Black</b>	54	



## TABLE ACCESSORIES

### POWER AND COMMUNICATION

### VILLA™ SERIES - OPTIONS

	MODEL	DESCRIPTION	LIST	
	<b>VILLPOWERFEED</b>	Multi-Circuit Hardwired Power Infeed UL Listed & CSA Certified	150	
	<b>VILLQDINSERT</b>	Insert for floor box and wall outlet applications. Fits standard Decora® opening. UL Listed & CSA Certified	86	
	<b>VILLFEEDPLUG</b>	Single Circuit Power Infeed with 72" Molded Plug Required for non-sequenced power applications. UL Listed	190	
	<b>VILL42FFL-72</b>	Female/Female Interconnecting Cable UL Listed & CSA Certified	120	
	<b>VILLDAISYT</b>	Daisy-T Power Manager	129	