

LAYOUTS








## Description

- Spec's Bala offers the softer look and feel of wood, without sacrificing high durability.
- Your layout possibilities are unlimited with spacer, radius and corner tables – for both standard and bariatric seating in virtually any combination.
- Bariatric seating is a 30" wide seat and is load tested to 750 lbs. Cannot be connected to other bariatric seats.
- 21" seat width is standard.
- Standard in European Beech in any of 9 standard stains or stain-to-match for no extra charge.
- Choice of wood or polyurethane arms which are replaceable in the field.
- All models offer a choice of no center arms, half arms or full arms to the floor.
- Glides and separate seat and back are standard.
- Please send a drawing of the configuration you require with your order.
- For fabrics you wish railroaded or repeats larger than 5" x 5", please contact the factory with repeat information and yardage requirement will be provided.

#### LAYOUTS AND DIMENSIONS




















FABRIC

Select fabrics from one of our

textile partners





# Half Panel Arm



Full Panel Arm

## FINISHES

#### FRAME



Select from one of our 9 standard wood stains or stainto-match for no extra charge

See Spectone Card or specfurniture.com/tools-and-resources/productresources/finishes for a complete list of finish options and colors.

## ARMS



Note: flat polyurethane arm available in Black only.




Select from one of our 9 standard wood stains or stain-to-match for no extra charge





#### HOW TO ORDER



## **Specify Model**

- Specify Fabric Seat<sup>1</sup> Manufacturer, Pattern Name, Color
- B Specify Fabric Back<sup>1</sup> Manufacturer, Pattern Name, Color
- Specify Frame Finish
- Specify Arm Type, Profile and Color Polyurethane (Flat or Round) / Wood (Flat or Round) / KYDEX<sup>®</sup> (\$) (Flat)

Optional: KYDEX<sup>®</sup> Arm, CAL 133, Moisture Barrier, Half or Full Panel Arms, Connecting and Freestanding Tables, Benches, Ottoman, Vinyl Headrest Insert

 $^1$  When multiple fabrics are specified on two and three seat chairs, please provide a drawing and legend for fabric placement.

Model	Fabric - Seat	Fabric - Back	Frame Finish	Arm Type, Profile and Color
6201M	Momentum, Beeline, Canvas	Momentum, Beeline, Canvas	Studio Teak Stain	Wood, Flat, Studio Teak Stain

Designed for today's healthcare facilities Single Seater with arms

## **Standard Features**

- · Separate seat and back
- Wood components in Beech, in any of 9 standard stains or stain-to-match for no extra charge
- Threaded replaceable glides
- · Use in connected layouts for no extra charge
- VELCRO® removable back covers
- Replaceable seats
- · Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 15 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

## Options

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- Flat polyurethane arms available in Black only
- KYDEX<sup>®</sup> flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- · Connected and freestanding tables
- Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back for no extra charge
- CAL 133

## Single Seater with arms

<u> </u>	COM per	single sea ingle back					
MODEL 6201M	COM <b>1381</b>	GR 1 <b>1496</b>	GR 2 <b>1534</b>	GR 3 <b>1608</b>	GR 4 <b>1724</b>	GR 5 <b>1811</b>	GR 6 <b>1926</b>
seat H total H	0NS (inches) 18.0 33.75	seat W total W rms add s	21.0 25.25	arm H depth	25.0 25.0		

Meets BIFMA Seating Durability Test to 500 lbs per chair CAL 133, add \$151 List per chair





Designed for today's healthcare facilities Two and Three Seaters with outside arms

## **Standard Features**

- · Separate seat and back
- Wood components in Beech, in any of 9 standard stains or stain-to-match for no extra charge
- Threaded replaceable glides
- · Use in connected layouts for no extra charge
- VELCRO® removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 26 cu ft (2 seater), 1/carton 39 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

## Options

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- Flat polyurethane arms available in Black only
- KYDEX<sup>®</sup> flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- · Connected and freestanding tables
- Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back for no extra charge
- CAL 133

## Two Seater with outside arms

COM 3.5 yds 0.75 yd COM per single seat 1.0 yd COM per single back										
MODEL 6202M	COM <b>1988</b>	GR 1 <b>2217</b>	GR 2 <b>2295</b>	GR 3 <b>2447</b>	GR 4 <b>2676</b>	GR 5 <b>2852</b>	GR 6 <b>3081</b>			
Dimensio seat H total H	0NS (inches) 18.0 33.75	seat W total W	21.0 46.5	arm H depth	25.0 25.0					

#### For KYDEX<sup>®</sup> flat arms add suffix K and \$374

Meets BIFMA Seating Durability Test to 750 lbs per two seater CAL 133, add \$302 List per two seater

#### Three Seater with outside arms

COM 5.25 yds
0.75 yd COM per single seat
1.0 yd COM per single back

MODEL 6203M	COM 2600	GR 1 <b>2946</b>	GR 2 <b>3059</b>	GR 3 <b>3291</b>	GR 4 <b>3629</b>	GR 5 <b>3892</b>	GR 6 <b>4240</b>				
Dimensions (inches)											
seat H	18.0	seat W	21.0	arm H	25.0						
total H	33.75	total W	67.5	depth	25.0						

#### For KYDEX® flat arms add suffix K and \$374

Meets BIFMA Seating Durability Test to 1000 lbs per three seater CAL 133, add \$453 List per three seater



6202M



SPEC<sup>®</sup> MAS SIN 33721

Designed for today's healthcare facilities Two and Three Seaters with half arms

## Standard Features

- Separate seat and back
- · Wood components in Beech, in any of 9 standard stains or stain-to-match for no extra charge
- Threaded replaceable glides
- · Use in connected layouts for no extra charge
- VELCRO® removable back covers
- Replaceable seats
- · Arms replaceable in the field
- Ships assembled
- Ships 1/carton 26 cu ft (2 seater), 1/carton 39 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than  $5'' \times 5''$ 

## **Options**

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- · Flat polyurethane arms available in Black only
- KYDEX<sup>®</sup> flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- · Connected and freestanding tables
- Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back for no extra charge
- CAL 133

## Two Seater with half arms

COM 3.5 yds 0.75 yd COM per single seat 1.0 yd COM per single back										
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6			
6212M	<b>2550</b>	<b>2780</b>	<b>2860</b>	<b>3013</b>	<b>3241</b>	<b>3413</b>	<b>3647</b>			
Dimensio	Dimensions (inches)									
seat H	seat H 18.0 seat W 21.0 arm H 25.0									

25.0

total H	33.75	total W	48.0	depth
For KYD	EX® flat a	rms add si	uffix K a	nd \$561

Meets BIFMA Seating Durability Test to 750 lbs per two seater CAL 133, add \$302 List per two seater

#### Three Seater with half arms

COM 5.25 yds	
0.75 yd COM per single seat	
1.0 yd COM per single back	

MODEL <b>6213M</b>	COM <b>3726</b>	GR 1 <b>4072</b>	GR 2 <b>4186</b>	GR 3 <b>4415</b>	GR 4 <b>4757</b>	GR 5 <b>5019</b>	GR 6 <b>5364</b>				
Dimensions (inches)											
seat H	18.0	seat W	21.0	arm H	25.0						
total H	33.75	total W	70.5	depth	25.0						

#### For KYDEX® flat arms add suffix K and \$748

Meets BIFMA Seating Durability Test to 1000 lbs per three seater CAL 133, add \$453 List per three seater



6212M





Designed for today's healthcare facilities Two and Three Seaters with full arms

## Standard Features

- · Separate seat and back
- Wood components in Beech, in any of 9 standard stains or stain-to-match for no extra charge
- Threaded replaceable glides
- · Use in connected layouts for no extra charge
- VELCRO® removable back covers
- Replaceable seats
- · Arms replaceable in the field
- Ships assembled
- Ships 1/carton 26 cu ft (2 seater), 1/carton 39 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than  $5'' \times 5''$ 

## **Options**

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)

MAS SIN 33721

- Flat polyurethane arms available in Black only
- KYDEX® flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- · Connected and freestanding tables
- Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back for no extra charge
- CAL 133

## Two Seater with full arms

COM 3.5 yds 0.75 yd COM per single seat 1.0 yd COM per single back										
MODEL <b>6222M</b>	COM <b>2550</b>	GR 1 <b>2780</b>	GR 2 <b>2860</b>	GR 3 <b>3013</b>	GR 4 <b>3241</b>	GR 5 <b>3413</b>	GR 6 <b>3647</b>			
Dimensions (inches) seat H 18.0 seat W 21.0 arm H 25.0										

depth

25.0

## total W For KYDEX® flat arms add suffix K and \$561

Meets BIFMA Seating Durability Test to 750 lbs per two seater CAL 133, add \$302 List per two seater

48.0

#### Three Seater with full arms

COM 5.25 yds
0.75 yd COM per single seat
1.0 yd COM per single back

total H 33.75

MODEL 6223M	COM <b>3726</b>	GR 1 <b>4072</b>	GR 2 <b>4186</b>	GR 3 <b>4415</b>	GR 4 <b>4757</b>	GR 5 <b>5019</b>	GR 6 <b>5364</b>				
Dimensions (inches)											
seat H	18.0	seat W	21.0	arm H	25.0						
total H	33.75	total W	70.5	depth	25.0						

#### For KYDEX® flat arms add suffix K and \$748

Meets BIFMA Seating Durability Test to 1000 lbs per three seater CAL 133, add \$453 List per three seater



6222M



6223M

Designed for today's healthcare facilities Loveseat with arms

## **Standard Features**

- · Separate seat and back
- Wood components in Beech, in any of 9 standard stains or stain-to-match for no extra charge
- Threaded replaceable glides
- · Use in connected layouts for no extra charge
- VELCRO® removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 20 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

## Options

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- Flat polyurethane arms available in Black only
- KYDEX<sup>®</sup> flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- Connected and freestanding tables
- Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back for no extra charge
- CAL 133

2	COM per	single sea single bac					
MODEL <b>6201L</b>	COM <b>2155</b>	GR 1 <b>2419</b>	GR 2 <b>2508</b>	GR 3 <b>2689</b>	GR 4 <b>2954</b>	GR 5 <b>3159</b>	GR 6 <b>3428</b>
Dimensi seat H total H	0NS (inches 18.0 33.75	) seat W total W	42.0 44.75	arm H depth	25.0 25.0		
	EV® flat a	rms add s	uffix K an	d \$274			

For KYDEX<sup>®</sup> flat arms add suffix K and \$374 Meets BIFMA Seating Durability Test to 750 lbs per chair CAL 133, add \$233 List per chair



6201L



Designed for today's healthcare facilities Bariatric Single Seater with arms

## **Standard Features**

- · Separate seat and back
- Wood components in Beech, in any of 9 standard stains or stain-to-match for no extra charge
- Threaded replaceable glides
- · Use in connected layouts for no extra charge
- VELCRO® removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 20 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

## Options

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)

MAS SIN 33721

- Flat polyurethane arms available in Black only
- KYDEX<sup>®</sup> flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- Connected and freestanding tables
- Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back for no extra charge
- CAL 133

<b>Bariatric</b>	Single	Seater	with	arms
------------------	--------	--------	------	------

2	COM per s	ingle seat ingle back					
MODEL <b>6201G</b>	COM <b>1643</b>	GR 1 <b>1872</b>	GR 2 <b>1948</b>	GR 3 <b>2100</b>	GR 4 <b>2330</b>	GR 5 <b>2503</b>	GR 6 <b>2730</b>
Dimensi seat H total H	ons (inches 18.0 33.75	) seat W total W	30.0 34.25	arm H depth	25.0 25.0		
seat H total H	18.0 33.75	seat W	34.25	depth			

Meets BIFMA Seating Durability Test to 750 lbs per chair CAL 133, add \$190 List per chair



6201G

Designed for today's healthcare facilities Highback Single Seater with arms – Ottoman

## **Standard Features**

- · Separate seat and back
- Wood components in Beech, in any of 9 standard stains or stain-to-match for no extra charge
- Threaded replaceable glides
- Use in connected layouts for no extra charge
- VELCRO® removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 19 cu ft
- Ottoman ships 1/carton 5 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

## Options

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)

MAS SIN 33721

- Flat polyurethane arms available in Black only
- KYDEX<sup>®</sup> flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- Vinyl insert on top of the back, add \$53 List/seat back
- · Connected and freestanding tables
- Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back for no extra charge
- CAL 133

## Highback Single Seater with arms


	COM per	single sea r single ba					
MODEL 6201H	COM <b>1476</b>	GR 1 <b>1656</b>	GR 2 <b>1716</b>	GR 3 <b>1838</b>	GR 4 2015	GR 5 <b>2155</b>	GR 6 <b>2381</b>
seat H total H	0NS (inches 18.0 47.5	seat W total W		depth	25.0 25.0		
Meets B	IFMA Sea	arms add s ating Durab 71 List pe	ility Test		s per chai	r	
Ottoma	an						
0.5 yd C	OM per c	ottoman					
MODEL <b>6230F</b>	COM 626	GR 1 669	GR 2 <b>686</b>	GR 3 <b>713</b>	GR 4 <b>761</b>	GR 5 <b>794</b>	GR 6 <b>856</b>

Ottoman Dimensions (inches) H 11.5 W 19.25 depth 12.25 CAL 133, add \$70 List









Designed for today's healthcare facilities Half and Full Panel Arms

MAS SIN 33721

To order half panel arms, add Z to model number, e.g. 6201**Z** 

To order full panel arms, add ZC to model number, e.g. 6201**ZC** 

Pricing is for one half panel arm, e.g. for a single seater chair with half panel arms, add two half panel arms to cost of chair

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

## Options

- · Antibacterial and antimicrobial fabrics available
- CAL 133

Half a	nd Full	Panel	Arms

	5	half pane		05.0	05.4		
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
<b>Z</b>	<b>98</b>	130	136	157	<b>189</b>	<b>210</b>	<b>245</b>
COM 0.	75 yds po	er full pan	el arm				
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
<b>ZC</b>	<b>187</b>	<b>243</b>	<b>262</b>	<b>300</b>	<b>359</b>	<b>403</b>	<b>441</b>



CAL 133, add \$54 List per half panel arm / \$102 List per full panel arm

Designed for today's healthcare facilities Easy Access Hip Single Seater with arms

## **Standard Features**

- · Separate seat and back
- Wood components in Beech, in any of 9 standard stains or stain-to-match for no extra charge
- Threaded replaceable glides
- 24" seat height, no seat pitch (level)
- Footrest which assists entering/exiting chair
- VELCRO® replaceable back covers
- Replaceable seats
- Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 19 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

## Options

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- Flat polyurethane arms available in Black only
- KYDEX<sup>®</sup> flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back for no extra charge
- CAL 133

## Easy Access Hip Single Seater with arms

2	COM per	single sea ingle back					
MODEL 6201ME	COM <b>1664</b>	GR 1 <b>1779</b>	GR 2 <b>1817</b>	GR 3 <b>1892</b>	GR 4 <b>2008</b>	GR 5 <b>2094</b>	GR 6 <b>2211</b>
Dimensio seat H total H	005 (inches 24.0 46.0	) seat W total W	21.0 25.25	arm H depth	32.0 25.0		

Meets BIFMA Seating Durability Test to 500 lbs per chair CAL 133, add \$151 List per chair



Designed for today's healthcare facilities Single and Two Seater Benches

## **Standard Features**

- Wood components in Beech, in any of 9 standard stains or stain-to-match for no extra charge
- Threaded replaceable glides
- Use in connected layouts for no extra charge
- Replaceable seats
- · Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 9 cu ft (single seater), 14 cu ft (2 seater), 21 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

## Single Seater Bench

COM 1.0 yds 1.0 yd COM per single seat

MODEL <b>6201B</b> No arms	COM 1083	GR 1 <b>1155</b>	GR 2 <b>1182</b>	GR 3 <b>1229</b>	GR 4 <b>1308</b>	GR 5 <b>1364</b>	GR 6 <b>1469</b>
<b>6201B</b> End arm	<b>1385</b> s (WF/WR	<b>1459</b> or PF/PR)	1485	1535	1608	1669	1779
Dimensio seat H total H	ons (inches) 18.0 N/A	seat W total W w/o arms	21.0 24.25	arm H total W w/end ar	24.0 25.25 ms	depth	26.25

Meets BIFMA Seating Durability Test to 500 lbs per bench CAL 133, add \$70 List per bench

## Two Seater Bench

COM 2.0 1.0 yd C	yds OM per si	ngle seat					
MODEL <b>6202B</b> No arms	COM <b>1408</b>	GR 1 <b>1558</b>	GR 2 <b>1605</b>	GR 3 <b>1707</b>	GR 4 <b>1857</b>	GR 5 <b>1970</b>	GR 6 <b>2164</b>
<b>6202B</b> End arms	<b>1712</b> s (WF/WR	<b>1860</b> or PF/PR)	1912	2010	2161	2274	2474
<b>6212B</b> Arms bet	<b>2147</b> tween and	<b>2299</b> at ends (V	<b>2349</b> WF/WR or H	<b>2448</b> PF/PR)	2598	2712	2922
Dimensio seat H total H	ons (inches) 18.0 N/A	seat W total W w/o arms	21.0 45.25	arm H total W w/end arr	24.0 46.25 ms	depth total W w/arms b	26.25 47.75 etween

Meets BIFMA Seating Durability Test to 750 lbs per two seat bench CAL 133, add \$140 List per two seat bench

and at ends

## Options

- · Antibacterial and antimicrobial fabrics available
- CAL 133







Designed for today's healthcare facilities Three Seater Bench

## **Standard Features**

- Wood components in Beech, in any of 9 standard stains or stain-to-match for no extra charge
- · Use in connected layouts for no extra charge
- Threaded replaceable glides
- Replaceable seats
- Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 9 cu ft (single seater), 14 cu ft (2 seater), 21 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

## Options

- · Antibacterial and antimicrobial fabrics available
- CAL 133

## Three Seater Bench

COM 3.0 yds

1.0 yd C(	OM per sii	ngle seat					
MODEL <b>6203B</b> <i>No arms</i>	COM <b>1814</b>	GR 1 <b>2039</b>	GR 2 <b>2115</b>	GR 3 <b>2264</b>	GR 4 <b>2489</b>	GR 5 <b>2660</b>	GR 6 <b>2946</b>
6203B End arms	<b>2115</b> 5 (WF/WR o	<b>2338</b> or PF/PR)	2414	2566	2791	2959	3251
<b>6213B</b> Arms bet	<b>3068</b> ween and	<b>3295</b> at ends (V	<b>3369</b> WF/WR or I	<b>3519</b> PF/PR)	3743	3916	4225
Dimensio	NS (inches)						
seat H total H	18.0 N/A	seat W total W w/o arms	21.0 66.25	arm H total W w/end ar	24.0 67.25 ms	depth total W w/arms b	26.25 70.50 etween

Meets BIFMA Seating Durability Test to 1000 lbs per three seat bench

CAL 133, add \$210 List per three seat bench

and at ends

6203B





Designed for today's healthcare facilities **Bariatric Single and Two Seater Benches** 

## Standard Features

- · Wood components in Beech, in any of 9 standard stains or stain-to-match for no extra charge
- Bariatric seating cannot connect to bariatric seating
- Threaded replaceable glides
- · Use in connected layouts for no extra charge
- Replaceable seats
- · Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 15 cu ft (single seater), 20 cu ft (2 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than  $5" \times 5"$ 

## **Options**

- Wood or polyurethane arms, in flat (WF or PF) or rounded (WR or PR) profile, 6" in height, at ends of bench and between seats
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- Flat polyurethane arms available in Black only
- KYDEX® flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- Antibacterial and antimicrobial fabrics available
- CAL 133

## **Bariatric Single Seater Bench**

COM 1	.5 yds	S		
1.5 yd	COM	per	single	seat

MODEL 6201BG	COM <b>1594</b>	GR 1 <b>1679</b>	GR 2 <b>1709</b>	GR 3 <b>1766</b>	GR 4 <b>1852</b>	GR 5 <b>1918</b>	GR 6 <b>2044</b>
End arms (WF/WR or PF/PR)							
Dimensions (inches)							
seat H	18.0	seat W	30.0	arm H	24.0	depth	26.25
total H	24.0	total W	34.25				

#### For KYDEX® flat arms add suffix K and \$374

Meets BIFMA Seating Durability Test to 750 lbs per bench CAL 133, add \$97 List per bench

#### **Bariatric Two Seater Bench**

COM 3.0 yds 1.5 yd COM per single seat

MODEL		GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
6222BG		<b>2643</b>	<b>2701</b>	<b>2817</b>	<b>2988</b>	<b>3120</b>	<b>3363</b>
Arms between and at ends (WF/WR or PF/PR)							

Dimensions (inches)							
seat H	18.0	seat W	30.0	arm H	24.0	depth	26.25
total H	24.0	total W	66.0				

#### For KYDEX® flat arms add suffix K and \$561

Meets BIFMA Seating Durability Test to 1000 lbs per two seat bench CAL 133, add \$194 List per two seat bench









Designed for today's healthcare facilities

Freestanding Lounge Tables - Corner and Spacer Connecting Tables

## **Standard Features**

- · Tops in laminate or veneer
- Select laminate tops from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates for no extra charge
- Freestanding lounge tables available with PVC Flat (PVF), 2mm (2MM), exposed Baltic Birch plywood (PF, PKNR) or hardwood (HB) edge
- Connecting table tops available with PVC Flat (PVF) edge, Self edge (SE) or hardwood (HB) edge
- 9 standard veneer and hardwood edge stains. Stain-tomatch available for no extra charge.
- · Beech legs and Beech table skirts stained the same
- Tops utilize NU Green earth friendly core
- Threaded replaceable glides

Freestanding Lounge Tables

• 18" height

Radius Corner Tables are recommended for open areas

## Options

- · Non-standard laminates, contact Spec for pricing
- Custom size spacer tables for restricted spaces
- · Other sizes may be available

		5	
	Laminate	Laminate	Veneer

Model	Laminate PVF/SE/2MM	Laminate PF/PKNR/HB	Veneer HB	Cu.Ft.
62 - 24 x 24 SQ	1030	1278	1473	7.2
62 - 24 x 48 RE	1234	1507	1781	18
62 - 30 x 30 SQ	1165	1345	1555	13.5
62 - 22 DIA	1226	1683	1943	7.2

## **Corner and Spacer Connecting Tables**

Model	Laminate PVF/SE	Laminate HB Edge	Veneer HB Edge	Cu.Ft.
62RC - 28 x 28 Radius Corner Table	1054	1414	1658	2
62SC - 28 x 28 Square Corner Table	1151	1399	1543	2
62TC - 45 degree <i>Corner Table</i>	1054	1414	1658	2
62ST - 21 x 24 Spacer Table	715	1010	1157	2
62ET - 21 x 24 End Table	956	1250	1398	2



