







TABLE ACCESSORIES

MODESTY PANELS

SIZE	MODEL	DESCRIPTION	LIST	
For 42L Top	PMP-SR42	SMALL ROUND (.266) PERFORATIONS Available in any Spectone color. Modesty Panels are 3" shorter than table and are 10" in height. Specify Modesty Panel to be fixed (add suffix F) or hinged (add suffix H).	277	
For 48L Top	PMP-SR48		277	
For 54L Top	PMP-SR54		277	
For 60L Top	PMP-SR60		277	
For 66L Top	PMP-SR66		277	
For 72L Top	PMP-SR72		277	
For 42L Top	PMP-SS42	SMALL SQUARE (.255) PERFORATIONS Available in any Spectone color. Modesty Panels are 3" shorter than table and are 10" in height. Specify Modesty Panel to be fixed (add suffix F) or hinged (add suffix H).	277	
For 48L Top	PMP-SS48		277	
For 54L Top	PMP-SS54		277	
For 60L Top	PMP-SS60		277	
For 66L Top	PMP-SS66		277	
For 72L Top	PMP-SS72		277	
For 42L Top	PMP-BACKER42	LARGE SQUARE (1.0) PERFORATIONS WITH ACRYLIC BACKER Available in any Spectone color. Modesty Panels are 3" shorter than table and are 10" in height. Acrylic backer available in semi-opaque Nickel. Specify Modesty Panel to be fixed (add suffix F) or hinged (add suffix H).	644	
For 48L Top	PMP-BACKER48		644	
For 54L Top	PMP-BACKER54		644	
For 60L Top	PMP-BACKER60		644	
For 66L Top	PMP-BACKER66		644	
For 72L Top	PMP-BACKER72		644	
For 42L Top	PMP-DD42	DASH & DOT PERFORATIONS Available in any Spectone color. Modesty Panels are 3" shorter than table and are 10" in height. Specify Modesty Panel to be fixed (add suffix F) or hinged (add suffix H).	288	
For 48L Top	PMP-DD48		288	
For 54L Top	PMP-DD54		288	
For 60L Top	PMP-DD60		344	
For 66L Top	PMP-DD66		344	
For 72L Top	PMP-DD72		402	
For 42L Top	PMP-RESIN42	ACRYLIC MODESTY PANEL Modesty Panels are 3" shorter than table and are 10" in height. Acrylic modesty panel is available in semi-opaque Nickel. Specify Modesty Panel to be fixed (add suffix F) or hinged (add suffix H).	360	
For 48L Top	PMP-RESIN48		360	
For 54L Top	PMP-RESIN54		360	
For 60L Top	PMP-RESIN60		360	
For 66L Top	PMP-RESIN66		360	
For 72L Top	PMP-RESIN72		360	
For 42L Top	MP42	WOOD OR LAMINATE MODESTY PANEL Self edge veneer or laminate modesty panel. Modesty Panels are 3" shorter than table and are 10" in height. Available on fixed tables only (add suffix F).	342	
For 48L Top	MP48		342	
For 54L Top	MP54		342	
For 60L Top	MP60		342	
For 66L Top	MP66		342	
For 72L Top	MP72		342	

For Manhattan tables only: when specified on a table with vertical wire managers, modesty panel attaches to the leg. If table is ordered without vertical wire manager, modesty panel attaches to the underside of the top. Cannot be used on a flip top without vertical wire managers.

TABLE ACCESSORIES

POWER AND COMMUNICATION COMPATIBILITY MATRIX

Tables	Power	Grommets	Interact G2	Interact IV G2	Interface G2	Ashley 210	Villa	Cove	Cove Mini	CPCMJ	Power access door with trough
Acute		•	•	•	•	•	•	•		•	
Annex		•	•	•	•		•	•		•	
Ark		•	•	•	•	•	•	•		•	
Askew		•	•	•	•	•	•	•		•	
Boardgames		•	•	•	•	•	•	•		•	
Companion							•	•		•	
Conductor		•	•	•	•	•	•	•		•	
Cooper											
Dani		•				•	•	•		•	
Docker		•	•	•	•	•	•	•		•	
Drum/Cube/Oval		•				•	•	•		•	
Drum Base		•	•	•	•	•	•	•		•	
EndZone		•					•	•			•
Factory		•	•	•	•		•	•		•	
Fitt		•	•	•	•	•	•	•		•	
Half Round		•	•	•	•	•	•	•		•	
Manhattan		•	•	•	•	•	•	•		•	
Midway							•	•		•	
Parkdale*		•	•	•	•	•	•	•		•	
Post Legs		•	•	•	•	•	•	•		•	
Sidekick											
Tailgate											•
Tailor Freestanding									•		
Trumpet, Disc, Square Metal, Rectangle Metal		•	•	•	•	•	•	•		•	
Tubular		•	•	•	•	•	•	•		•	
Varsity		•	•	•	•	•	•	•		•	

* For Parkdale specified with spit top, not all outlined power modules apply to all split top configurations. Contact Customer Service.



TABLE ACCESSORIES

POWER AND COMMUNICATION

ASHLEY 210

MODEL	DESCRIPTION	LIST
ASH2P2U-B	Ashley 210 with Cord Ashley 210, 2 power, 2 USB, 72" Cord Black/Black (module/clamp) Ashley 210, 2 power, 2 USB, 72" Cord Gray/Silver (module/clamp) Ashley 210, 2 power, 2 USB, 72" Cord White/White (module/clamp) Includes 2 AC 15 Amp Power Outlets, 2 USB 4.2 Amps	366
ASH2P2U-S		366
ASH2P2U-W		366





TABLE ACCESSORIES

POWER AND COMMUNICATION

INTERACT G2

MODEL	DESCRIPTION	LIST
SPC-ACT-21-B-108 SPC-ACT-21-S-108 SPC-ACT-21-W-108	Interact G2 with Cord Interact G2, 2 power, Cord, Black Interact G2, 2 power, Cord, Silver Interact G2, 2 power, Cord, White Includes 1 Telecom Blank Plate, 2 Keystone Knockouts, 2 Cord Pass Through, 1 Convenience Outlet, 108" long cord.	394 394 394
SPC-ACT-21U-B-108 SPC-ACT-21U-S-108 SPC-ACT-21U-W-108	Interact G2 with USB, Cord Interact G2, 2 power, 2 2.1 amp USB, Cord, Black Interact G2, 2 power, 2 2.1 amp USB, Cord, Silver Interact G2, 2 power, 2 2.1 amp USB, Cord, White Includes 1 Telecom Blank Plate, 2 Keystone Knockouts, 2 Cord Pass Through, 1 Convenience Outlet, 108" long cord.	539 539 539
 SPC-ACT-21-B-HW-108 SPC-ACT-21-S-HW-108 SPC-ACT-21-W-HW-108	Interact G2 with Hardwire Interact G2, 2 power, Hardwire, Black Interact G2, 2 power, Hardwire, Silver Interact G2, 2 power, Hardwire, White Includes 1 Telecom Blank Plate, 2 Keystone Knockouts, 2 Cord Pass Through, 1 Convenience Outlet, 108" hardwire.	439 439 439
SPC-ACT-21U-B-HW-108 SPC-ACT-21U-S-HW-108 SPC-ACT-21U-W-HW-108	Interact G2 with USB, Hardwire Interact G2, 2 power, 2 2.1 amp USB, Hardwire, Black Interact G2, 2 power, 2 2.1 amp USB, Hardwire, Silver Interact G2, 2 power, 2 2.1 amp USB, Hardwire, White Includes 1 Telecom Blank Plate, 2 Keystone Knockouts, 2 Cord Pass Through, 1 Convenience Outlet, 108" hardwire.	584 584 584



MODEL	KEYSTONE FOR KNOCKOUTS	LIST
RJ11-A	Siemon Cat 3 female/punch down, Black	35
RJ45-B	RJ45 Cat 6 Data Jack	59
HDMI-KEY-B	HDMI F/F Keystone Jack, Black	62



TABLE ACCESSORIES

POWER AND COMMUNICATION

INTERACT IV G2

MODEL	DESCRIPTION	LIST
<p>SPC-ACT-41-B-108 SPC-ACT-41-S-108 SPC-ACT-41-W-108</p>	<p>Interact IV G2 with Cord Interact IV G2, 4 power, Cord, Black Interact IV G2, 4 power, Cord, Silver Interact IV G2, 4 power, Cord, White Includes 2 Keystone Knockouts, 2 Cord Pass Through, 1 Convenience Outlet, 108” long cord.</p>	<p>589 589 589</p>
<p>SPC-ACT-41U-B-108 SPC-ACT-41U-S-108 SPC-ACT-41U-W-108</p>	<p>Interact IV G2 with USB, Cord Interact IV G2, 4 power, 2 2.1 amp USB, Cord, Black Interact IV G2, 4 power, 2 2.1 amp USB, Cord, Silver Interact IV G2, 4 power, 2 2.1 amp USB, Cord, White Includes 2 Keystone Knockouts, 2 Cord Pass Through, 1 Convenience Outlet, 108” long cord.</p>	<p>734 734 734</p>
 <p>SPC-ACT-41-B-HW-108 SPC-ACT-41-S-HW-108 SPC-ACT-41-W-HW-108</p>	<p>Interact IV G2 with Hardwire Interact IV G2, 4 power, Hardwire, Black Interact IV G2, 4 power, Hardwire, Silver Interact IV G2, 4 power, Hardwire, White Includes 2 Keystone Knockouts, 2 Cord Pass Through, 1 Convenience Outlet, 108” hardwire.</p>	<p>634 634 634</p>
<p>SPC-ACT-41U-B-HW-108 SPC-ACT-41U-S-HW-108 SPC-ACT-41U-W-HW-108</p>	<p>Interact IV G2 with USB, Hardwire Interact IV G2, 4 power, 2 2.1 amp USB, Hardwire, Black Interact IV G2, 4 power, 2 2.1 amp USB, Hardwire, Silver Interact IV G2, 4 power, 2 2.1 amp USB, Hardwire, White Includes 2 Keystone Knockouts, 2 Cord Pass Through, 1 Convenience Outlet, 108” hardwire.</p>	<p>779 779 779</p>



MODEL	KEYSTONE FOR KNOCKOUTS	LIST
RJ11-A	Siemon Cat 3 female/punch down, Black	35
RJ45-B	RJ45 Cat 6 Data Jack	59
HDMI-KEY-B	HDMI F/F Keystone Jack, Black	62



TABLE ACCESSORIES

POWER AND COMMUNICATION

INTERFACE G2

MODEL	DESCRIPTION	LIST
<p>SPC-INT-41-B-108</p> <p>SPC-INT-41-S-108</p> <p>SPC-INT-41-W-108</p>	<p>Interface G2 with Cord</p> <p>Interface G2, 4 power, Cord, Black</p> <p>Interface G2, 4 power, Cord, Silver</p> <p>Interface G2, 4 power, Cord, White</p> <p>Includes 1 Telecom Blank Plate, 2 Telecom Plate Cutouts, 1 Convenience Outlet, 108" long cord.</p>	<p>978</p> <p>978</p> <p>978</p>
<p>SPC-INT-41U-B-108</p> <p>SPC-INT-41U-S-108</p> <p>SPC-INT-41U-W-108</p>	<p>Interface G2 with USB, Cord</p> <p>Interface G2, 4 power, 2 2.1 amp USB, Cord, Black</p> <p>Interface G2, 4 power, 2 2.1 amp USB, Cord, Silver</p> <p>Interface G2, 4 power, 2 2.1 amp USB, Cord, White</p> <p>Includes 1 Telecom Blank Plate, 2 Telecom Plate Cutouts, 1 Convenience Outlet, 108" long cord.</p>	<p>1115</p> <p>1115</p> <p>1115</p>



TABLE ACCESSORIES

POWER AND COMMUNICATION

INTERACT G2 & INTERFACE G2 TELECOM ACCESSORIES



MODEL	DESCRIPTION	LIST
A-B	Telecom Plate with 1 RJ45 Siemon Cat 6. Available in Black (BL) , Gray (GR) and White (WH) .	77
A-B-B	Telecom Plate with 2 RJ45 Siemon Cat 6. Available in Black (BL) , Gray (GR) and White (WH) .	134
A-B-B-B	Telecom Plate with 3 RJ45 Siemon Cat 6. Available in Black (BL) , Gray (GR) and White (WH) .	190
A-B-B-B-B	Telecom Plate with 4 RJ45 Siemon Cat 6. Available in Black (BL) , Gray (GR) and White (WH) .	247
A-102-102	Telecom Plate with 2 USB Type A/A with 72" cord attached. Available in Black (BL) , Gray (GR) and White (WH) .	134
A-B-B-C45	Telecom Plate with 2 RJ45 Cat 6 Connectors and HDMI Female/Female with 36" patch cord attached. Available in Black (BL) , Gray (GR) and White (WH) .	266
A-C45	Telecom Plate with 1 HDMI Female/Female with 36" patch cord attached. Available in Black (BL) , Gray (GR) and White (WH) .	153
A-C45-C51	Telecom Plate with 1 HDMI Female/Female with 36" patch cord attached and 15 Pin HD VGA Female/Female with 60" patch cord attached. Available in Black (BL) , Gray (GR) and White (WH) .	250
A-C45-C51-L	Telecom Plate with 1 HDMI Female/Female with 36" patch cord attached, Mini Stereo Inline, and 15 Pin HD VGA Female/Female with 60" patch cord attached. Available in Black (BL) , Gray (GR) and White (WH) .	289



TABLE ACCESSORIES

POWER AND COMMUNICATION

CPCM AND CPCMJ PACKAGES

MODEL	DESCRIPTION	LIST	
CPCMPP1	CPCM POWER PACKAGE 1 Includes CPCM, CSP Surge Supressed Power Bar with 10' cord, CSP Snap in Power Bar Holder and 5" PVC Wire Managers (set of 4). Does not include data communication jacks. Specify 3', 6' or 10' cord length for CPCM.	378	
CPCMJPP2	CPCMJ POWER PACKAGE 2 Includes CPCMJ, CSP Surge Supressed Power Bar with 10' cord, CSP Snap in Power Bar Holder and 5" PVC Wire Managers (set of 4). Includes RJ45 Cat 6 or RJ11. Specify 1 of each or 2 of either. Specify 3', 6' or 10' cord length for CPCMJ.	467	



STANDARD FEATURES

- 15 Amp
- UL and CSA Listed





TABLE ACCESSORIES

POWER AND COMMUNICATION

CPCM AND CPCMJ ACCESSORIES

MODEL	DESCRIPTION	LIST	
CPCM-3 CPCM-6 CPCM-10	SINGLE DUPLEX WITHOUT JACKS Molded plastic housing and "flip-drop" lid. Available with cord lengths of 3', 6' or 10'.	214	
		214	
		214	
CPCMJ-3 CPCMJ-6 CPCMJ-10	SINGLE DUPLEX WITH JACKS Molded plastic housing and "flip-drop" lid. Includes RJ45 Cat 6 or RJ11. Specify 1 of each or 2 of either. Available with cord lengths of 3', 6' or 10'.	301	
		301	
		301	
GSP	SURGE SUPPRESSED SIX OUTLET POWER BAR Fits snug in the wire management trough and is standard with 10' cord in matte black. Is UL and CSA approved and can meet regional requirements.	59	
GSPHOLDER	CSP HOLDER PVC snap in holder secures power bar beneath table top.	46	

TABLE ACCESSORIES

POWER AND COMMUNICATION

COVE

	MODEL	DESCRIPTION	LIST	
	COVC2P2U-B	Cove, Clamp Mounted Cove, 2 power, 2 USB, Black	427	
	COVC2P2U-S	Cove, 2 power, 2 USB, Silver Pearl	427	
	COVC2P2U-W	Cove, 2 power, 2 USB, Gloss White	427	
		Clamp mount method works well for desks, benches, tables and casegoods. Cord is 108" long. USB is for charging only.		
	COVS2P2U-B	Cove, Screw Mounted Cove, 2 power, 2 USB, Black	427	
	COVS2P2U-S	Cove, 2 power, 2 USB, Silver Pearl	427	
	COVS2P2U-W	Cove, 2 power, 2 USB, Gloss White	427	
		Screw mount method is best suited to installations where the back of the unit has limited or no access. Cord is 108" long. USB is for charging only.		
	COVC2PC-B	Cove, Clamp Mounted, 1 Convenience Outlet Cove, 2 power, 1 Convenience Outlet, Black	309	
	COVC2PC-S	Cove, 2 power, 1 Convenience Outlet, Silver Pearl	309	
	COVC2PC-W	Cove, 2 power, 1 Convenience Outlet, Gloss White	309	
		Clamp mount method works well for desks, benches, tables and casegoods. Cord is 108" long.		
	COVC2P2U2C-B	Cove, Clamp Mounted, 2 Convenience Outlets Cove, 2 power, 2 USB, 2 Convenience Outlets, Black	546	
	COVC2P2U2C-S	Cove, 2 power, 2 USB, 2 Convenience Outlets, Silver Pearl	546	
	COVC2P2U2C-W	Cove, 2 power, 2 USB, 2 Convenience Outlets, Gloss White	546	
		Clamp mount method works well for desks, benches, tables and casegoods. Cord is 108" long. USB is for charging only.		





TABLE ACCESSORIES

POWER AND COMMUNICATION

VILLA™ SERIES - DAISYLINK™ SYSTEM - SINGLE KIT

TABLE SIZE	MODEL	DESCRIPTION	LIST	
36" L TABLE	VILLS2P2D-36B	36" Villa, 2 power, 2 data ports, Black	392	
	VILLS2P2D-36S	36" Villa, 2 power, 2 data ports, Silver	392	
	VILLS2P2D-36W	36" Villa, 2 power, 2 data ports, White	392	
42" L TABLE	VILLS2P2D-42B	42" Villa, 2 power, 2 data ports, Black	392	
	VILLS2P2D-42S	42" Villa, 2 power, 2 data ports, Silver	392	
	VILLS2P2D-42W	42" Villa, 2 power, 2 data ports, White	392	
48" L TABLE	VILLS2P2D-48B	48" Villa, 2 power, 2 data ports, Black	392	
	VILLS2P2D-48S	48" Villa, 2 power, 2 data ports, Silver	392	
	VILLS2P2D-48W	48" Villa, 2 power, 2 data ports, White	392	
60" L TABLE	VILLS2P2D-60B	60" Villa, 2 power, 2 data ports, Black	392	
	VILLS2P2D-60S	60" Villa, 2 power, 2 data ports, Silver	392	
	VILLS2P2D-60W	60" Villa, 2 power, 2 data ports, White	392	
72" L TABLE	VILLS2P2D-72B	72" Villa, 2 power, 2 data ports, Black	392	
	VILLS2P2D-72S	72" Villa, 2 power, 2 data ports, Silver	392	
	VILLS2P2D-72W	72" Villa, 2 power, 2 data ports, White	392	
		2 Data Caps are included. RJ45 Data Jacks are not included.		
36" L TABLE	VILLS2P2U2RJ-36B	36" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Black	651	
	VILLS2P2U2RJ-36S	36" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Silver	651	
	VILLS2P2U2RJ-36W	36" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, White	651	
42" L TABLE	VILLS2P2U2RJ-42B	42" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Black	651	
	VILLS2P2U2RJ-42S	42" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Silver	651	
	VILLS2P2U2RJ-42W	42" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, White	651	
48" L TABLE	VILLS2P2U2RJ-48B	48" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Black	651	
	VILLS2P2U2RJ-48S	48" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Silver	651	
	VILLS2P2U2RJ-48W	48" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, White	651	
60" L TABLE	VILLS2P2U2RJ-60B	60" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Black	651	
	VILLS2P2U2RJ-60S	60" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Silver	651	
	VILLS2P2U2RJ-60W	60" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, White	651	
72" L TABLE	VILLS2P2U2RJ-72B	72" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Black	651	
	VILLS2P2U2RJ-72S	72" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Silver	651	
	VILLS2P2U2RJ-72W	72" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, White	651	
	VRJ45	Single RJ45 Cat6, Black	59	
	VHDMI-KEY	HDMI F/F Keystone Jack, Black	62	

SINGLE KIT INCLUDES:






TABLE ACCESSORIES

POWER AND COMMUNICATION

VILLA™ SERIES - DAISYLINK™ SYSTEM - DOUBLE KIT


TABLE SIZE	MODEL	DESCRIPTION	LIST	
60" L TABLE	VILLD2P2D-60B	60" Villa, 2 power, 2 data ports, Black	738	
	VILLD2P2D-60S	60" Villa, 2 power, 2 data ports, Silver	738	
	VILLD2P2D-60W	60" Villa, 2 power, 2 data ports, White	738	
72" L TABLE	VILLD2P2D-72B	72" Villa, 2 power, 2 data ports, Black	738	
	VILLD2P2D-72S	72" Villa, 2 power, 2 data ports, Silver	738	
	VILLD2P2D-72W	72" Villa, 2 power, 2 data ports, White	738	
84" L TABLE	VILLD2P2D-84B	84" Villa, 2 power, 2 data ports, Black	738	
	VILLD2P2D-84S	84" Villa, 2 power, 2 data ports, Silver	738	
	VILLD2P2D-84W	84" Villa, 2 power, 2 data ports, White	738	
96" L TABLE	VILLD2P2D-96B	96" Villa, 2 power, 2 data ports, Black	738	
	VILLD2P2D-96S	96" Villa, 2 power, 2 data ports, Silver	738	
	VILLD2P2D-96W	96" Villa, 2 power, 2 data ports, White	738	
		2 Data Caps are included. RJ45 Data Jacks are not included.		
60" L TABLE	VILLD2P2U2RJ-60B	60" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Black	1254	
	VILLD2P2U2RJ-60S	60" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Silver	1254	
	VILLD2P2U2RJ-60W	60" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, White	1254	
72" L TABLE	VILLD2P2U2RJ-72B	72" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Black	1254	
	VILLD2P2U2RJ-72S	72" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Silver	1254	
	VILLD2P2U2RJ-72W	72" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, White	1254	
84" L TABLE	VILLD2P2U2RJ-84B	84" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Black	1254	
	VILLD2P2U2RJ-84S	84" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Silver	1254	
	VILLD2P2U2RJ-84W	84" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, White	1254	
96" L TABLE	VILLD2P2U2RJ-96B	96" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Black	1254	
	VILLD2P2U2RJ-96S	96" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Silver	1254	
	VILLD2P2U2RJ-96W	96" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, White	1254	
	VRJ45	Single RJ45 Cat6, Black	59	
	VHDMI-KEY	HDMI F/F Keystone Jack, Black	62	



Specify double kit when two Villas are in one single table

DOUBLE KIT INCLUDES

Villa Power Base



Villa Flush Lid




TABLE ACCESSORIES

POWER AND COMMUNICATION

VILLA™ SERIES - CORDED




	MODEL	DESCRIPTION	LIST	
	VILLCDKO-36B	Corded Villa, 2 power, 2 data ports, 36" cord, Black	301	
	VILLCDKO-36S	Corded Villa, 2 power, 2 data ports, 36" cord, Silver	301	
	VILLCDKO-72B	Corded Villa, 2 power, 2 data ports, 72" cord, Black	301	
	VILLCDKO-72S	Corded Villa, 2 power, 2 data ports, 72" cord, Silver	301	
	VILLCDKO-108B	Corded Villa, 2 power, 2 data ports, 108" cord, Black	301	
	VILLCDKO-108S	Corded Villa, 2 power, 2 data ports, 108 cord, Silver	301	
	VILLCUDKO-72B	Corded Villa, 2 power, 2 USB 2.1 AMP charging ports, 2 data ports, 72" cord, Black	451	
	VILLCUDKO-72S	Corded Villa, 2 power, 2 USB 2.1 AMP charging ports, 2 data ports, 72" cord, Silver 2 Data Caps are included. RJ45 Data Jacks are not included.	451	
	VRJ45	Single RJ45 Cat6, Black	59	
	VHDMI-KEY	HDMI F/F Keystone Jack, Black	62	



TABLE ACCESSORIES

POWER AND COMMUNICATION

VILLA™ SERIES - OPTIONS

	MODEL	DESCRIPTION	LIST	
	VILLPOWERFEED	Multi-Circuit Hardwired Power Infeed UL Listed & CSA Certified	217	
	VILLQDINSERT	Insert for floor box and wall outlet applications. Fits standard Decora® opening. UL Listed & CSA Certified	96	
	VILLFEEDPLUG	Single Circuit Power Infeed with 72" Molded Plug Required for non-sequenced power applications. UL Listed	209	
	VILL42FFL-72	Female/Female Interconnecting Cable UL Listed & CSA Certified	137	
	VILLDAISYT	Daisy-T Power Manager	143	

TABLE ACCESSORIES

WIRE MANAGEMENT & OTHER











MODEL	DESCRIPTION	LIST	
CTRG	OVAL GROMMET 3" x 5" oval surface grommet. Specify centered or to the left or right on the desktop. Custom locations are available, please specify.	39	
CTRS	ROUND GROMMET 2" round surface grommet. Specify centered or to the left or right on the desktop. Custom locations are available, please specify. Available in black, white or grey.	25	
CWMT	PVC SNAP TO LEG WIRE MANAGER Snaps to table base column to conceal and manage unsightly wires. Standard in 13.5" lengths and matte black or Nickel finish.	39	
VELCROWIREMGR	VELCRO WIRE MANAGER Affix to underside of table.	13	
WIREMGR	UNDER TABLE WIRE MANAGER 24" PVC under table wire manager affix to underside of table.	31	
5PVCWIREMGR	5" PVC WIRE MANAGER Set of 4, for under table wire management.	55	
CMHA	CABLE MANAGER Cable management, spiral tube. Black. Plastic. 6" base diameter. Spiral 3-3/8" dia. Maximum height 84".	290	

TABLE ACCESSORIES

WIRE MANAGEMENT & OTHER

SIZE	MODEL	DESCRIPTION	LIST		LBS
12" LENGTH	CESWN	PVC WIRE MANAGER Snaps neatly in place inside or under the Extruded Wire Management Trough. There are two inside channels and two channels under the trough. All channels run the entire length of the trough. PVC Wire Manager is standard in 12" lengths in matte black.	16		
	CSC	SEAM CONNECTOR Seam Connectors join and level tops. Includes 2 connectors, 4 thumb screws, 4 counter sunk threaded metal inserts. Can be used on any table except for Varsity. For Varsity table connector, please see Varsity table price list.	89		
	TABLE CART	TABLE CART Holds 4 to 6 tables of varying sizes. Comes standard with hard wheel swivel casters. Custom Carts are available. Ships KD.	1006		48

