

Core GR2
Criss Cross GR3
Flanders GR3
Frequency GR4
Moccasin GR2
Natural World GR5
Nishiki GR3
Perspective GR5
Ripple GR6
Stride GR3

Grades 2-6

Visit the Stinson


See/Sample/Spec sample room at specfurniture.com. View all Stinson patterns with their respective Spec grades and order memo samples directly from the site.


Click on **Stinson** 


# **Stinson**<sup>®</sup>


Healthcare + Education Collection III













Natural World



Perspective



Ripple

## **Care and Maintenance**

Clean all stains as quickly as possible and use the following cleaning procedures for best results:

- Remove any excess spills with a damp cloth. Clean with a mild liquid soap and water mixture. Rinse with clean water and dry. Step 1
- Step 2 Use a straight application of concentrated cleaners such as Fantastik® or Formula 409®. Rinse with clean water. Wipe with clean cloth.
- For more difficult stains, use a 1:10 mixture of household bleach and water (10% bleach, 90% water). Rinse with clean water and Step 3 dry. Never use bleach at full strength to clean these materials.

Virex II 256 and Virox 5 cleaners have been tested for use, diluted per manufacturer's instructions, on the following patterns: Core, Frequency, Moccasin, Perspective, and Stride.

The material must be rinsed with clean water and dried with a clean cloth following cleaner application. Failure to rinse thoroughly with clean water and to pat dry may lead to cleaner buildup and cause surface deterioration (cracking, blisters, peeling, discoloration, etc.).

The use of certain agents can be harmful to the surface appearance and lifespan of the material. Do not use cleaners marked "for hard surfaces only". Indiscriminate use of strong cleaning products can severely damage or discolor the material.

To request additional cleaning and maintenance information, including verification of a disinfectant being tested for use with these materials, please contact CF Stinson at 800.841.6279 or visit cfstinson.com.

This information is not a guarantee and does not relieve the user from the responsibility of proper and safe use of the product and all cleaning agents. The use of certain agents can be harmful to the surface appearance and lifespan of the material. CF Stinson, its agents, and assigns assume no responsibility resulting from the use of such cleaning agents to the vinyl.

Marks are the property of their respective owners. No affiliation or endorsement is implied.

# **Specifications**

Pattern	Fiber Content and Finish	Abrasion Resistance ♦ (Wyzenbeek)	Cleaning Code
Core	Vinyl Surface with Polyester Backing Advanced Soil and Stain Resistant Top Coat	1,300,000 D.R.	W-S
Criss Cross	Vinyl Surface with Polyester Backing Advanced Soil and Stain Resistant Top Coat	500,000 D.R.	W-S
Flanders	Vinyl Surface with Polyester Backing Advanced Soil and Stain Resistant Top Coat	250,000 D.R.	W-S
Frequency	Vinyl Surface with Polyester Backing Advanced Soil and Stain Resistant Top Coat + Ink Resistance	100,000 D.R.	W-S
Moccasin	Vinyl Surface with Polyester Backing Advanced Soil and Stain Resistant Top Coat	100,000 D.R.	W-S
Natural World	Vinyl Surface with Polyester Backing Advanced Soil and Stain Resistant Top Coat	100,000 D.R.	W-S
Nishiki	Vinyl Surface with Polyester Knit Backing Advanced Soil and Stain Resistant Top Coat	250,000 D.R.	W-S
Perspective	Vinyl Face with Polyester Backing Zeron® Protective Finish	100,000 D.R.	W-S
Ripple	Vinyl Face with Polyester Backing Zeron® Protective Finish	100,000 D.R.	W-S
Stride	Vinyl Surface with Nylon Backing Advanced Soil and Stain Resistant Top Coat	100,000 D.R.	W-S

All patterns are 54" wide. Dye lots may vary slightly from samples shown.

All patterns meet the flammability requirements of California Technical Bulletin 117-2013, Section 1, NFPA 260 - Class 1 and UFAC. Some patterns have been tested for other flammability specifications; please visit cfstinson.com for comprehensive test results.

These patterns meet or exceed these ACT Performance standards for upholstery: 🦸 🛎 🛣 🔼

♦ Wyzenbeek results above 100,000 double rubs have not been shown to be a reliable indicator of increased coated fabric lifespan.



These patterns have achieved GreenGuard Indoor Air Quality Certification.

## Stinson Grade-In / Memo Samples

The entire Stinson collection is graded into the Spec standard program. Visit specfurniture.com and click on 'Fabrics' to view Stinson patterns and their respective Spec grade and to order memo samples.

#### Cleaning and Maintenance

Refer to cfstinson.com for pattern-specific Care Guides. Care Guides list specific cleaners and disinfectants approved for use on each individual pattern.



SPEC FURNITURE INC.

Tel: 416 246 5540 Fax: 416 246 5549

Toll Free: 1 888 761 7732 specit@specfurniture.com www.specfurniture.com



C.F. Stinson, LLC 2849 Product Drive Rochester Hills, MI 48309

- w cfstinson.com
- P 800 841 6279
- F 248 299 3884