LAYOUTS






### Description


- A popular choice for healthcare and institutional applications, 2000 Series combines great looks and comfort, with durability to meet real life demands.
- Available in one, two or three seaters as freestanding or connected.
- Your layout possibilities are unlimited with spacer, radius and corner tables for both standard and bariatric seating in virtually any combination.
- Standard seat width is 22". Bariatric separate seat and back is a 30" wide seat and is load tested to 750 lbs. Cannot be connected to other bariatric seats.
- Zipper removable seats and backs are standard on separate seat and back designs.
- All models offer a choice of no center arms or half arm.
- Option of one piece or separate seat and back.
- Standard in 1.5" tube.
- Please send a drawing of the configuration you require with your order.
- Optional floor mounting is available.
- For fabrics you wish railroaded or repeats larger than 5" x 5", please contact the factory with repeat information and yardage requirement will be provided.

#### LAYOUTS AND DIMENSIONS



28





**One Piece Single Seater with arms** 

### **Standard Features**

- One piece seat and back
- Fully welded 1.5" frame
- Frame in any Spectone color
- Glides
- · Use in connected layouts at no upcharge
- · Ships assembled
- Ships 1/carton 17 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than  $5" \times 5"$ 

One Piece Single Seater with arms - Four-point

### Options

- Connecting tables
- · Antibacterial and antimicrobial fabrics available
- CAL 133

Exceeds BIFMA Seating Durability Test to 500 lbs per chair CAL 133, add \$108 List per chair



2201C 38 lbs

Toll Free: 1-888-761-7732



One Piece Two and Three Seaters with outside arms

### **Standard Features**

- One piece seat and back
- Fully welded 1.5" frame
- Frame in any Spectone color
- Glides
- · Use in connected layouts at no upcharge
- Ships assembled
- Ships 1/carton 28 cu ft (2 seater), 1/carton 42 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

### Options

- Connecting tables
- · Antibacterial and antimicrobial fabrics available
- CAL 133

### One Piece Two Seater with outside arms – Four-point

COM 3.5 yds 1.75 yd COM per single seat and back

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
2202C	<b>1270</b>	<b>1452</b>	<b>1511</b>	<b>1633</b>	<b>1813</b>	<b>1951</b>	<b>2132</b>
Dimensio seat H total H	0ns (inches) 18.0 35.0	seat W total W	22.0 47.0	arm H depth	26.0 26.5		

Exceeds BIFMA Seating Durability Test to 500 lbs per two seater CAL 133, add \$216 List per two seater

### One Piece Three Seater with outside arms – Four-point

COM 5.25 yds 1.75 yd COM per single seat and back									
MODEL 2203C	COM <b>1869</b>	GR 1 <b>2140</b>	GR 2 <b>2230</b>	GR 3 <b>2411</b>	GR 4 <b>2682</b>	GR 5 <b>2890</b>	GR 6 <b>3161</b>		
Dimensions (inches) seat H 18.0 seat W 22.0 arm H 26.0 total H 35.0 total W 69.0 depth 26.5									



68 lbs





One Piece Two and Three Seaters with half arms

### **Standard Features**

- One piece seat and back
- Fully welded 1.5" frame
- Frame in any Spectone color
- Glides
- · Use in connected layouts at no upcharge
- · Ships assembled
- Ships 1/carton 28 cu ft (2 seater), 1/carton 42 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

### Options

- Connecting tables
- · Antibacterial and antimicrobial fabrics available
- CAL 133

### One Piece Two Seater with half arms - Four-point

COM 3.5 yds 1.75 yd COM per single seat and back

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
2212C	1383	<b>1566</b>	<b>1626</b>	<b>1745</b>	<b>1926</b>	<b>2064</b>	<b>2243</b>
Dimensio seat H total H	008 (inches) 18.0 35.0	seat W total W	22.0 48.5	arm H depth	26.0 26.5		

Exceeds BIFMA Seating Durability Test to 500 lbs per two seater CAL 133, add \$216 List per two seater

### One Piece Three Seater with half arms - Four-point

COM 5.25 yds 1.75 yd COM per single seat and back								
MODEL 2213C	COM 2073	GR 1 <b>2346</b>	GR 2 <b>2437</b>	GR 3 <b>2617</b>	GR 4 <b>2890</b>	GR 5 <b>3096</b>	GR 6 <b>3366</b>	
Dimensions (inches) seat H 18.0 seat W 22.0 arm H 26.0 total H 35.0 total W 72.0 depth 26.5								



70 lbs



One Piece Easy Access Hip Single Seater with arms

### **Standard Features**

- One piece seat and back
- Fully welded 1.5" frame
- · Frame in any Spectone color
- Glides
- 24" seat height, no seat pitch (level)
- · Footrest which assists entering/exiting chair
- Available only as four-point
- Ships assembled
- Ships 1/carton 19 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

#### Options

- · Antibacterial and antimicrobial fabrics available
- CAL 133

#### One Piece Easy Access Hip Single Seater with arms

	-	·	-	-			
COM 1.7 1.75 yd	75 yds COM per s	single sea	t and back	<			
MODEL 2231C	сом <b>796</b>	GR 1 885	GR 2 915	GR 3 <b>976</b>	GR 4 <b>1066</b>	GR 5 <b>1134</b>	GR 6 <b>1225</b>
Dimensi seat H total H	0NS (inches) 24.0 38.0	seat W total W	22.0 25.0	arm H depth	30.5 26.5		

Exceeds BIFMA Seating Durability Test to 500 lbs per chair CAL 133, add \$108 List per chair



2231C 45 lbs

Separate Seat and Back Single Seater with arms - Four-point

### **Standard Features**

- · Separate seat and back
- Fully welded 1.5" frame
- Frame in any Spectone color
- Glides
- Zippered removable covers
- Use in connected layouts at no upcharge
- · Ships assembled
- Ships 1/carton 17 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

### Options

- Connecting tables
- Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAL 133

Separate Seat and Back Single Seater with arms – Four-point COM 1.75 yds 1.0 yd COM per single seat 0.75 yd COM per single back MODEL COM GR 1 GR 2 GR 3 GR 4 GR 5 GR 6 2201CS 895 986 1018 1077 1167 1237 1325 Dimensions (inches) 22.0 seat W 26.0 seat H 18.0 arm H total H 35.0 total W 25.0 depth 26.5 Exceeds BIFMA Seating Durability Test to 500 lbs per chair



2201CS 38 lbs

CAL 133, add \$108 List per chair





Separate Seat and Back Two and Three Seaters with outside arms - Four-point

### **Standard Features**

- Separate seat and back
- Fully welded 1.5" frame
- Frame in any Spectone color
- Glides
- Zippered removable covers
- Use in connected layouts at no upcharge
- · Ships assembled
- Ships 1/carton 28 cu ft (2 seater), 1/carton 42 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than  $5" \times 5"$ 

### Options

- Connecting tables
- Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133

#### Separate Seat and Back Two Seater with outside arms - Four-point

COM 3.5 yds 1.0 yd COM per single seat 0.75 yd COM per single back								
MODEL 2202CS	COM <b>1604</b>	GR 1 <b>1786</b>	GR 2 <b>1846</b>	GR 3 <b>1966</b>	GR 4 <b>2148</b>	GR 5 <b>2285</b>	GR 6 <b>2465</b>	
Dimensio seat H total H	0NS (inches) 18.0 35.0	seat W total W	22.0 47.0	arm H depth	26.0 26.5			

Exceeds BIFMA Seating Durability Test to 500 lbs per two seater CAL 133, add \$216 List per two seater

### Separate Seat and Back Three Seater with outside arms - Four-point

COM 5.25 yds 1.0 yd COM per single seat 0.75 yd COM per single back									
MODEL 2203CS	COM 2378	GR 1 <b>2648</b>	GR 2 <b>2738</b>	GR 3 <b>2917</b>	GR 4 <b>3190</b>	GR 5 <b>3398</b>	GR 6 <b>3669</b>		
Dimensions (inches) seat H 18.0 seat W 22.0 arm H 26.0 total H 35.0 total W 69.0 depth 26.5									







Separate Seat and Back Two and Three Seaters with half arms - Four-point

### **Standard Features**

- Separate seat and back
- Fully welded 1.5" frame
- Frame in any Spectone color
- Glides
- Zippered removable covers
- Use in connected layouts at no upcharge
- · Ships assembled
- Ships 1/carton 28 cu ft (2 seater), 1/carton 42 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

### Options

- Connecting tables
- Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133

#### Separate Seat and Back Two Seater with half arms - Four-point

2	5 yds OM per si COM per s	0	k				
MODEL 2212CS	COM <b>1792</b>	GR 1 <b>1972</b>	GR 2 <b>2031</b>	GR 3 <b>2152</b>	GR 4 <b>2334</b>	GR 5 <b>2470</b>	GR 6 <b>2653</b>
Dimensio seat H total H	0NS (inches) 18.0 35.0	seat W total W	22.0 48.5	arm H depth	26.0 26.5		

Exceeds BIFMA Seating Durability Test to 500 lbs per two seater CAL 133, add \$216 List per two seater



70 lbs

#### Separate Seat and Back Three Seater with half arms - Four-point

COM 5.25 yds 1.0 yd COM per single seat 0.75 yd COM per single back									
MODEL 2213CS	COM 2687	GR 1 <b>2958</b>	GR 2 <b>3049</b>	GR 3 <b>3229</b>	GR 4 <b>3500</b>	GR 5 <b>3708</b>	GR 6 <b>3978</b>		
Dimensions (inches) seat H 18.0 seat W 22.0 arm H 26.0 total H 35.0 total W 72.0 depth 26.5									





Separate Seat and Back Bariatric Single Seater with arms

### **Standard Features**

- Separate seat and back
- Fully welded 1.5" frame
- Frame in any Spectone color
- Glides
- Zippered removable covers
- · Use in connected layouts at no upcharge
- Available only as separate seat and back
- Available only as four-point
- · Cannot connect bariatric to bariatric seating
- Ships assembled
- Ships 1/carton 22 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than  $5" \times 5"$ 

### Options

- Connecting tables
- Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133

2	COM per s	ingle seat ingle back					
MODEL <b>2201G</b>	COM <b>1147</b>	GR 1 <b>1314</b>	GR 2 <b>1368</b>	GR 3 <b>1478</b>	GR 4 <b>1645</b>	GR 5 <b>1771</b>	GR 6 <b>1936</b>
Dimensi seat H total H	ons (inches) 18.0 35.0	seat W total W	30.0 33.0	arm H depth	26.0 26.5		

Separate Seat and Back Bariatric Single Seater with arms

Exceeds BIFMA Seating Durability Test to 750 lbs per chair CAL 133, add \$134 List per chair



**2201G** 48 lbs

Separate Seat and Back Easy Access Hip Single Seater with arms

### **Standard Features**

- · Separate seat and back
- Fully welded 1.5" frame
- · Frame in any Spectone color
- Glides
- · Zippered removable covers
- 24" seat height, no seat pitch (level)
- Footrest which assists entering/exiting chair
- · Available only as four-point
- · Ships assembled
- Ships 1/carton 19 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

### Options

- Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAL 133

COM 1.75 yds 1.0 yd COM per single seat 0.75 yd COM per single back MODEL MODEL COM 2231CS 998 GR 2 GR 3 GR 4 GR 5 GR 1 GR 6 1340 1088 1120 1180 1269 1428 Dimensions (inches) seat W 30.25 seat H 24.0 22.0 arm H total H 38.0 total W 25.0 depth 26.5

Separate Seat and Back Easy Access Hip Single Seater with arms

Exceeds BIFMA Seating Durability Test to 500 lbs per chair CAL 133, add \$108 List per chair



**2231CS** 45 lbs



Freestanding Lounge Tables Corner and Spacer Connecting Tables

### **Standard Features**

- Tops in laminate or veneer
- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge
- Table tops available with PVC Flat edge (PVF) or Self edge (SE)
- 9 standard hardwood edge stains. Stain-to-match available at no upcharge.
- · Frame in any Spectone color
- Glides
- Tops utilize NU Green earth friendly core

Radius Corner Tables are recommended for open areas

### Options

- · Non-standard laminates, contact Spec for pricing
- · Custom size spacer tables for restricted spaces
- · Other sizes may be available

### **Corner and Spacer Connecting Tables**

Model	Laminate PVF/SE	Weight	Cu.Ft.
22RC/23RC 32 x 32 Radius Corner Table	704	31	2
22SC/23SC 32 x 32 Square Corner Table	704	32	2
22TC45/23TC45 19 x 23 45 degree <i>Corner Table</i>	542	26	2
22ST/23ST 21 x 24 Spacer or End Table	542	21	2

