


STIINYAI





Description

- Spec's Bala offers the softer look and feel of wood, without sacrificing high durability.
- Your layout possibilities are unlimited with spacer, radius and corner tables – for both standard and bariatric seating in virtually any combination.
- Bariatric seating is a 30" wide seat and is load tested to 750 lbs. Cannot be connected to other bariatric seats.
- 21" seat width is standard.
- Standard in European Beech in any of 9 standard stains or stain-to-match at no upcharge.
- Choice of wood or polyurethane arms which are replaceable in the field.
- All models offer a choice of no center arms, half arms or full arms to the floor.
- Glides and separate seat and back are standard.
- Foam formulated to meet California Bulletin 133 standards is available.
- Please send a drawing of the configuration you require with your order.
- · Ships assembled as one, two and three seater units.
- For fabrics you wish railroaded or repeats larger than 5" x 5", please contact the factory with repeat information and yardage requirement will be provided.

LAYOUTS AND DIMENSIONS














PLACING AN ORDER IS EASY

PRODUCT CODE

6 2 0 1 M - *WF*



6 : Cooper

Series 2 : Bala

Center Arm

0 : Outside Arms

1 : Half Arms

2 : Full Arms

Number of Seats

1 : Single Seater

2 : Two Seater

3 : Three Seater

Chair Type

M: Mid Back H: Highback

G : Bariatric

ME: Hip Chair B : Bench

BG: Bariatric Bench

Arm Type

WF : Wood Flat Profile WR: Wood Round

Profile

PF : Poly Flat Profile PR: Poly Round Profile

L : Loveseat

OPTIONS

ARM TYPE



Polyurethane



Wood



KYDEX[®]

PANEL ARMS



Note: flat poly arm available in Black only.

Half Arm Panel



Full Arm Panel

FINISHES

FRAME



Select from one of our 9 standard wood stains or stainto-match at no upcharge

FABRIC



Select fabrics from one of our textile partners

ARMS











Wood* Taupe

*Wood arms are available in 9 standard stains or stainto-match at no upcharge.



Designed for today's healthcare facilities Single Seater with arms

Standard Features

- · Separate seat and back
- Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- Threaded replaceable glides
- · Use in connected layouts at no upcharge
- Velcro removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- Ships assembled as 1, 2 or 3 seaters
- Ships 1/carton 15 cu ft

Contact SpecTM Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than $5" \times 5"$

Options

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- · Flat polyurethane arms available in Black only
- KYDEX® flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- Add 2.5" to back for overall height of 36.5", add \$46 List/single seat
- Connected and freestanding tables
- 3" clear Cooper Leg Guard, add \$10 List/leg
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133



Single Seater with arms

COM 1.75 yds 0.75 yd COM per single seat 1.0 yd COM per single back

6201M	888	962	987	1035	1109	1165	1240
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6

Dimensions (inches)

seat H 18.0 seat W 21.0 arm H 25.0 total H 33.75 total W 25.25 depth 25.0

For KYDEX® flat arms add suffix K and \$224

Exceeds BIFMA Seating Durability Test to 500 lbs per chair

CAL 133, add \$106 List per chair





Designed for today's healthcare facilities Two and Three Seaters with outside arms

Standard Features

- · Separate seat and back
- Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- Threaded replaceable glides
- · Use in connected layouts at no upcharge
- · Velcro removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- Ships assembled as 1, 2 or 3 seaters
- Ships 1/carton 26 cu ft (2 seater), 1/carton 39 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- · Flat polyurethane arms available in Black only
- KYDEX® flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- Add 2.5" to back for overall height of 36.5", add \$46 List/single seat
- Connected and freestanding tables
- 3" clear Cooper Leg Guard, add \$10 List/leg
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133



Two Seater with outside arms

COM 3.5 yds 0.75 yd COM per single seat 1.0 yd COM per single back

				GR 3			
6202M	1280	1429	1479	1576	1725	1838	1984

Dimensions (inches)

seat H 18.0 seat W 21.0 arm H 25.0 total H 33.75 total W 46.5 depth 25.0

For KYDEX® flat arms add suffix K and \$224

Exceeds BIFMA Seating Durability Test to 750 lbs per two seater CAL 133, add \$212 List per two seater



COM 5.25 yds 0.75 yd COM per single seat 1.0 yd COM per single back

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
6203M	1675	1895	1968	2117	2339	2507	2728

Dimensions (inches)

seat H 18.0 seat W 21.0 arm H 25.0 total H 33.75 total W 67.5 depth 25.0

For KYDEX® flat arms add suffix K and \$224

Exceeds BIFMA Seating Durability Test to 1000 lbs per three seater CAL 133, add \$318 List per three seater



51 lbs



6203M 75 lbs



Designed for today's healthcare facilities Two and Three Seaters with half arms

Standard Features

- · Separate seat and back
- Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- Threaded replaceable glides
- · Use in connected layouts at no upcharge
- · Velcro removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- · Ships assembled as 1, 2 or 3 seaters
- Ships 1/carton 26 cu ft (2 seater), 1/carton 39 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- · Flat polyurethane arms available in Black only
- KYDEX® flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- Add 2.5" to back for overall height of 36.5", add \$46 List/single seat
- · Connected and freestanding tables
- 3" clear Cooper Leg Guard, add \$10 List/leg
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133



Two Seater with half arms

COM 3.5 yds 0.75 yd COM per single seat 1.0 yd COM per single back

MODEL				GR 3			
6212M	1644	1791	1841	1937	2086	2198	2347

Dimensions (inches)

seat H 18.0 seat W 21.0 arm H 25.0 total H 33.75 total W 48.0 depth 25.0

For KYDEX® flat arms add suffix K and \$336

Exceeds BIFMA Seating Durability Test to 750 lbs per two seater CAL 133, add \$212 List per two seater

Three Seater with half arms

COM 5.25 yds 0.75 yd COM per single seat 1.0 yd COM per single back

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
6213M	2399	2620	2693	2842	3062	3232	3452

Dimensions (inches)

seat H 18.0 seat W 21.0 arm H 25.0 total H 33.75 total W 70.5 depth 25.0

For KYDEX® flat arms add suffix K and \$448

Exceeds BIFMA Seating Durability Test to 1000 lbs per three seater CAL 133, add \$318 List per three seater



6212M 51 lbs



6213M 75 lbs



Designed for today's healthcare facilities Two and Three Seaters with full arms

Standard Features

- · Separate seat and back
- Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- Threaded replaceable glides
- · Use in connected layouts at no upcharge
- · Velcro removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- · Ships assembled as 1, 2 or 3 seaters
- Ships 1/carton 26 cu ft (2 seater), 1/carton 39 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- Flat polyurethane arms available in Black only
- KYDEX® flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- Add 2.5" to back for overall height of 36.5", add \$46 List/single seat
- Ctonnected and freestanding tables
- 3" clear Cooper Leg Guard, add \$10 List/leg
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133



Two Seater with full arms

COM 3.5 yds 0.75 yd COM per single seat 1.0 yd COM per single back

MODEL 6222M				GR 3 1937			
OZZZIVI	1044	1/91	1041	1937	2000	2130	2347

Dimensions (inches)

seat H 18.0 seat W 21.0 arm H 25.0 total H 33.75 total W 48.0 depth 25.0

For KYDEX® flat arms add suffix K and \$336

Exceeds BIFMA Seating Durability Test to 750 lbs per two seater CAL 133, add \$212 List per two seater



COM 5.25 yds 0.75 yd COM per single seat 1.0 yd COM per single back

MODEL COM GR 1 GR 2 GR 3 GR 4 GR 5 GI 6223M 2399 2620 2693 2842 3062 3232 3

Dimensions (inches)

seat H 18.0 seat W 21.0 arm H 25.0 total H 33.75 total W 70.5 depth 25.0

For KYDEX® flat arms add suffix K and \$448

Exceeds BIFMA Seating Durability Test to 1000 lbs per three seater CAL 133, add \$318 List per three seater



6222M 51 lbs



6223M 75 lbs



Designed for today's healthcare facilities Loveseat with arms

Standard Features

- · Separate seat and back
- Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- Threaded replaceable glides
- · Use in connected layouts at no upcharge
- Velcro removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- Ships assembled as 1, 2 or 3 seaters
- Ships 1/carton 20 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- Flat polyurethane arms available in Black only
- KYDEX® flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- · Connected and freestanding tables
- 3" clear Cooper Leg Guard, add \$10 List/leg
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133



Loveseat with arms

COM 4.0 yds 2.0 yd COM per single seat 2.0 yd COM per single back

6201L	1386	1561	1618	1732	1904	2034	2207
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6

Dimensions (inches)

seat H 18.0 seat W 42.0 arm H 25.0 total H 33.75 total W 44.75 depth 25.0

For KYDEX® flat arms add suffix K and \$224

Exceeds BIFMA Seating Durability Test to 750 lbs per chair CAL 133, add \$160 List per chair



6201L 51 lbs



Designed for today's healthcare facilities Bariatric Single Seater with arms

Standard Features

- · Separate seat and back
- Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- Threaded replaceable glides
- · Use in connected layouts at no upcharge
- Velcro removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- Ships assembled as 1, 2 or 3 seaters
- Ships 1/carton 20 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- Flat polyurethane arms available in Black only
- KYDEX® flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- · Connected and freestanding tables
- 3" clear Cooper Leg Guard, add \$10 List/leg
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133



Bariatric Single Seater with arms

COM 3.0 yds 1.5 yd COM per single seat 1.5 yd COM per single back

6201G	1057	1204	1254	1353	1500	1613	1760
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6

Dimensions (inches)

seat H 18.0 seat W 30.0 arm H 25.0 total H 33.75 total W 34.25 depth 25.0

For KYDEX® flat arms add suffix K and \$224

Exceeds BIFMA Seating Durability Test to 750 lbs per chair CAL 133, add \$128 List per chair



6201G 34 lbs



Designed for today's healthcare facilities Highback Single Seater with arms — Ottoman and Headrest

Standard Features

- · Separate seat and back
- Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- Threaded replaceable glides
- · Use in connected layouts at no upcharge
- Velcro removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- Ships assembled as 1, 2 or 3 seaters
- Ships 1/carton 19 cu ft
- · Ottoman ships 1/carton 5 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- Flat polyurethane arms available in Black only
- KYDEX® flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- · Built-in headrest or removable headrest with velcro strap
- · Connected and freestanding tables
- 3" clear Cooper Leg Guard, add \$10 List/leg
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133



Highback Single Seater with arms

COM 2.5 yds 0.75 yd COM per single seat 1.75 yds COM per single back

MODEL		u 1			GR 4		
6201H	968	1087	1126	1204	1323	1412	1531

Dimensions (inches)

seat H 18.0 seat W 21.0 arm H 25.0 total H 47.5 total W 25.25 depth 25.0

For KYDEX® flat arms add suffix K and \$224

Exceeds BIFMA Seating Durability Test to 500 lbs per chair CAL 133, add \$116 List per chair

Ottoman and Headrest

0.5 yd COM per ottoman 0.5 yd COM per headrest

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
6230F	411	438	450	469	500	521	549
60HR	59	71	74	84	96	106	117

Ottoman Dimensions (inches)

H 11.5 W 19.25 depth 12.25

CAL 133, add \$47 List per ottoman/\$47 List per Headrest











60HR



Designed for today's healthcare facilities Half and Full Panel Arms

To order half panel arms, add Z to model number, e.g. $6201\boldsymbol{Z}$

To order full panel arms, add ZC to model number, e.g. $6201 \mbox{ZC}$

Pricing is for one half panel arm, e.g. for a single seater chair with half panel arms, add two half panel arms to cost of chair

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than $5"x\ 5"$

Options

- · Antibacterial and antimicrobial fabrics available
- CAL 133



Half and Full Panel Arms

COM 0.5 yds per half panel arm

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
Z	64	85	91	105	122	140	159
COM O.	75 yds pe	er full pan	el arm				
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
ZC	118	158	168	195	230	260	285

CAL 133, add \$38 List per half panel arm / \$76 List per full panel arm







3 lbs per full panel arm



Designed for today's healthcare facilities Easy Access Hip Single Seater with arms

Standard Features

- · Separate seat and back
- · Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- Threaded replaceable glides
- 24" seat height, no seat pitch (level)
- · Footrest which assists entering/exiting chair
- · Velcro replaceable back covers
- · Replaceable seats
- Arms replaceable in the field
- · Ships assembled
- · Ships 1/carton 19 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- Flat polyurethane arms available in Black only
- KYDEX® flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- 3" clear Cooper Leg Guard, add \$10 List/leg
- Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133



Easy Access Hip Single Seater with arms

COM 1.75 yds 0.75 yd COM per single seat 1.0 yd COM per single back

6201ME	1093	1167	1193	1242	1315	1371	1445
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6

Dimensions (inches)

seat H 24.0 seat W 21.0 arm H 32.0 total H 46.0 total W 25.25 depth 25.0

For KYDEX® flat arms add suffix K and \$224

Exceeds BIFMA Seating Durability Test to 500 lbs per chair

CAL 133, add \$106 List per chair



6201ME 35 lbs



Designed for today's healthcare facilities Single and Two Seater Benches

Standard Features

- Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- · Threaded replaceable glides
- · Use in connected layouts at no upcharge
- Velcro removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- Ships assembled as 1, 2 or 3 seaters
- Ships 1/carton 9 cu ft (single seater), 14 cu ft (2 seater), 21 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Bariatric benches available in Cooper Bala and Cooper Mission
- 3" clear Cooper Leg Guard, add \$10 List/leg
- · Antibacterial and antimicrobial fabrics available
- CAL 133

Single Seater Bench

COM 1.0 yds

1.0 yd COM per single seat

MODEL 6201B No arms	COM 711	GR 1 759	GR 2 776	GR 3 809	GR 4 858	GR 5 896	GR 6 945
6201B End arms	909 s (WF/WR o	959 or PF/PR)	975	1006	1057	1095	1143
Dimension seat H total H	ns (inches) 18.0 N/A	seat W total W w/o arms	21.0 24.25	arm H total W w/end ar	24.0 25.25 ms	depth	26.25

Exceeds BIFMA Seating Durability Test to 500 lbs per bench CAL 133, add \$47 List per bench

Two Seater Bench

COM 2.0 yds 1.0 yd COM per single seat									
MODEL 6202B No arms	COM 925	GR 1 1023	GR 2 1056	GR 3 1121	GR 4 1220	GR 5 1296	GR 6 1393		
6202B End arms	1124 s (WF/WR	1222 or PF/PR)	1254	1319	1418	1492	1591		
6212B Arms bet	1411 ween and	1510 at ends (V	1542 WF/WR or I	1608 PF/PR)	1706	1782	1879		
Dimensio	ns (inches)								
seat H	18.0	seat W	21.0	arm H	24.0	depth	26.25		
total H	N/A	total W w/o arms	45.25	total W w/end ar	46.25 ms	total W w/arms b and at er			

Exceeds BIFMA Seating Durability Test to 750 lbs per two seat bench CAL 133, add \$94 List per two seat bench





41 lbs



Designed for today's healthcare facilities Three Seater Bench

Standard Features

- Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- · Use in connected layouts at no upcharge
- Threaded replaceable glides
- · Velcro removable back covers
- · Replaceable seats
- Arms replaceable in the field
- Ships assembled as 1, 2 or 3 seaters
- Ships 1/carton 9 cu ft (single seater),
 14 cu ft (2 seater), 21 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Bariatric benches available in Cooper Bala and Cooper Mission
- 3" clear Cooper Leg Guard, add \$10 List/leg
- · Antibacterial and antimicrobial fabrics available
- CAL 133



Three Seater Bench

COM 3.0 yds 1.0 yd COM per single seat

MODEL 6203B No arms	COM 1192	GR 1 1340	GR 2 1387	GR 3 1485	GR 4 1633	GR 5 1746	GR 6 1894
6203B	1387	1535	1585	1682	1829	1943	2091
End arm	s (WF/WR	or PF/PR)					
6213B Arms be	2014 tween and	2161 at ends (2266 WF/WR or	2308 PF/PR)	2457	2569	2717
Dimensio	ONS (inches)						
seat H	18.0	seat W	21.0	arm H	24.0	depth	26.25
total H	N/A	total W w/o arms	66.25	total W w/end ar	67.25 ms	total W w/arms b and at e	

Exceeds BIFMA Seating Durability Test to 1000 lbs per three seat bench CAL 133, add \$141 List per three seat bench







Designed for today's healthcare facilities Bariatric Single and Two Seater Benches

Standard Features

- Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- Bariatric seating cannot connect to bariatric seating
- Threaded replaceable glides
- · Use in connected layouts at no upcharge
- · Velcro removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- Ships assembled as 1, 2 or 3 seaters
- Ships 1/carton 15 cu ft (single seater),
 20 cu ft (2 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Wood or polyurethane arms, in flat (WF or PF) or rounded (WR or PR) profile, 6" in height, at ends of bench and between seats
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- · Flat polyurethane arms available in Black only
- KYDEX® flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- 3" clear Cooper Leg Guard, add \$10 List/leg
- · Antibacterial and antimicrobial fabrics available
- CAL 133



Bariatric Single Seater Bench

COM 1.5 yds

1.5 yd COM per single seat

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
6201BG	1046	1103	1122	1160	1215	1258	1315
- ,	///E///D	05/00\					

End arms (WF/WR or PF/PR)

Dimensions (inches)

seat H 18.0 seat W 30.0 arm H 24.0 depth 26.25 total H 24.0 total W 34.25

For KYDEX® flat arms add suffix K and \$224

Exceeds BIFMA Seating Durability Test to 750 lbs per bench CAL 133, add \$69 List per bench



COM 3.0 yds

1.5 yd COM per single seat



Arms between and at ends (WF/WR or PF/PR)

Dimensions (inches)

seat H 18.0 seat W 30.0 arm H 24.0 depth 26.25 total H 24.0 total W 66.0

For KYDEX® flat arms add suffix K and \$336

Exceeds BIFMA Seating Durability Test to 1000 lbs per two seat bench CAL 133, add \$138 List per two seat bench







Designed for today's healthcare facilities
Freestanding Lounge Tables – Corner and Spacer Connecting Tables

Standard Features

- · Tops in laminate or veneer
- Select laminate tops from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge.
- Freestanding lounge tables available with PVC Flat (PVF), 2mm (2MM) or hardwood (HB) edge
- Connecting table tops available with PVC Flat (PVF) edge, Self edge (SE) or hardwood (HB) edge
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- · Beech legs and Beech table skirts stained the same
- · Tops utilize Nu Green earth friendly core
- Threaded replaceable glides
- 18" height

Radius Corner Tables are recommended for open areas

Options

- · Non-standard laminates, contact Spec for pricing
- 3" clear Cooper Leg Guard, add \$10 List/leg
- · Custom size spacer tables for restricted spaces
- · Other sizes may be available



Freestanding Lounge Tables

Model	Laminate PVF/SE/2MM	Laminate HB Edge	Veneer HB Edge	Weight	Cu.Ft.
62 - 24 x 24 SQ	661	822	948	47	7.2
62 - 24 x 48 RE	796	969	1146	64	18
62 - 30 x 30 SQ	750	866	1002	57	13.5
62 - 22 DIA	809	1100	1269	47	7.2



Corner and Spacer Connecting Tables

Model	Laminate PVF/SE	Laminate HB Edge	Veneer HB Edge	Weight	Cu.Ft.
62RC - 28 x 28 Radius Corner Table	719	993	1164	42	2
62SC - 28 x 28 Square Corner Table	787	955	1054	46	2
62TC - 45 degree Corner Table	719	993	1164	40	2
62ST - 21 x 24 Spacer Table	488	690	790	27	2
62ET - 21 x 24 End Table	652	853	954	37	2

