

LAYOUTS








## Description

- Spec's Bala offers the softer look and feel of wood, without sacrificing high durability.
- Your layout possibilities are unlimited with spacer, radius and corner tables – for both standard and bariatric seating in virtually any combination.
- Bariatric seating is a 30" wide seat and is load tested to 750 lbs. Cannot be connected to other bariatric seats.
- 21" seat width is standard.
- Standard in European Beech in any of 9 standard stains or stain-to-match at no upcharge.
- Choice of wood or polyurethane arms which are replaceable in the field.
- All models offer a choice of no center arms, half arms or full arms to the floor.
- Glides and separate seat and back are standard.
- Please send a drawing of the configuration you require with your order.
- For fabrics you wish railroaded or repeats larger than 5" x 5", please contact the factory with repeat information and yardage requirement will be provided.

#### LAYOUTS AND DIMENSIONS













## PRODUCT CODE

6 2 2 3 M - *WF* 

Collection 6 : Cooper

Series 2 : Bala Center Arm

0 : Outside Arms

1 : Half Arms

2 : Full Arms

**Number of Seats** 

1 : Single Seater

2 : Two Seater

3 : Three Seater

Chair Type

M: Mid Back H: Highback

G : Bariatric ME : Hip Chair

B : Bench

BG: Bariatric Bench

Arm Type and Profile

WF: Wood Flat WR: Wood Round PF : Poly Flat PR : Poly Round

K: KYDEX® Flat Profile

L : Loveseat

## **OPTIONS**

## **ARM TYPE**



Polyurethane



Wood



 $\mathsf{KYDEX}^{\circledR}$ 

## PANEL ARMS



Half Panel Arm



Full Panel Arm

Note: flat polyurethane arm available in Black only.

## **FINISHES**

### **FRAME**



Select from one of our 9 standard wood stains or stainto-match at no upcharge

### **FABRIC**



Select fabrics from one of our textile partners

### **ARMS**



Black



Taupe






Select from one of our 9 standard wood stains or stain-to-match at no

See Spectone Card or specfurniture.com/materials/finishes for a complete list of finish options and colors.





## **HOW TO ORDER**



## **Specify Model**

- ♠ Specify Fabric Seat¹
  Manufacturer, Pattern Name, Color
- Specify Fabric Back<sup>1</sup>
  Manufacturer, Pattern Name, Color
- Specify Frame Finish
- Specify Arm Type, Profile and Color Polyurethane (Flat or Round) / Wood (Flat or Round) / KYDEX<sup>®</sup> (\$) (Flat)

Optional: KYDEX<sup>®</sup> Arm, CAL 133, Moisture Barrier, Half or Full Panel Arms, Connecting and Freestanding Tables, Benches, Ottoman, Vinyl Headrest Insert

 $^{\rm 1}$  When multiple fabrics are specified on two and three seat chairs, please provide a drawing and legend for fabric placement.



Model	Fabric - Seat	Fabric - Back	Frame Finish	Arm Type, Profile and Color
6201M	Momentum, Beeline, Canvas	Momentum, Beeline, Canvas	Studio Teak Stain	Wood, Flat, Studio Teak Stain



Designed for today's healthcare facilities Single Seater with arms

#### Standard Features

- · Separate seat and back
- Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- Threaded replaceable glides
- · Use in connected layouts at no upcharge
- Velcro removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 15 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

#### **Options**

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- Flat polyurethane arms available in Black only
- KYDEX® flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- · Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133



### Single Seater with arms

COM 1.75 yds 0.75 yd COM per single seat 1.0 yd COM per single back

		1040	G	u 0	<b></b> .	u 0	u 0
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6

Dimensions (inches)

seat H 18.0 seat W 21.0 arm H 25.0 total H 33.75 total W 25.25 depth 25.0

For KYDEX® flat arms add suffix K and \$242

Exceeds BIFMA Seating Durability Test to 500 lbs per chair CAL 133, add \$114 List per chair





Designed for today's healthcare facilities Two and Three Seaters with outside arms

#### Standard Features

- · Separate seat and back
- Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- Threaded replaceable glides
- · Use in connected layouts at no upcharge
- · Velcro removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- Ships assembled
- Ships 1/carton 26 cu ft (2 seater), 1/carton 39 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

### **Options**

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- · Flat polyurethane arms available in Black only
- KYDEX® flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- · Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAL 133



## Two Seater with outside arms

COM 3.5 yds 0.75 yd COM per single seat 1.0 yd COM per single back

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
6202M	1384	1545	1600	1705	1866	1988	2146

Dimensions (inches)

seat H 18.0 seat W 21.0 arm H 25.0 total H 33.75 total W 46.5 depth 25.0

For KYDEX® flat arms add suffix K and \$242

Exceeds BIFMA Seating Durability Test to 750 lbs per two seater CAL 133, add \$228 List per two seater

#### Three Seater with outside arms

COM 5.25 yds 0.75 yd COM per single seat 1.0 yd COM per single back

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
6203M	1812	2050	2129	2290	2530	2711	2950

Dimensions (inches)

seat H 18.0 seat W 21.0 arm H 25.0 total H 33.75 total W 67.5 depth 25.0

#### For KYDEX® flat arms add suffix K and \$242

Exceeds BIFMA Seating Durability Test to 1000 lbs per three seater CAL 133, add \$342 List per three seater



66 lbs



**6203M** 92 lbs



Designed for today's healthcare facilities Two and Three Seaters with half arms

#### Standard Features

- · Separate seat and back
- Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- Threaded replaceable glides
- · Use in connected layouts at no upcharge
- · Velcro removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- Ships assembled
- Ships 1/carton 26 cu ft (2 seater), 1/carton 39 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

## **Options**

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- · Flat polyurethane arms available in Black only
- KYDEX® flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- · Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133



## Two Seater with half arms

COM 3.5 yds 0.75 yd COM per single seat 1.0 yd COM per single back

6212M							
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6

Dimensions (inches)

seat H 18.0 seat W 21.0 arm H 25.0 total H 33.75 total W 48.0 depth 25.0

#### For KYDEX® flat arms add suffix K and \$363

Exceeds BIFMA Seating Durability Test to 750 lbs per two seater CAL 133, add \$228 List per two seater

#### Three Seater with half arms

COM 5.25 yds 0.75 yd COM per single seat 1.0 yd COM per single back

		GR 4 <b>3311</b>	

Dimensions (inches)

seat H 18.0 seat W 21.0 arm H 25.0 total H 33.75 total W 70.5 depth 25.0

#### For KYDEX® flat arms add suffix K and \$484

Exceeds BIFMA Seating Durability Test to 1000 lbs per three seater CAL 133, add \$342 List per three seater



**6212M** 68 lbs



**6213M** 96 lbs



Designed for today's healthcare facilities Two and Three Seaters with full arms

#### Standard Features

- · Separate seat and back
- Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- Threaded replaceable glides
- · Use in connected layouts at no upcharge
- · Velcro removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- Ships assembled
- Ships 1/carton 26 cu ft (2 seater), 1/carton 39 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

#### **Options**

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- · Flat polyurethane arms available in Black only
- KYDEX® flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- · Ctonnected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAL 133



## Two Seater with full arms

COM 3.5 yds 0.75 yd COM per single seat 1.0 yd COM per single back

6222M	1778	1938	1992	2095	2256	2377	2539
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6

Dimensions (inches)

seat H 18.0 seat W 21.0 arm H 25.0 total H 33.75 total W 48.0 depth 25.0

#### For KYDEX® flat arms add suffix K and \$363

Exceeds BIFMA Seating Durability Test to 750 lbs per two seater CAL 133, add \$228 List per two seater

#### Three Seater with full arms

COM 5.25 yds 0.75 yd COM per single seat 1.0 yd COM per single back

	 	 GR 3 <b>3074</b>	 	
00	 		 	

Dimensions (inches)

seat H 18.0 seat W 21.0 arm H 25.0 total H 33.75 total W 70.5 depth 25.0

#### For KYDEX® flat arms add suffix K and \$484

Exceeds BIFMA Seating Durability Test to 1000 lbs per three seater CAL 133, add \$342 List per three seater



**6222M** 73 lbs



6223M 99 lbs



Designed for today's healthcare facilities Loveseat with arms

#### Standard Features

- · Separate seat and back
- Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- Threaded replaceable glides
- · Use in connected layouts at no upcharge
- Velcro removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 20 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

### **Options**

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- Flat polyurethane arms available in Black only
- KYDEX® flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- · Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133



#### Loveseat with arms

COM 4.0 yds 2.0 yd COM per single seat 2.0 yd COM per single back

6201L	1499	1688	1750	1873	2059	2200	2387
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6

Dimensions (inches)

seat H 18.0 seat W 42.0 arm H 25.0 total H 33.75 total W 44.75 depth 25.0

For KYDEX® flat arms add suffix K and \$242

Exceeds BIFMA Seating Durability Test to 750 lbs per chair CAL 133, add \$173 List per chair



6201L 66 lbs



Designed for today's healthcare facilities Bariatric Single Seater with arms

#### Standard Features

- · Separate seat and back
- Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- Threaded replaceable glides
- · Use in connected layouts at no upcharge
- Velcro removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- Ships assembled
- Ships 1/carton 20 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

### **Options**

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- Flat polyurethane arms available in Black only
- KYDEX® flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- · Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133



### **Bariatric Single Seater with arms**

COM 3.0 yds 1.5 yd COM per single seat 1.5 yd COM per single back

6201G	1143	1302	1356	1463	1622	1745	1903
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6

Dimensions (inches)

seat H 18.0 seat W 30.0 arm H 25.0 total H 33.75 total W 34.25 depth 25.0

For KYDEX® flat arms add suffix K and \$242

Exceeds BIFMA Seating Durability Test to 750 lbs per chair

CAL 133, add \$138 List per chair



**6201G** 47 lbs



Designed for today's healthcare facilities Highback Single Seater with arms — Ottoman

#### Standard Features

- · Separate seat and back
- Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- Threaded replaceable glides
- · Use in connected layouts at no upcharge
- · Velcro removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 19 cu ft
- · Ottoman ships 1/carton 5 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

### **Options**

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- Flat polyurethane arms available in Black only
- KYDEX® flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- Vinyl insert on top of the back, add \$46 List/seat back
- · Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133



#### **Highback Single Seater with arms**

COM 2.5 yds 0.75 yd COM per single seat 1.75 yds COM per single back

		GR 1 <b>1175</b>					
020111	10 .,	11,0	1210	1002	1.01	102,	1000

Dimensions (inches)

 seat H
 18.0
 seat W
 21.0
 arm H
 25.0

 total H
 47.5
 total W
 25.25
 depth
 25.0

For KYDEX® flat arms add suffix K and \$242

Exceeds BIFMA Seating Durability Test to 500 lbs per chair CAL 133, add \$126 List per chair



0.5 yd COM per ottoman

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
6230F	444	474	487	508	541	564	594

Ottoman Dimensions (inches)

H 11.5 W 19.25 depth 12.25

CAL 133, add \$51 List



**6201H** 43 lbs



6230F 16 lbs



Designed for today's healthcare facilities Half and Full Panel Arms

To order half panel arms, add Z to model number, e.g.  $6201\boldsymbol{Z}$ 

To order full panel arms, add ZC to model number, e.g.  $6201 \mbox{ZC}$ 

Pricing is for one half panel arm, e.g. for a single seater chair with half panel arms, add two half panel arms to cost of chair

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5"x 5"

## **Options**

- · Antibacterial and antimicrobial fabrics available
- CAL 133



## Half and Full Panel Arms

COM 0.5 yds per half panel arm

MODEL <b>Z</b>	COM <b>70</b>	GR 1 <b>92</b>	GR 2 <b>99</b>	GR 3 <b>113</b>	GR 4 <b>132</b>	GR 5 <b>152</b>	GR 6 <b>172</b>
COM O.	75 yds pe	er full pan	el arm				
MODEL	COM 128	GR 1 <b>171</b>	GR 2 <b>182</b>	GR 3 <b>211</b>	GR 4 <b>249</b>	GR 5 <b>281</b>	GR 6

CAL 133, add \$42 List per half panel arm / \$82 List per full panel arm







3 lbs per full panel arm



Designed for today's healthcare facilities Easy Access Hip Single Seater with arms

#### Standard Features

- · Separate seat and back
- Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- Threaded replaceable glides
- 24" seat height, no seat pitch (level)
- · Footrest which assists entering/exiting chair
- · Velcro replaceable back covers
- · Replaceable seats
- Arms replaceable in the field
- · Ships assembled
- · Ships 1/carton 19 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

## **Options**

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- · Flat polyurethane arms available in Black only
- KYDEX® flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133



## Easy Access Hip Single Seater with arms

COM 1.75 yds 0.75 yd COM per single seat 1.0 yd COM per single back

		G. ( 1	u	1344	<b></b> .	arr o	u., 0
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6

Dimensions (inches)

seat H 24.0 seat W 21.0 arm H 32.0 total H 46.0 total W 25.25 depth 25.0

For KYDEX® flat arms add suffix K and \$242

Exceeds BIFMA Seating Durability Test to 500 lbs per chair CAL 133, add \$114 List per chair



6201ME 45 lbs



Designed for today's healthcare facilities Single and Two Seater Benches

#### Standard Features

- · Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- Threaded replaceable glides
- · Use in connected layouts at no upcharge
- · Velcro removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 9 cu ft (single seater), 14 cu ft (2 seater), 21 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

### **Options**

- · Antibacterial and antimicrobial fabrics available
- CAL 133

#### Single Seater Bench





Exceeds BIFMA Seating Durability Test to 500 lbs per bench CAL 133, add \$51 List per bench



COM 2.0 yds 1.0 yd COM per single seat

MODEL 6202B No arms	COM <b>1000</b>	GR 1 <b>1107</b>	GR 2 1142	GR 3 1213	GR 4 <b>1320</b>	GR 5 <b>1402</b>	GR 6 <b>1507</b>
6202B End arms	<b>1216</b> s (WF/WR o	<b>1322</b> or <i>PF/PR)</i>	1356	1427	1534	1614	1721
<b>6212B</b> Arms bet	1526 ween and	<b>1633</b> at ends (V	<b>1668</b> WF/WR or F	<b>1739</b> PF/PR)	1845	1927	2032
Dimensio	ns (inches)						

seat H 18.0 seat W 21.0 arm H 24.0 depth 26.25 total W 46.25 total W 47.75 N/A total W 45.25 total H w/o arms w/end arms w/arms between

Exceeds BIFMA Seating Durability Test to 750 lbs per two seat bench





CAL 133, add \$102 List per two seat bench



Designed for today's healthcare facilities Three Seater Bench

#### **Standard Features**

- Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- · Use in connected layouts at no upcharge
- Threaded replaceable glides
- · Velcro removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 9 cu ft (single seater),
   14 cu ft (2 seater), 21 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

## **Options**

- · Antibacterial and antimicrobial fabrics available
- CAL 133



## **Three Seater Bench**

COM 3.0 yds 1.0 yd COM per single seat

MODEL 6203B No arms	1290	GR 1 <b>1450</b>	GR 2 <b>1500</b>	GR 3 <b>1606</b>	GR 4 <b>1766</b>	GR 5 <b>1889</b>	GR 6 <b>2049</b>
6203B End arm.	<b>1500</b> s (WF/WR	<b>1660</b> or PF/PR)	1714	1819	1978	2102	2262
<b>6213B</b> Arms bet	<b>2179</b> tween and	<b>2337</b> at ends (\)	<b>2451</b> WF/WR or I	<b>2496</b> PF/PR)	2657	2779	2939
Dimension seat H total H	ns (inches) 18.0 N/A	seat W total W w/o arms	21.0 66.25	arm H total W w/end ar	24.0 67.25 ms	depth total W w/arms b and at e	

Exceeds BIFMA Seating Durability Test to 1000 lbs per three seat bench CAL 133, add \$153 List per three seat bench







Designed for today's healthcare facilities Bariatric Single and Two Seater Benches

#### Standard Features

- Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- Bariatric seating cannot connect to bariatric seating
- Threaded replaceable glides
- · Use in connected layouts at no upcharge
- · Velcro removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- Ships assembled
- Ships 1/carton 15 cu ft (single seater),
   20 cu ft (2 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

## **Options**

- Wood or polyurethane arms, in flat (WF or PF) or rounded (WR or PR) profile, 6" in height, at ends of bench and between seats
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- · Flat polyurethane arms available in Black only
- KYDEX® flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- · Antibacterial and antimicrobial fabrics available
- CAL 133



### **Bariatric Single Seater Bench**

COM 1.5 yds 1.5 yd COM per single seat

MODEL 6201BG		GR 1 <b>1193</b>	GR 2 <b>1214</b>	GR 3 <b>1254</b>	GR 4 <b>1315</b>	GR 5 <b>1360</b>	GR 6 <b>1423</b>
End arm	s (WF/WR	or PF/PR)					
Dimensio	ONS (inches	.)					
seat H	18.0	seat W	30.0	arm H	24.0	depth	26.25
total H	24.0	total W	34.25				



Exceeds BIFMA Seating Durability Test to 750 lbs per bench CAL 133, add \$75 List per bench



COM 3.0 yds

1.5 yd COM per single seat

MODEL 6222BG		GR 1 <b>1876</b>		GR 3 <b>2000</b>	GR 4 <b>2122</b>	GR 5 <b>2214</b>	GR 6 <b>2337</b>
Arms between and at ends (WF/WR or PF/PR)							

Dimensions (inches)

seat H 18.0 seat W 30.0 arm H 24.0 depth 26.25 total H 24.0 total W 66.0

For KYDEX® flat arms add suffix K and \$363

Exceeds BIFMA Seating Durability Test to 1000 lbs per two seat bench CAL 133, add \$150 List per two seat bench







Designed for today's healthcare facilities
Freestanding Lounge Tables – Corner and Spacer Connecting Tables

#### Standard Features

- · Tops in laminate or veneer
- Select laminate tops from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge.
- Freestanding lounge tables available with PVC Flat (PVF), 2mm (2MM), exposed Baltic Birch plywood (PF, PKNR) or hardwood (HB) edge
- Connecting table tops available with PVC Flat (PVF) edge, Self edge (SE) or hardwood (HB) edge
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- · Beech legs and Beech table skirts stained the same
- · Tops utilize NU Green earth friendly core
- Threaded replaceable glides
- 18" height

Radius Corner Tables are recommended for open areas

## **Options**

- · Non-standard laminates, contact Spec for pricing
- Custom size spacer tables for restricted spaces
- · Other sizes may be available



## Freestanding Lounge Tables

Model	Laminate PVF/SE/2MM	Laminate PF/PKNR/HB	Veneer HB	Weight	Cu.Ft.
62 - 24 x 24 SQ	714	889	1025	47	7.2
62 - 24 x 48 RE	861	1048	1240	64	18
62 - 30 x 30 SQ	811	937	1084	57	13.5
62 - 22 DIA	875	1190	1373	47	7.2



## **Corner and Spacer Connecting Tables**

Model	Laminate PVF/SE	Laminate HB Edge	Veneer HB Edge	Weight	Cu.Ft.
62RC - 28 x 28 Radius Corner Table	778	1074	1259	42	2
62SC - 28 x 28 Square Corner Table	851	1033	1140	46	2
62TC - 45 degree Corner Table	778	1074	1259	40	2
62ST - 21 x 24 Spacer Table	528	747	855	27	2
62ET - 21 x 24 End Table	705	922	1032	37	2

