

LAYOUTS








# Description

- Spec's Bala offers the softer look and feel of wood, without sacrificing high durability.
- Your layout possibilities are unlimited with spacer, radius and corner tables – for both standard and bariatric seating in virtually any combination.
- Bariatric seating is a 30" wide seat and is load tested to 750 lbs. Cannot be connected to other bariatric seats.
- 21" seat width is standard.
- Standard in European Beech in any of 9 standard stains or stain-to-match at no upcharge.
- Choice of wood or polyurethane arms which are replaceable in the field.
- All models offer a choice of no center arms, half arms or full arms to the floor.
- Glides and separate seat and back are standard.
- Please send a drawing of the configuration you require with your order.
- For fabrics you wish railroaded or repeats larger than 5" x 5", please contact the factory with repeat information and yardage requirement will be provided.

#### LAYOUTS AND DIMENSIONS













# PRODUCT CODE

6 2 2 3 M - *WF* 

Collection 6 : Cooper

Series 2 : Bala Center Arm

0 : Outside Arms

1 : Half Arms

2 : Full Arms

**Number of Seats** 

1 : Single Seater

2 : Two Seater

3 : Three Seater

Chair Type

M: Mid Back H: Highback

G : Bariatric

ME : Hip Chair B : Bench

BG: Bariatric Bench

L : Loveseat

Arm Type and Profile

WF: Wood Flat WR: Wood Round

PF : Poly Flat PR : Poly Round

K: KYDEX® Flat Profile

# **OPTIONS**

# **ARM TYPE**



Polyurethane



Wood



 $\mathsf{KYDEX}^{\circledR}$ 

# PANEL ARMS



Half Panel Arm



Full Panel Arm

Note: flat polyurethane arm available in Black only.

# **FINISHES**

## **FRAME**



Select from one of our 9 standard wood stains or stainto-match at no upcharge

# **FABRIC**



Select fabrics from one of our textile partners

## **ARMS**



Black



Taupe





Select from one of our 9 standard wood stains or stain-to-match at no

See Spectone Card or specfurniture.com/materials/finishes for a complete list of finish options and colors.










# **HOW TO ORDER**



# **Specify Model**

- ♠ Specify Fabric Seat¹ Manufacturer, Pattern Name, Color
- Specify Fabric Back<sup>1</sup>
  Manufacturer, Pattern Name, Color
- Specify Frame Finish
- Specify Arm Type, Profile and Color Polyurethane (Flat or Round) / Wood (Flat or Round) / KYDEX<sup>®</sup> (\$) (Flat)

Optional: KYDEX<sup>®</sup> Arm, CAL 133, Moisture Barrier, Half or Full Panel Arms, Connecting and Freestanding Tables, Benches, Ottoman, Vinyl Headrest Insert

 $^{1}$  When multiple fabrics are specified on two and three seat chairs, please provide a drawing and legend for fabric placement.

Model	Fabric - Seat	Fabric - Back	Frame Finish	Arm Type, Profile and Color
6201M	Momentum, Beeline, Canvas	Momentum, Beeline, Canvas	Studio Teak Stain	Wood, Flat, Studio Teak Stain





Designed for today's healthcare facilities Single Seater with arms

#### Standard Features

- · Separate seat and back
- Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- Threaded replaceable glides
- · Use in connected layouts at no upcharge
- Velcro removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 15 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

## **Options**

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- Flat polyurethane arms available in Black only
- KYDEX® flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- · Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133

# Single Seater with arms

COM 1.75 yds 0.75 yd COM per single seat 1.0 yd COM per single back

6201M	1090	1180	1211	1270	1361	1429	1520
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6

Dimensions (inches)

seat H 18.0 seat W 21.0 arm H 25.0 total H 33.75 total W 25.25 depth 25.0

For KYDEX® flat arms add suffix K and \$274

Exceeds BIFMA Seating Durability Test to 500 lbs per chair CAL 133, add \$120 List per chair



Tall Free



Designed for today's healthcare facilities Two and Three Seaters with outside arms

#### Standard Features

- · Separate seat and back
- Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- Threaded replaceable glides
- · Use in connected layouts at no upcharge
- · Velcro removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 26 cu ft (2 seater), 1/carton 39 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

# **Options**

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- · Flat polyurethane arms available in Black only
- KYDEX® flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAL 133

# Two Seater with outside arms

COM 3.5 yds 0.75 yd COM per single seat 1.0 yd COM per single back

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
6202M	1570	1750	1812	1931	2112	2251	2432

Dimensions (inches)

seat H 18.0 seat W 21.0 arm H 25.0 total H 33.75 total W 46.5 depth 25.0

#### For KYDEX® flat arms add suffix K and \$274

Exceeds BIFMA Seating Durability Test to 750 lbs per two seater CAL 133, add \$240 List per two seater

#### Three Seater with outside arms

COM 5.25 yds 0.75 yd COM per single seat 1.0 yd COM per single back

6203M	2052	2325	2414	2597	2864	3072	3346
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6

Dimensions (inches)

seat H 18.0 seat W 21.0 arm H 25.0 total H 33.75 total W 67.5 depth 25.0

### For KYDEX® flat arms add suffix K and \$274

Exceeds BIFMA Seating Durability Test to 1000 lbs per three seater CAL 133, add \$360 List per three seater



66 lbs



**6203M** 92 lbs



Designed for today's healthcare facilities Two and Three Seaters with half arms

#### Standard Features

- · Separate seat and back
- Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- Threaded replaceable glides
- · Use in connected layouts at no upcharge
- · Velcro removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 26 cu ft (2 seater), 1/carton 39 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

## **Options**

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- · Flat polyurethane arms available in Black only
- KYDEX® flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- · Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133

# Two Seater with half arms

COM 3.5 yds 0.75 yd COM per single seat 1.0 yd COM per single back

6212M	2013	2194	2257	2377	2558	2693	2878
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6

Dimensions (inches)

seat H 18.0 seat W 21.0 arm H 25.0 total H 33.75 total W 48.0 depth 25.0

# For KYDEX® flat arms add suffix K and \$411

Exceeds BIFMA Seating Durability Test to 750 lbs per two seater CAL 133, add \$240 List per two seater

#### Three Seater with half arms

COM 5.25 yds 0.75 yd COM per single seat 1.0 yd COM per single back

 	GR 1 <b>3214</b>	 	 	

Dimensions (inches)

seat H 18.0 seat W 21.0 arm H 25.0 total H 33.75 total W 70.5 depth 25.0

### For KYDEX® flat arms add suffix K and \$548

Exceeds BIFMA Seating Durability Test to 1000 lbs per three seater CAL 133, add \$360 List per three seater



6212M 68 lbs



**6213M** 96 lbs



Designed for today's healthcare facilities Two and Three Seaters with full arms

#### Standard Features

- · Separate seat and back
- Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- Threaded replaceable glides
- · Use in connected layouts at no upcharge
- · Velcro removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- Ships assembled
- Ships 1/carton 26 cu ft (2 seater),
   1/carton 39 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

## **Options**

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- Flat polyurethane arms available in Black only
- KYDEX® flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- · Ctonnected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAL 133

# Two Seater with full arms

COM 3.5 yds 0.75 yd COM per single seat 1.0 yd COM per single back

MODEL		G	GR 2	2377	G. ( )	u 0	u 0
0222IVI	2013	2194	223/	23//	2000	2093	20/0

Dimensions (inches)

seat H 18.0 seat W 21.0 arm H 25.0 total H 33.75 total W 48.0 depth 25.0

For KYDEX® flat arms add suffix K and \$411

Exceeds BIFMA Seating Durability Test to 750 lbs per two seater CAL 133, add \$240 List per two seater

#### Three Seater with full arms

COM 5.25 yds 0.75 yd COM per single seat 1.0 yd COM per single back

6223M	2940	3214	3304	3484	3755	3961	4233
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6

Dimensions (inches)

seat H 18.0 seat W 21.0 arm H 25.0 total H 33.75 total W 70.5 depth 25.0

### For KYDEX® flat arms add suffix K and \$548

Exceeds BIFMA Seating Durability Test to 1000 lbs per three seater CAL 133, add \$360 List per three seater



73 lbs



6223M 99 lbs



Designed for today's healthcare facilities Loveseat with arms

#### Standard Features

- · Separate seat and back
- Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- Threaded replaceable glides
- · Use in connected layouts at no upcharge
- Velcro removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- Ships assembled
- Ships 1/carton 20 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

# **Options**

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- Flat polyurethane arms available in Black only
- KYDEX® flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- · Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133

### Loveseat with arms

COM 4.0 yds 2.0 yd COM per single seat 2.0 yd COM per single back

6201L	1700	1909	1979	2123	2330	2493	2706
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6

Dimensions (inches)

seat H 18.0 seat W 42.0 arm H 25.0 total H 33.75 total W 44.75 depth 25.0

For KYDEX® flat arms add suffix K and \$274

Exceeds BIFMA Seating Durability Test to 750 lbs per chair CAL 133, add \$184 List per chair



6201L



Designed for today's healthcare facilities Bariatric Single Seater with arms

#### Standard Features

- · Separate seat and back
- Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- Threaded replaceable glides
- · Use in connected layouts at no upcharge
- Velcro removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- Ships assembled
- Ships 1/carton 20 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

## **Options**

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- Flat polyurethane arms available in Black only
- KYDEX® flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133

# **Bariatric Single Seater with arms**

COM 3.0 yds 1.5 yd COM per single seat 1.5 yd COM per single back

6201G	1296	1477	1537	1657	1838	1975	2155
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6

Dimensions (inches)

seat H 18.0 seat W 30.0 arm H 25.0 total H 33.75 total W 34.25 depth 25.0

For KYDEX® flat arms add suffix K and \$274

Exceeds BIFMA Seating Durability Test to 750 lbs per chair CAL 133, add \$150 List per chair



**6201G** 47 lbs



Designed for today's healthcare facilities Highback Single Seater with arms — Ottoman

#### Standard Features

- · Separate seat and back
- Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- Threaded replaceable glides
- · Use in connected layouts at no upcharge
- · Velcro removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 19 cu ft
- · Ottoman ships 1/carton 5 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

## **Options**

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- Flat polyurethane arms available in Black only
- KYDEX® flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- · Vinyl insert on top of the back, add \$44 List/seat back
- · Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133



## Highback Single Seater with arms

COM 2.5 yds 0.75 yd COM per single seat 1.75 yds COM per single back

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
6201H	1166	1306	1354	1451	1591	1700	1879

Dimensions (inches)

seat H 18.0 seat W 21.0 arm H 25.0 total H 47.5 total W 25.25 depth 25.0

For KYDEX® flat arms add suffix K and \$274

Exceeds BIFMA Seating Durability Test to 500 lbs per chair CAL 133, add \$134 List per chair

#### Ottoman

0.5 yd COM per ottoman

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
6230F	494	527	541	563	601	626	675

Ottoman Dimensions (inches)

H 11.5 W 19.25 depth 12.25

CAL 133, add \$55 List



**6201H** 43 lbs



6230F 16 lbs



Designed for today's healthcare facilities Half and Full Panel Arms

To order half panel arms, add Z to model number, e.g.  $6201\boldsymbol{Z}$ 

To order full panel arms, add ZC to model number, e.g.  $6201 \mbox{ZC}$ 

Pricing is for one half panel arm, e.g. for a single seater chair with half panel arms, add two half panel arms to cost of chair

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5"x 5"

# **Options**

- · Antibacterial and antimicrobial fabrics available
- CAL 133

# Half and Full Panel Arms

COM 0.5 yds per half panel arm

MODEL <b>Z</b>	COM <b>77</b>	GR 1 <b>102</b>	GR 2 108	GR 3 124	GR 4 <b>149</b>	GR 5 <b>166</b>	GR 6 <b>193</b>
COM O.	75 yds pe	er full pan	el arm				
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6

CAL 133, add \$42 List per half panel arm / \$80 List per full panel arm







3 lbs per full panel arm



Designed for today's healthcare facilities Easy Access Hip Single Seater with arms

#### Standard Features

- · Separate seat and back
- Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- Threaded replaceable glides
- 24" seat height, no seat pitch (level)
- · Footrest which assists entering/exiting chair
- Velcro replaceable back covers
- · Replaceable seats
- Arms replaceable in the field
- · Ships assembled
- · Ships 1/carton 19 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

# **Options**

- Wood or polyurethane arms available in flat (WF or PF) or rounded (WR or PR) profile
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- · Flat polyurethane arms available in Black only
- KYDEX® flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133

# Easy Access Hip Single Seater with arms

COM 1.75 yds 0.75 yd COM per single seat 1.0 yd COM per single back

6201ME	1314	1404	1433	1493	1584	1652	1744
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6

Dimensions (inches)

seat H 24.0 seat W 21.0 arm H 32.0 total H 46.0 total W 25.25 depth 25.0

For KYDEX® flat arms add suffix K and \$274

Exceeds BIFMA Seating Durability Test to 500 lbs per chair CAL 133, add \$120 List per chair



6201ME 45 lbs



Designed for today's healthcare facilities Single and Two Seater Benches

#### **Standard Features**

- Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- · Threaded replaceable glides
- · Use in connected layouts at no upcharge
- · Velcro removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 9 cu ft (single seater),
   14 cu ft (2 seater), 21 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

## **Options**

- · Antibacterial and antimicrobial fabrics available
- CAL 133

### Single Seater Bench

COM 1.0 yds 1.0 yd COM per single seat

MODEL 6201B No arms	COM <b>855</b>	GR 1 <b>912</b>	GR 2 <b>932</b>	GR 3 <b>971</b>	GR 4 <b>1032</b>	GR 5 <b>1076</b>	GR 6 <b>1159</b>
6201B End arms	<b>1093</b> s (WF/WR o	<b>1152</b> or <i>PF/PR)</i>	1172	1212	1270	1318	1404
Dimensio seat H total H	18.0 N/A	seat W total W w/o arms	21.0 24.25	arm H total W w/end arr	24.0 25.25 ms	depth	26.25

Exceeds BIFMA Seating Durability Test to 500 lbs per bench CAL 133, add \$55 List per bench



COM 2.0 yds 1.0 vd COM per single seat

1.0 yd C	OM per si	ngle seat					
MODEL 6202B No arms	COM 1111	GR 1 <b>1229</b>	GR 2 <b>1267</b>	GR 3 <b>1348</b>	GR 4 <b>1466</b>	GR 5 <b>1555</b>	GR 6 <b>1709</b>
6202B End arm	<b>1351</b> s (WF/WR	<b>1468</b> or PF/PR)	1509	1586	1706	1795	1953
<b>6212B</b> Arms bei	<b>1695</b> tween and	<b>1815</b> at ends (	<b>1854</b> WF/WR or I	<b>1932</b> PF/PR)	2051	2140	2307
Dimension seat H total H	18.0 N/A	seat W total W w/o arms	21.0 45.25	arm H total W w/end ar	24.0 46.25 ms	depth total W w/arms b	26.25 47.75 petween

Exceeds BIFMA Seating Durability Test to 750 lbs per two seat bench CAL 133, add \$110 List per two seat bench







Designed for today's healthcare facilities Three Seater Bench

### Standard Features

- Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- · Use in connected layouts at no upcharge
- Threaded replaceable glides
- · Velcro removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 9 cu ft (single seater),
   14 cu ft (2 seater), 21 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

# **Options**

- · Antibacterial and antimicrobial fabrics available
- CAL 133

# **Three Seater Bench**

COM 3.0 yds 1.0 yd COM per single seat

MODEL 6203B No arms	COM <b>1432</b>	GR 1 <b>1609</b>	GR 2 <b>1669</b>	GR 3 <b>1787</b>	GR 4 <b>1965</b>	GR 5 <b>2100</b>	GR 6 <b>2325</b>
6203B End arms	<b>1669</b> s (WF/WR o	<b>1846</b> or <i>PF/PR)</i>	1905	2025	2203	2335	2566
<b>6213B</b> Arms bet	<b>2422</b> ween and	<b>2601</b> at ends (V	<b>2659</b> VF/WR or F	<b>2777</b> PF/PR)	2954	3090	3334
Dimensio seat H total H	ns (inches) 18.0 N/A	seat W total W w/o arms	21.0 66.25	arm H total W w/end arr	24.0 67.25 ms	depth total W w/arms b and at er	

Exceeds BIFMA Seating Durability Test to 1000 lbs per three seat bench CAL 133, add \$165 List per three seat bench







Designed for today's healthcare facilities Bariatric Single and Two Seater Benches

#### Standard Features

- Wood components in Beech, in any of 9 standard stains or stain-to-match at no upcharge
- Bariatric seating cannot connect to bariatric seating
- Threaded replaceable glides
- · Use in connected layouts at no upcharge
- · Velcro removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- Ships assembled
- Ships 1/carton 15 cu ft (single seater),
   20 cu ft (2 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

### **Options**

- Wood or polyurethane arms, in flat (WF or PF) or rounded (WR or PR) profile, 6" in height, at ends of bench and between seats
- Round polyurethane arms available in Black, Sterling Grey and Taupe (RAL 7006)
- · Flat polyurethane arms available in Black only
- KYDEX® flat arms available in Black (B) or Taupe RAL 7006 (T) or Sterling Grey (G)
- · Antibacterial and antimicrobial fabrics available
- CAL 133

## **Bariatric Single Seater Bench**

COM 1.5 yds

1.5 yd COM per single seat

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
6201BG	1259	1325	1349	1394	1462	1514	1614
End arms	(WF/WR	or PF/PR)					

Dimensions (inches)

seat H 18.0 seat W 30.0 arm H 24.0 depth 26.25 total H 24.0 total W 34.25

For KYDEX® flat arms add suffix K and \$274

Exceeds BIFMA Seating Durability Test to 750 lbs per bench CAL 133, add \$76 List per bench

### **Bariatric Two Seater Bench**

COM 3.0 yds

1.5 yd COM per single seat

		GR 1 <b>2086</b>					
OZZZBG	1932	2000	2132	2224	2333	2403	2054

Arms between and at ends (WF/WR or PF/PR)

Dimensions (inches)

seat H 18.0 seat W 30.0 arm H 24.0 depth 26.25 total H 24.0 total W 66.0

### For KYDEX® flat arms add suffix K and \$411

Exceeds BIFMA Seating Durability Test to 1000 lbs per two seat bench CAL 133, add \$152 List per two seat bench







Designed for today's healthcare facilities
Freestanding Lounge Tables – Corner and Spacer Connecting Tables

#### Standard Features

- · Tops in laminate or veneer
- Select laminate tops from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge.
- Freestanding lounge tables available with PVC Flat (PVF), 2mm (2MM), exposed Baltic Birch plywood (PF, PKNR) or hardwood (HB) edge
- Connecting table tops available with PVC Flat (PVF) edge, Self edge (SE) or hardwood (HB) edge
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- · Beech legs and Beech table skirts stained the same
- · Tops utilize NU Green earth friendly core
- Threaded replaceable glides
- 18" height

Radius Corner Tables are recommended for open areas

# **Options**

- · Non-standard laminates, contact Spec for pricing
- Custom size spacer tables for restricted spaces
- · Other sizes may be available



# Freestanding Lounge Tables

Model	Laminate PVF/SE/2MM	Laminate PF/PKNR/HB	Veneer HB	Weight	Cu.Ft.
62 - 24 x 24 SQ	813	1008	1163	47	7.2
62 - 24 x 48 RE	974	1189	1406	64	18
62 - 30 x 30 SQ	920	1062	1227	57	13.5
62 - 22 DIA	968	1328	1533	47	7.2



# **Corner and Spacer Connecting Tables**

Model	Laminate PVF/SE	Laminate HB Edge	Veneer HB Edge	Weight	Cu.Ft.
62RC - 28 x 28 Radius Corner Table	832	1116	1308	42	2
62SC - 28 x 28 Square Corner Table	909	1104	1218	46	2
62TC - 45 degree Corner Table	832	1116	1308	40	2
62ST - 21 x 24 Spacer Table	565	797	913	27	2
62ET - 21 x 24 End Table	754	986	1103	37	2

