


LAYOUTS




### Description

- Spec presents the high performance Companion Series, offering warmth, durability, value and an unbeatable array of options and features.
- Your layout possibilities are unlimited with spacer, radius and corner tables – for both standard and bariatric seating in virtually any combination.
- Bariatric seating is a 30" wide seat and is load tested to 750 lbs. Cannot be connected to other bariatric seats.
- · Velcro removable seats and backs are standard.
- 21" seat width is standard.
- Choice of wood or polyurethane arms which are replaceable in the field.
- High and medium back contours fit perfectly and provide exceptional comfort.
- All models offer a choice of no center arms, half arms or full arms to the floor.
- A 5° seat pitch is standard. An optional 7° pitch can be specified at no upcharge. A 3° pitch may be specified at an upcharge.
- 1.75" diameter wall-saving frame is standard to protect both wall and fabric.
- Rear glides and separate seat and back are standard.
- Please send a drawing of the configuration you require with your order.
- For fabrics you wish railroaded or repeats larger than 5" x 5", please contact the factory with repeat information and yardage requirement will be provided.

#### LAYOUTS AND DIMENSIONS











# PRODUCT CODE

4201M

### Series

42 : Companion

## Arm/Other

- 0 : Outside Arms
- 1 : Half Arms
- 2 : Full Arms
- 3 : Easy Access Hip Chair

#### **Number of Seats**

- 1 : Single Seater 2 : Two Seater
- 3 : Three Seater

### **Chair Type**

- M : Mid Back H: Highback G : Bariatric
- ME : Hip Chair

### OPTIONS

#### **SEAT PITCH**



3°, 5° (standard) or 7° Seat Pitch

### **ARM TYPE**



Polyurethane



Wood

#### HALF PANEL ARM



### **FINISHES**



Select from one of our 76 standard Spectone colors

#### **FABRIC**



Select fabrics from one of our textile partners

#### **ARMS**



Black



Taupe






Select from one of our 9 standard wood stains or stain-to-match at no upcharge

See Spectone Card or specfurniture.com/materials/finishes for a complete list of finish options and colors.





## HOW TO ORDER



## **Specify Model**

- ♠ Specify Fabric Seat¹
  Manufacturer, Pattern Name, Color
- Specify Fabric Back<sup>1</sup>
  Manufacturer, Pattern Name, Color
- Specify Frame Finish
- Specify Arm Type and Color

Optional: 3°/7° Seat Pitch, CAL 133, Moisture Barrier, Half Panel Arm, Connecting and Freestanding Tables, Ottoman, Vinyl Headrest Insert



 $^{1}$  When multiple fabrics are specified on two and three seat chairs, please provide a drawing and legend for fabric placement.

Model	Fabric - Seat	Fabric - Back	Frame Finish	Arm Type and Color	Seat Pitch
4201M	Momentum, Beeline, Canvas	Momentum, Beeline, Canvas	Silver	Polyurethane, Black	5°



Medium Back Single Seater with arms

#### Standard Features

- · Separate seat and back
- · Polyurethane arms or wood arms
- Fully welded 1.75" frame
- Frame in any Spectone color
- Velcro removable seat and back covers
- 5° seat pitch
- Use in connected layouts at no upcharge
- Glides
- Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 15 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

#### **Options**

- Polyurethane arms are available in Black, Sterling Grey and Taupe (RAL 7006)
- Wood arms are available in 9 standard stains and stain-tomatch at no upcharge
- 7° seat pitch at no upcharge; 3° seat pitch, add \$25 List/ seat
- Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133



# Medium Back Single Seater with arms

COM 2.0 yds 1.0 yd COM per single seat 1.0 yd COM per single back

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
4201M	1033	1136	1168	1236	1336	1412	1515

Dimensions (inches)

seat H 18.0 seat W 21.0 arm H 27.0 total H 32.5 total W 26.0 depth 27.0

Exceeds BIFMA Seating Durability Test to 500 lbs per chair CAL 133, add \$102 List per chair



**4201M** 45 lbs



Medium Back Two and Three Seaters with outside arms

#### Standard Features

- · Separate seat and back
- · Polyurethane arms or wood arms
- Fully welded 1.75" frame
- Frame in any Spectone color
- · Velcro removable seat and back covers
- 5° seat pitch
- Use in connected layouts at no upcharge
- Glides
- · Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 26 cu ft (2 seater), 1/carton 39 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

### **Options**

- Polyurethane arms are available in Black, Sterling Grey and Taupe (RAL 7006)
- Wood arms are available in 9 standard stains and stain-tomatch at no upcharge
- 7° seat pitch at no upcharge; 3° seat pitch, add \$25 List/ seat
- Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAI 133



# Medium Back Two Seater with outside arms

COM 4.0 yds 1.0 yd COM per single seat 1.0 yd COM per single back

MODEL <b>4202M</b>	COM <b>1581</b>	GR 1 <b>1784</b>	GR 2 <b>1851</b>	GR 3 <b>1985</b>	GR 4 <b>2189</b>	GR 5 <b>2341</b>	GR 6 <b>2545</b>
Dimensio	ons (inches)						
seat H	18.0	seat W	21.0	arm H	27.0		
total H	32.5	total W	47.0	depth	27.0		

Exceeds BIFMA Seating Durability Test to 500 lbs per two seater CAL 133, add \$204 List per two seater



4202M 75 lbs

# Medium Back Three Seater with outside arms

COM 6.0 yds 1.0 yd COM per single seat 1.0 yd COM per single back

4203M	2146	2448	2549	2753	3054	3288	3590
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6

Dimensions (inches)

 seat H
 18.0
 seat W
 21.0
 arm H
 27.0

 total H
 32.5
 total W
 68.0
 depth
 27.0

Exceeds BIFMA Seating Durability Test to 500 lbs per three seater CAL 133, add \$306 List per three seater



**4203M** 105 lbs



Medium Back Two and Three Seaters with half arms

#### Standard Features

- · Separate seat and back
- · Polyurethane arms or wood arms
- Fully welded 1.75" frame
- Frame in any Spectone color
- · Velcro removable seat and back covers
- 5° seat pitch
- Use in connected layouts at no upcharge
- Glides
- · Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 26 cu ft (2 seater), 1/carton 39 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

#### **Options**

- Polyurethane arms are available in Black, Sterling Grey and Taupe (RAL 7006)
- Wood arms are available in 9 standard stains and stain-tomatch at no upcharge
- 7° seat pitch at no upcharge; 3° seat pitch, add \$25 List/ seat
- Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAI 133



# Medium Back Two Seater with half arms

COM 4.0 yds 1.0 yd COM per single seat 1.0 yd COM per single back

	COM <b>1772</b>					GR 6 <b>2733</b>
Dimensio	ons (inches)					
seat H	18.0	seat W	21.0	arm H	27.0	
total H	32.5	total W	48.75	depth	27.0	

Exceeds BIFMA Seating Durability Test to 500 lbs per two seater CAL 133, add \$204 List per two seater



**4212M** 79 lbs

# Medium Back Three Seater with half arms

COM 6.0 yds 1.0 yd COM per single seat 1.0 yd COM per single back

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
4213M	2448	2750	2852	3054	3357	3590	3893

 $Dimensions \ ({\sf inches})$ 

 seat H
 18.0
 seat W
 21.0
 arm H
 27.0

 total H
 32.5
 total W
 71.5
 depth
 27.0

Exceeds BIFMA Seating Durability Test to 500 lbs per three seater CAL 133, add \$306 List per three seater



**4213M** 114 lbs



Medium Back Two and Three Seaters with full arms

#### Standard Features

- · Separate seat and back
- · Polyurethane arms or wood arms
- Fully welded 1.75" frame
- Frame in any Spectone color
- · Velcro removable seat and back covers
- 5° seat pitch
- Use in connected layouts at no upcharge
- Glides
- · Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 26 cu ft (2 seater), 1/carton 39 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

### **Options**

- Polyurethane arms are available in Black, Sterling Grey and Taupe (RAL 7006)
- Wood arms are available in 9 standard stains and stain-tomatch at no upcharge
- 7° seat pitch at no upcharge; 3° seat pitch, add \$25 List/ seat
- Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAL 133



## Medium Back Two Seater with full arms

COM 4.0 yds 1.0 yd COM per single seat 1.0 yd COM per single back

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
<b>4222M</b>	<b>1796</b>	<b>2000</b>	<b>2066</b>	<b>2201</b>	<b>2403</b>	<b>2557</b>	<b>2760</b>
Dimensions seat H	ns (inches)	seat W	21.0	arm H	27.0		

depth

27.0

Exceeds BIFMA Seating Durability Test to 500 lbs per two seater CAL 133, add \$204 List per two seater



**4222M** 82 lbs

# Medium Back Three Seater with full arms

total W 48.75

COM 6.0 yds 1.0 yd COM per single seat 1.0 yd COM per single back

		81 297				
MODEL CO	M GR	1 GR 2	GR 3	GR 4	GR 5	GR 6

 $Dimensions \ ({\sf inches})$ 

total H 32.5

seat H 18.0 seat W 21.0 arm H 27.0 total H 32.5 total W 71.5 depth 27.0

Exceeds BIFMA Seating Durability Test to 500 lbs per three seater CAL 133, add \$306 List per three seater



**4223M** 120 lbs



Medium Back Bariatric Single Seater with arms

#### Standard Features

- · Separate seat and back
- · Polyurethane arms or wood arms
- Fully welded 1.75" frame
- Frame in any Spectone color
- · Velcro removable seat and back covers
- 5° seat pitch
- Use in connected layouts at no upcharge
- Glides
- · Arms replaceable in the field
- · Cannot connect bariatric seating to bariatric seating
- Ships assembled
- · Ships 1/carton 20 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

#### **Options**

- Polyurethane arms are available in Black, Sterling Grey and Taupe (RAL 7006)
- Wood arms are available in 9 standard stains and stain-tomatch at no upcharge
- Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133



# Medium Back Bariatric Single Seater with arms

COM 3.25 yds 1.5 yd COM per single seat 1.75 yd COM per single back

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
4201G	1225	1399	1455	1570	1745	1874	2050

Dimensions (inches)

seat H 18.0 seat W 30.0 arm H 27.0 total H 32.5 total W 35.0 depth 27.0

Exceeds BIFMA Seating Durability Test to 750 lbs per chair CAL 133, add \$154 List per chair



4201G 56 lbs



Highback Single Seater with arms Ottoman

#### Standard Features

- · Separate seat and back
- · Polyurethane arms or wood arms
- Fully welded 1.75" frame
- Frame in any Spectone color
- · Velcro removable seat and back covers
- 5° seat pitch
- Use in connected layouts at no upcharge
- Glides
- Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 19 cu ft
- Ottoman ships 1/carton 5 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

### **Options**

- Polyurethane arms are available in Black, Sterling Grey and Taupe (RAL 7006)
- Wood arms are available in 9 standard stains and stain-tomatch at no upcharge
- 7° seat pitch at no upcharge; 3° seat pitch, add \$25 List/ seat
- Vinyl insert on top of the back, add \$45 List/seat back
- · Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133



# Highback Single Seater with arms

COM 2.25 yds 1.0 yd COM per single seat 1.25 yd COM per single back

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
4201H	<b>1086</b>	<b>1197</b>	<b>1236</b>	<b>1309</b>	<b>1423</b>	<b>1509</b>	<b>1618</b>
Dimensions seat H total H	ons (inches) 18.0 45.0	seat W total W	21.0 26.0	arm H depth	27.0 27.0		

Exceeds BIFMA Seating Durability Test to 500 lbs per chair CAL 133, add \$126 List per chair



0.5 yd COM per ottoman

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
4230F	379	410	421	441	474	498	530

Ottoman Dimensions (inches)

H 11.5 W 19.25 depth 12.25

CAL 133, add \$51 List



4201H 48 lbs



4230F 16 lbs



Half Panel Arm

To order half panel arms, add Z to model number, e.g.  $4201\text{H}\boldsymbol{Z}$ 

Pricing is for one half panel arm, e.g. for a single seater chair with half panel arms, add two half panel arms to cost of chair

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

## **Options**

- · Antibacterial and antimicrobial fabrics available
- CAL 133



## Half Panel Arm

COM 0.5 yds per half panel arm

COM GR 1 GR 2 GR 3 GR 4 GR 5 GR 6 Z 72 96 102 116 136 156 178

CAL 133, add \$54 List per half panel arm



1.5 lbs per half panel arm



Medium Back Easy Access Hip Single Seater with arms

#### Standard Features

- · Separate seat and back
- · Polyurethane arms or wood arms
- Fully welded 1.75" frame
- Frame in any Spectone color
- Velcro removable seat and back covers
- 24" seat height, 3° seat pitch
- Footrest which assists entering/exiting chair
- Glides
- · Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 19 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

#### **Options**

- Polyurethane arms are available in Black, Sterling Grey and Taupe (RAL 7006)
- Wood arms are available in 9 standard stains and stain-tomatch at no upcharge
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133



# Medium Back Easy Access Hip Single Seater with arms

COM 2.0 yds 1.0 yd COM per single seat 1.0 yd COM per single back

Dimensions (inches)

seat H 24.0 seat W 21.0 arm H 33.75 total H 39.75 total W 26.0 depth 27.0

Exceeds BIFMA Seating Durability Test to 500 lbs per chair CAL 133, add \$102 List per chair

**4231ME** 47 lbs





Freestanding Lounge Tables Corner and Spacer Connecting Tables

#### Standard Features

- Tops in laminate or veneer
- Select laminate tops from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge.
- Freestanding lounge tables available with PVC Flat (PVF), 2mm (2MM), exposed Baltic Birch plywood (PF, PKNR) or hardwood (HB) edge
- Connecting table tops available with PVC Flat (PVF) edge, Self edge (SE) or hardwood (HB) edge
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Fully welded frame with 1.75" steel legs
- Frame in any Spectone color
- · Tops utilize NU Green earth friendly core
- Glides
- 18" height

### **Options**

- Non-standard laminates, contact Spec for pricing
- Custom size spacer tables for restricted spaces
- Other sizes may be available



### **Freestanding Lounge Tables**

Model	Laminate PVF/SE/2MM	Laminate PF/PKNR/HB	Veneer HB	Weight	Cu.Ft.
42 - 24 DIA	703	1018	1200	27	7.2
42 - 24x24 SQ	728	902	1038	30	7.2
42 - 24x48 RE	874	1061	1252	44	18
42 - 30 DIA	792	1107	1292	37	13.5
42 - 30x30 SQ	824	950	1097	40	13.5



### **Corner and Spacer Connecting Tables**

Model	Laminate PVF/SE	Weight	Cu.Ft.
42RC - 30x30 Radius Corner Table	622	31	2
42SC - 30x30 Square Corner Table	622	32	2
42TC45 - 19x23 45 Degree Corner Tab	<b>622</b> <i>ole</i>	26	2
42ST - 21x24 Spacer or End Table	477	23	2

