LAYOUTS







Description

- Spec presents the high performance Companion Series, offering warmth, durability, value and an unbeatable array of options and features.
- Your layout possibilities are unlimited with spacer, radius and corner tables – for both standard and bariatric seating in virtually any combination.
- Bariatric seating is a 30" wide seat and is load tested to 750 lbs. Cannot be connected to other bariatric seats.
- Velcro removable seats and backs are standard.
- 21" seat width is standard.
- Choice of wood or polyurethane arms which are replaceable in the field.
- High and medium back contours fit perfectly and provide exceptional comfort.
- All models offer a choice of no center arms, half arms or full arms to the floor.
- A 5° seat pitch is standard. An optional 7° pitch can be specified at no upcharge. A 3° pitch may be specified at an upcharge.
- 1.75" diameter wall-saving frame is standard to protect both wall and fabric.
- Rear glides and separate seat and back are standard.
- Please send a drawing of the configuration you require with your order.
- For fabrics you wish railroaded or repeats larger than 5" x 5", please contact the factory with repeat information and yardage requirement will be provided.

LAYOUTS AND DIMENSIONS






spec[®]

COMPANION Lounge Seating



PRODUCT CODE



Select from one of our 9 standard wood stains or stain-to-match at no upcharge

Taupe


Select from one of our 76 standard Spectone colors

Select fabrics from one of our textile partners

See Spectone Card or specfurniture.com/materials/finishes for a complete list of finish options and colors.



HOW TO ORDER



Specify Model

- Specify Fabric Seat¹ Manufacturer, Pattern Name, Color
- B Specify Fabric Back¹ Manufacturer, Pattern Name, Color
- Specify Frame Finish
- **D** Specify Arm Type and Color

Optional: 3°/7° Seat Pitch, CAL 133, Moisture Barrier, Half Panel Arm, Connecting and Freestanding Tables, Ottoman, Vinyl Headrest Insert

 1 When multiple fabrics are specified on two and three seat chairs, please provide a drawing and legend for fabric placement.

Model		Fabric - Seat	Fabric - Back	Frame Finish	Arm Type and Color	Seat Pitch
4201	М	Momentum, Beeline, Canvas	Momentum, Beeline, Canvas	Silver	Polyurethane, Black	5°

Medium Back Single Seater with arms

Standard Features

- · Separate seat and back
- Polyurethane arms or wood arms
- Fully welded 1.75" frame
- Frame in any Spectone color
- Velcro removable seat and back covers
- 5° seat pitch
- · Use in connected layouts at no upcharge
- Glides
- Arms replaceable in the field
- Ships assembled
- Ships 1/carton 15 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Polyurethane arms are available in Black, Sterling Grey and Taupe (RAL 7006)
- Wood arms are available in 9 standard stains and stain-tomatch at no upcharge
- 7° seat pitch at no upcharge; 3° seat pitch, add \$24 List/ seat
- Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAL 133

Medium Back Single Seater with arms

1.0 yd COM per single seat 1.0 yd COM per single back			
MODEL COM GR 1 GR 2 GR 3 4201M 1171 1286 1323 1402	GR 4 1513	GR 5 1602	GR 6 1717
Dimensions (inches) seat H 18.0 seat W 21.0 arm H total H 32.5 total W 26.0 depth	27.0 27.0		

Exceeds BIFMA Seating Durability lest to 500 lbs per chai CAL 133, add \$108 List per chair



4201M 45 lbs





Medium Back Two and Three Seaters with outside arms

Standard Features

- · Separate seat and back
- Polyurethane arms or wood arms
- Fully welded 1.75" frame
- Frame in any Spectone color
- Velcro removable seat and back covers
- 5° seat pitch
- · Use in connected layouts at no upcharge
- Glides
- · Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 26 cu ft (2 seater), 1/carton 39 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Polyurethane arms are available in Black, Sterling Grey and Taupe (RAL 7006)
- Wood arms are available in 9 standard stains and stain-tomatch at no upcharge
- 7° seat pitch at no upcharge; 3° seat pitch, add \$24 List/ seat
- Connected and freestanding tables
- Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAL 133

Medium Back Two Seater with outside arms

CON	/ 4	.0 yd	S	
1.0	vd	COM	per	sin

1.0 yd COM per single seat 1.0 yd COM per single back

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
4202M	1792	2023	2100	2251	2482	2655	2884
Dimensi seat H total H	0NS (inches) 18.0 32.5		21.0 47.0	arm H depth	27.0 27.0		

Exceeds BIFMA Seating Durability Test to 500 lbs per two seater CAL 133, add \$216 List per two seater

Medium Back Three Seater with outside arms

1.0 yd C	COM 6.0 yds 1.0 yd COM per single seat 1.0 yd COM per single back									
MODEL 4203M	COM 2432	GR 1 2775	GR 2 2890	GR 3 3119	GR 4 3461	GR 5 3724	GR 6 4067			
Dimensions (inches) seat H 18.0 seat W 21.0 arm H 27.0 total H 32.5 total W 68.0 depth 27.0										

Exceeds BIFMA Seating Durability Test to 500 lbs per three seater CAL 133, add \$324 List per three seater



4202M 75 lbs





Medium Back Two and Three Seaters with half arms

Standard Features

- · Separate seat and back
- Polyurethane arms or wood arms
- Fully welded 1.75" frame
- Frame in any Spectone color
- · Velcro removable seat and back covers
- 5° seat pitch
- Use in connected layouts at no upcharge
- Glides
- · Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 26 cu ft (2 seater), 1/carton 39 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Polyurethane arms are available in Black, Sterling Grey and Taupe (RAL 7006)
- Wood arms are available in 9 standard stains and stain-tomatch at no upcharge
- 7° seat pitch at no upcharge; 3° seat pitch, add \$24 List/ seat
- Connected and freestanding tables
- Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAL 133

Medium Back Two Seater with half arms

С	ON	/ 4	.0	yds	S
1	\cap	vd	0	ער	no

1.0 yd COM per single seat 1.0 yd COM per single back

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
4212M	2006	2236	2313	2464	2693	2866	3099
seat H	10.0	seat W total W		arm H depth	27.0 27.0		

Exceeds BIFMA Seating Durability Test to 500 lbs per two seater CAL 133, add \$216 List per two seater

Medium Back Three Seater with half arms

1.0 yd C	COM 6.0 yds 1.0 yd COM per single seat 1.0 yd COM per single back									
MODEL 4213M	COM 2775	GR 1 3116	GR 2 3232	GR 3 3461	GR 4 3805	GR 5 4067	GR 6 4412			
Dimensio	ONS (inches	.)								
seat H	18.0	seat W	21.0	arm H	27.0					
total H	32.5	total W	71.5	depth	27.0					

Exceeds BIFMA Seating Durability Test to 500 lbs per three seater CAL 133, add 324 List per three seater



4212M 79 lbs



Medium Back Two and Three Seaters with full arms

Standard Features

- · Separate seat and back
- Polyurethane arms or wood arms
- Fully welded 1.75" frame
- Frame in any Spectone color
- · Velcro removable seat and back covers
- 5° seat pitch
- · Use in connected layouts at no upcharge
- Glides
- Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 26 cu ft (2 seater), 1/carton 39 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Polyurethane arms are available in Black, Sterling Grey and Taupe (RAL 7006)
- Wood arms are available in 9 standard stains and stain-tomatch at no upcharge
- 7° seat pitch at no upcharge; 3° seat pitch, add \$24 List/ seat
- Connected and freestanding tables
- Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAL 133

Medium Back Two Seater with full arms

2	OM per si	ngle seat ngle back					
MODEL 4222M	COM 2036	GR 1 2265	GR 2 2343	GR 3 2495	GR 4 2725	GR 5 2897	GR 6 3127
Dimensio seat H	ons (inches) 18.0	seat W	21.0	arm H	27.0		
total H	32.5	total W	48.75	depth	27.0		
Evoodo	RIEMA SC	ating Dur	ability Tor	+ + 500	be por tw	o costor	

Exceeds BIFMA Seating Durability Test to 500 lbs per two seater CAL 133, add \$216 List per two seater

Medium Back Three Seater with full arms

1.0 yd C	COM 6.0 yds 1.0 yd COM per single seat 1.0 yd COM per single back									
MODEL 4223M	COM 2917	GR 1 3261	GR 2 3378	GR 3 3607	GR 4 3951	GR 5 4213	GR 6 4555			
Dimensio seat H total H										

Exceeds BIFMA Seating Durability Test to 500 lbs per three seater CAL 133, add \$324 List per three seater



4222M 82 lbs



120 lbs

Medium Back Bariatric Single Seater with arms

Standard Features

- · Separate seat and back
- Polyurethane arms or wood arms
- Fully welded 1.75" frame
- Frame in any Spectone color
- · Velcro removable seat and back covers
- 5° seat pitch
- · Use in connected layouts at no upcharge
- Glides
- Arms replaceable in the field
- · Cannot connect bariatric seating to bariatric seating
- Ships assembled
- Ships 1/carton 20 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Medium Back Bariatric Single Seater with arms

Options

- Polyurethane arms are available in Black, Sterling Grey and Taupe (RAL 7006)
- Wood arms are available in 9 standard stains and stain-tomatch at no upcharge
- Connected and freestanding tables
- Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAL 133

GR 6 2323

COM 3.25 yds 1.5 yd COM per single seat 1.75 yd COM per single back								
MODEL 4201G	COM 1387	GR 1 1583	GR 2 1648	GR 3 1780	GR 4 1975	GR 5 2126		
Dimensi	ONS (inches	5)						

DIMENSIONS (Inches)									
seat H	18.0	seat W	30.0	arm H	27.0				
total H	32.5	total W	35.0	depth	27.0				

Exceeds BIFMA Seating Durability Test to 750 lbs per chair CAL 133, add \$163 List per chair



4201G 56 lbs



Highback Single Seater with arms Ottoman

Standard Features

- · Separate seat and back
- Polyurethane arms or wood arms
- Fully welded 1.75" frame
- Frame in any Spectone color
- Velcro removable seat and back covers
- 5° seat pitch
- Use in connected layouts at no upcharge
- Glides
- Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 19 cu ft
- Ottoman ships 1/carton 5 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than $5" \times 5"$

Options

- Polyurethane arms are available in Black, Sterling Grey and Taupe (RAL 7006)
- Wood arms are available in 9 standard stains and stain-tomatch at no upcharge
- 7° seat pitch at no upcharge; 3° seat pitch, add \$24 List/ seat
- Vinyl insert on top of the back, add \$44 List/seat back
- Connected and freestanding tables
- Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAL 133

Highback Single Seater with arms

COM 2.25 yds 1.0 yd COM per single seat 1.25 yd COM per single back									
MODEL 4201H	COM 1232	GR 1 1358	GR 2 1402	GR 3 1485	GR 4 1612	GR 5 1708	GR 6 1834		
Dimensions (inches)									
seat H	18.0	seat W	21.0	arm H	27.0				
total H	45.0	total W	26.0	depth	27.0				
Exceeds BIFMA Seating Durability Test to 500 lbs per chair									

CAL 133, add \$134 List per chair

Ottoman									
0.5 yd (COM per c	ottoman							
MODEL 4230F	COM 422	GR 1 456	GR 2 468	GR 3 492	GR 4 527	GR 5 555	GR 6 602		
Ottoman Dimensions (inches) H 11.5 W 19.25 depth 12.25 CAL 133, add \$55 List									



4201H 48 lbs





Half Panel Arm

To order half panel arms, add Z to model number, e.g. 4201H \pmb{Z}

Pricing is for one half panel arm, e.g. for a single seater chair with half panel arms, add two half panel arms to cost of chair

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than $5" \times 5"$

Options

- · Antibacterial and antimicrobial fabrics available
- CAL 133

COM O.	5 yds per	r half pane	el arm				
MODEL Z	сом 94	GR 1 127	GR 2 137	GR 3 165	GR 4 207	GR 5 233	GR 6 261
CAL 13:	3, add \$!	51 List pe	r half pan	el arm			



1.5 lbs per half panel arm





Medium Back Easy Access Hip Single Seater with arms

Standard Features

- · Separate seat and back
- Polyurethane arms or wood arms
- Fully welded 1.75" frame
- Frame in any Spectone color
- · Velcro removable seat and back covers
- 24" seat height, 3° seat pitch
- Footrest which assists entering/exiting chair
- Glides
- Arms replaceable in the field
- Ships assembled
- Ships 1/carton 19 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Polyurethane arms are available in Black, Sterling Grey and Taupe (RAL 7006)
- Wood arms are available in 9 standard stains and stain-tomatch at no upcharge
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133

Medium Back Easy Access Hip Single Seater with arms

COM 2.0 yds 1.0 yd COM per single seat 1.0 yd COM per single back								
MODEL 4231ME	COM 1280	GR 1 1395	GR 2 1431	GR 3 1510	GR 4 1622	GR 5 1710	GR 6 1825	
Dimensi seat H total H	ons (inches) 24.0 39.75	seat W total W	21.0 26.0	arm H depth	33.75 27.0			
Exceeds BIFMA Seating Durability Test to 500 lbs per chair CAL 133, add \$108 List per chair								



4231ME 47 lbs



Freestanding Lounge Tables Corner and Spacer Connecting Tables

Standard Features

- Tops in laminate or veneer
- Select laminate tops from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge.
- Freestanding lounge tables available with PVC Flat (PVF), 2mm (2MM), exposed Baltic Birch plywood (PF, PKNR) or hardwood (HB) edge
- Connecting table tops available with PVC Flat (PVF) edge, Self edge (SE) or hardwood (HB) edge
- 9 standard veneer and hardwood edge stains. Stain-tomatch available at no upcharge.
- Fully welded frame with 1.75" steel legs
- Frame in any Spectone color
- Tops utilize NU Green earth friendly core
- Glides
- 18" height

Options

- · Non-standard laminates, contact Spec for pricing
- Custom size spacer tables for restricted spaces
- · Other sizes may be available

Freestanding Lounge Tables

Model	Laminate PVF/SE/2MM	Laminate PF/PKNR/HB	Veneer HB	Weight	Cu.Ft.
42 - 24 DIA	795	1154	1359	27	7.2
42 - 24x24 SQ	826	1021	1175	30	7.2
42 - 24x48 RE	988	1202	1420	44	18
42 - 30 DIA	899	1253	1463	37	13.5
42 - 30x30 SQ	933	1074	1241	40	13.5



Corner and Spacer Connecting Tables

Model	Laminate PVF/SE	Weight	Cu.Ft.
42RC - 30x30 Radius Corner Table	704	31	2
42SC - 30x30 Square Corner Table	704	32	2
42TC45 - 19x23 45 Degree Corner Tal	704 <i>ole</i>	26	2
42ST - 21x24 Spacer or End Table	542	23	2

