

# CONDUCTOR TABLES



## PRODUCT CODE

**2430 RE CT**

### Top Size

Width x Length

### Top Shape

- D : Round
- SQ : Square
- RE : Rectangle
- RT : Racetrack
- B : Bullet
- H : Halfmoon
- TP : Trapezoid
- RC90 : Radius (*connector*)
- TC90 : Triangle (*connector*)
- CRC90 : Crescent (*connector*)
- BT : Boatshape
- BTA : Boatshape Arc

### Series

Conductor

### Base

- X : X-Base
- X4 : 4 Column X-Base
- T : T-Base
- T2 : Double Column T-Base
- T2D : T2 with Door
- C : C-Base



## OPTIONS

### FLIP TOP



### CASTERS




### FOLDING



## FINISHES

### LAMINATE



Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge

### VENEER




Select from one of our 9 standard wood stains or stain-to-match at no upcharge

### BASE



Select from one of our 76 standard Spectone colors

### EDGE




Check out our website for a complete list of edge profiles.

See Spectone Card or [specfurniture.com/materials/finishes](http://specfurniture.com/materials/finishes) for a complete list of finish options and colors.

# CONDUCTOR TABLES

## HOW TO ORDER



### Specify Top Size (Width x Length) and Shape

- A** Specify Top Type and Finish  
*For Laminate Top: Manufacturer, Laminate Name, Laminate Code*  
*For Veneer Top: Wood Stain*
- B** Specify Edge Type, (for hardwood: Style), and Finish  
*PVC Flat/2mm Bio/2mm PVC Woodgrain/Self Edge/Hardwood*
- C** Specify Base Style and Finish

Optional: Flip Top, Fold, Bar Height, Hard Casters, Soft Casters, Wheelbarrow Wheels, Grommets, Seam Connectors, Modesty Panels, Adjustable Height, Power and Data Modules, Custom Solutions

Restrictions may apply. See price list tables below for more information.



| Top Size and Shape | Top Type and Finish             | Edge Type, Style and Finish            | Base Style and Finish |
|--------------------|---------------------------------|--|-----------------------|
| 24 x 72, Rectangle | Laminate, Arborite, Brown Sugar | Hardwood, HF, Custom Brown Sugar Stain | CT, Silver            |



# CONDUCTOR TABLES GENERAL PURPOSE



| MODEL         | BASES |      | TOP SPECIFICATIONS |          |                    |                                     |                                |                                     | OPTIONS       |                   |                   | LBS |
|---------------|-------|------|--------------------|----------|--------------------|-------------------------------------|--------------------------------|-------------------------------------|---------------|-------------------|-------------------|-----|
|               | Code  | Qty. | For Laminate Top   |          |                    | For Veneer Top                      |                                |                                     | FLIP TOP (FT) | HARD CASTERS (HC) | SOFT CASTERS (SC) |     |
|               |       |      | SE<br>PVF<br>2MM   | HF<br>HB | HBV<br>HBVR<br>HBG | HF2<br>HB2<br>HKN4<br>HKNR4<br>HBG2 | HF<br>HB<br>HBV<br>HBVR<br>HBG | HF2<br>HB2<br>HKN4<br>HKNR4<br>HBG2 |               |                   |                   |     |
| <i>Round</i>  |       |      |                    |          |                    |                                     |                                |                                     |               |                   |                   |     |
| 24D           | CX    | 1    | 587                | 933      | 969                | 1074                                | 1130                           | 1238                                | 148           | 92                | 196               | 34  |
| 30D           | CX    | 1    | 687                | 1028     | 1074               | 1283                                | 1230                           | 1388                                | 148           | 92                | 196               | 44  |
| 36D           | CX    | 1    | 782                | 1276     | 1363               | 1534                                | 1586                           | 1806                                | 148           | 92                | 196               | 55  |
| 42D           | CX    | 1    | 1056               | 1610     | 1729               | 1984                                | 2009                           | 2310                                |               |                   |                   | 69  |
|               | CX4   | 1    | 1204               | 1758     | 1877               | 2132                                | 2157                           | 2458                                |               | 92                | 196               | 77  |
| 48D           | CX4   | 1    | 1226               | 1970     | 2100               | 2226                                | 2682                           | 3069                                |               | 92                | 196               | 93  |
| 54D           | CX4   | 1    | 1505               | 2601     | 2803               | 2996                                | 3223                           | 3719                                |               |                   |                   | 111 |
| 60D           | CX4   | 1    | 1551               | 2796     | 3011               | 3174                                | 3833                           | 4450                                |               |                   |                   | 130 |
| <i>Square</i> |       |      |                    |          |                    |                                     |                                |                                     |               |                   |                   |     |
| 24 x 24SQ     | CX    | 1    | 617                | 804      | 840                | 905                                 | 953                            | 1114                                | 148           | 92                | 196               | 34  |
| 30 x 30SQ     | CX    | 1    | 720                | 856      | 905                | 1078                                | 1015                           | 1238                                | 148           | 92                | 196               | 44  |
| 36 x 36SQ     | CX    | 1    | 800                | 1014     | 1074               | 1276                                | 1283                           | 1476                                | 148           | 92                | 196               | 55  |
| 42 x 42SQ     | CX4   | 1    | 1218               | 1528     | 1624               | 1720                                | 1786                           | 2049                                |               | 92                | 196               | 77  |
| 48 x 48SQ     | CX4   | 1    | 1366               | 1638     | 1739               | 1784                                | 2148                           | 2487                                |               | 92                | 196               | 93  |
| 54 x 54SQ     | CX4   | 1    | 1508               | 2108     | 2266               | 2449                                | 2549                           | 2988                                |               |                   |                   | 111 |
| 60 x 60SQ     | CX4   | 1    | 1537               | 2210     | 2378               | 2562                                | 3009                           | 3541                                |               |                   |                   | 130 |



30D-CX



42D-CX4

### STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.

### OPTIONS

- Custom heights available.
- For applicable Power & Data modules, please see Table Accessories Price List.

### HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

**Example:** 24D - CX - PVF -





# CONDUCTOR TABLES GENERAL PURPOSE

| MODEL            | BASES |      | TOP SPECIFICATIONS |       |              |                    |                    |                    | OPTIONS       |            |         |     | LBS       |             |
|------------------|-------|------|--------------------|-------|--------------|--------------------|--------------------|--------------------|---------------|------------|---------|-----|-----------|-------------|
|                  | Code  | Qty. | For Laminate Top   |       |              | For Veneer Top     |                    |                    | FLIP TOP (FT) | FOLD* (FL) | CASTERS |     |           | WHEELS (WB) |
|                  |       |      | SE PVF 2MM         | HF HB | HBV HBVR HBG | HF2 HB2 HKNR4 HBG2 | HF HB HBV HBVR HBG | HF2 HB2 HKNR4 HBG2 |               |            |         |     | HARD (HC) |             |
| <i>Rectangle</i> |       |      |                    |       |              |                    |                    |                    |               |            |         |     |           |             |
| 24 x 30RE        | CX    | 1    | 709                | 836   | 883          | 949                | 1000               | 1126               | 148           |            |         |     |           | 43          |
|                  | CT    | 2    | 782                | 909   | 956          | 1022               | 1073               | 1199               | 298           |            | 92      | 196 | 91        | 52          |
| 24 x 36RE        | CX    | 1    | 709                | 836   | 883          | 949                | 1000               | 1126               | 148           |            |         |     |           | 43          |
|                  | CT    | 2    | 782                | 909   | 956          | 1022               | 1073               | 1199               | 298           |            | 92      | 196 | 91        | 52          |
| 24 x 42RE        | CT    | 2    | 845                | 1051  | 1105         | 1202               | 1261               | 1435               | 298           |            | 92      | 196 | 91        | 60          |
| 24 x 48RE        | CT    | 2    | 845                | 1051  | 1105         | 1202               | 1261               | 1435               | 298           |            | 92      | 196 | 91        | 60          |
| 24 x 54RE        | CT    | 2    | 903                | 1204  | 1272         | 1383               | 1467               | 1680               | 298           |            | 92      | 196 | 91        | 68          |
| 24 x 60RE        | CT    | 2    | 903                | 1204  | 1272         | 1383               | 1467               | 1680               | 298           | 286        | 92      | 196 | 91        | 68          |
| 24 x 66RE        | CT    | 2    | 1046               | 1408  | 1491         | 1627               | 1715               | 1976               | 298           | 286        | 92      | 196 | 91        | 77          |
| 24 x 72RE        | CT    | 2    | 1046               | 1408  | 1491         | 1627               | 1715               | 1976               | 298           | 286        | 92      | 196 | 91        | 77          |
| 30 x 36RE        | CX    | 1    | 800                | 949   | 1001         | 1086               | 1146               | 1298               | 148           |            |         |     |           | 49          |
|                  | CT    | 2    | 873                | 1022  | 1074         | 1159               | 1219               | 1371               | 298           |            | 92      | 196 | 91        | 58          |
| 30 x 42RE        | CT    | 2    | 894                | 1176  | 1241         | 1352               | 1435               | 1647               | 298           |            | 92      | 196 | 91        | 68          |
| 30 x 48RE        | CT    | 2    | 894                | 1176  | 1241         | 1352               | 1435               | 1647               | 298           |            | 92      | 196 | 91        | 68          |
| 30 x 54RE        | CT    | 2    | 952                | 1337  | 1421         | 1580               | 1675               | 1940               | 298           |            | 92      | 196 | 91        | 79          |
| 30 x 60RE        | CT    | 2    | 952                | 1337  | 1421         | 1580               | 1675               | 1940               | 298           | 286        | 92      | 196 | 91        | 79          |
| 30 x 66RE        | CT    | 2    | 1122               | 1434  | 1536         | 1697               | 1789               | 2082               | 298           | 286        | 92      | 196 | 91        | 89          |
| 30 x 72RE        | CT    | 2    | 1177               | 1584  | 1687         | 1895               | 2003               | 2326               | 298           | 286        | 92      | 196 | 91        | 89          |
| 30 x 78RE        | CT    | 2    | 1397               | 1757  | 1879         | 2121               | 2248               | 2619               | 298           | 286        | 92      | 196 |           | 100         |
| 30 x 84RE        | CT    | 2    | 1397               | 1757  | 1879         | 2121               | 2248               | 2619               | 298           | 286        | 92      | 196 |           | 100         |
| 30 x 90RE        | CT    | 2    | 1418               | 1974  | 2121         | 2344               | 2494               | 2917               |               | 286        | 92      | 196 | 91        | 110         |
| 30 x 96RE        | CT    | 2    | 1418               | 1974  | 2121         | 2344               | 2494               | 2917               |               | 286        | 92      | 196 | 91        | 110         |

\*Folding tables available with PVC Flat (PVF) edge only.



### STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.

### OPTIONS

- Custom heights available.
- For applicable Power & Data modules, please see Table Accessories Price List.

### HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

**Example:** 2430RE - CX - PVF -





# CONDUCTOR TABLES GENERAL PURPOSE

| MODEL            | BASES |      | TOP SPECIFICATIONS |          |                    |                                     |                                |                                     | OPTIONS       |            |         |     | LBS       |             |
|------------------|-------|------|--------------------|----------|--------------------|-------------------------------------|--------------------------------|-------------------------------------|---------------|------------|---------|-----|-----------|-------------|
|                  | Code  | Qty. | For Laminate Top   |          |                    | For Veneer Top                      |                                |                                     | FLIP TOP (FT) | FOLD* (FL) | CASTERS |     |           | WHEELS (WB) |
|                  |       |      | SE<br>PVF<br>2MM   | HF<br>HB | HBV<br>HBVR<br>HBG | HF2<br>HB2<br>HKN4<br>HKNR4<br>HBG2 | HF<br>HB<br>HBV<br>HBVR<br>HBG | HF2<br>HB2<br>HKN4<br>HKNR4<br>HBG2 |               |            |         |     | HARD (HC) |             |
| <i>Rectangle</i> |       |      |                    |          |                    |                                     |                                |                                     |               |            |         |     |           |             |
| 36 x 42RE        | CT    | 2    | 992                | 1204     | 1285               | 1396                                | 1482                           | 1704                                | 298           |            | 92      | 196 | 91        | 77          |
| 36 x 48RE        | CT    | 2    | 1016               | 1316     | 1403               | 1536                                | 1624                           | 1884                                | 298           |            | 92      | 196 | 91        | 77          |
| 36 x 60RE        | CT    | 2    | 1111               | 1528     | 1634               | 1803                                | 1910                           | 2235                                | 298           | 286        | 92      | 196 | 91        | 89          |
| 36 x 66RE        | CT    | 2    | 1198               | 1630     | 1752               | 1938                                | 2055                           | 2412                                |               | 286        | 92      | 196 | 91        | 102         |
|                  | CT2   | 2    | 1378               | 1810     | 1932               | 2118                                | 2235                           | 2592                                |               | 574        | 92      | 196 |           | 112         |
| 36 x 72RE        | CT    | 2    | 1235               | 1687     | 1803               | 2072                                | 2202                           | 2588                                |               | 286        | 92      | 196 | 91        | 102         |
|                  | CT2   | 2    | 1415               | 1867     | 1983               | 2252                                | 2382                           | 2768                                |               | 574        | 92      | 196 |           | 112         |
| 36 x 78RE        | CT    | 2    | 1563               | 2047     | 2199               | 2432                                | 2584                           | 3039                                |               |            | 92      | 196 | 91        | 115         |
|                  | CT2   | 2    | 1743               | 2227     | 2379               | 2612                                | 2764                           | 3219                                |               | 574        | 92      | 196 |           | 125         |
| 36 x 84RE        | CT    | 2    | 1563               | 2047     | 2199               | 2432                                | 2584                           | 3039                                |               |            | 92      | 196 | 91        | 115         |
|                  | CT2   | 2    | 1743               | 2227     | 2379               | 2612                                | 2764                           | 3219                                |               | 574        | 92      | 196 |           | 125         |
| 36 x 90RE        | CT    | 2    | 1570               | 2259     | 2432               | 2704                                | 2879                           | 3383                                |               |            | 92      | 196 | 91        | 127         |
|                  | CT2   | 2    | 1750               | 2439     | 2612               | 2884                                | 3059                           | 3563                                |               | 574        | 92      | 196 |           | 137         |
| 36 x 96RE        | CT    | 2    | 1570               | 2259     | 2432               | 2704                                | 2879                           | 3383                                |               |            | 92      | 196 | 91        | 127         |
|                  | CT2   | 2    | 1750               | 2439     | 2612               | 2884                                | 3059                           | 3563                                |               | 574        | 92      | 196 |           | 137         |
| 42 x 78RE        | CT2   | 2    | 1981               | 2397     | 2563               | 2965                                | 3097                           | 3624                                |               | 574        | 92      | 196 |           | 139         |
|                  | CT2D  | 2    | 3165               | 3581     | 3747               | 4149                                | 4281                           | 4808                                |               |            |         |     |           | 153         |
| 42 x 84RE        | CT2   | 2    | 1981               | 2397     | 2563               | 2965                                | 3097                           | 3624                                |               | 574        | 92      | 196 |           | 139         |
|                  | CT2D  | 2    | 3165               | 3581     | 3747               | 4149                                | 4281                           | 4808                                |               |            |         |     |           | 153         |

\*Folding tables available with PVC Flat (PVF) edge only.



2448RE-CT

### STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.

### OPTIONS

- Custom heights available.
- For applicable Power & Data modules, please see Table Accessories Price List.

### HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

**Example:** 3642RE - CT - PVF -





# CONDUCTOR TABLES GENERAL PURPOSE

| MODEL            | BASES |      | TOP SPECIFICATIONS |       |              |                         |                    |                         | OPTIONS       |         |           | LBS       |             |
|------------------|-------|------|--------------------|-------|--------------|-------------------------|--------------------|-------------------------|---------------|---------|-----------|-----------|-------------|
|                  | Code  | Qty. | For Laminate Top   |       |              | For Veneer Top          |                    |                         | FLIP TOP (FT) | CASTERS |           |           | WHEELS (WB) |
|                  |       |      | SE PVF 2MM         | HF HB | HBV HBVR HBG | HF2 HB2 HKN4 HKNR4 HBG2 | HF HB HBV HBVR HBG | HF2 HB2 HKN4 HKNR4 HBG2 |               |         | HARD (HC) | SOFT (SC) |             |
| <i>Racetrack</i> |       |      |                    |       |              |                         |                    |                         |               |         |           |           |             |
| 36 x 54RT        | CT    | 2    | 1166               | 1715  | 1843         | 2072                    | 2166               | 2501                    | 298           | 92      | 196       | 91        | 89          |
|                  | CT2   | 2    | 1346               | 1895  | 2023         | 2252                    | 2346               | 2681                    |               | 92      | 196       | 91        | 99          |
| 36 x 60RT        | CT    | 2    | 1166               | 1715  | 1843         | 2072                    | 2166               | 2501                    | 298           | 92      | 196       | 91        | 89          |
|                  | CT2   | 2    | 1346               | 1895  | 2023         | 2252                    | 2346               | 2681                    |               | 92      | 196       | 91        | 99          |
| 36 x 66RT        | CT    | 2    | 1321               | 1895  | 2033         | 2278                    | 2494               | 2913                    | 298           | 92      | 196       | 91        | 102         |
|                  | CT2   | 2    | 1501               | 2075  | 2213         | 2458                    | 2674               | 3093                    |               | 92      | 196       | 91        | 112         |
| 36 x 72RT        | CT    | 2    | 1321               | 1895  | 2033         | 2278                    | 2494               | 2913                    | 298           | 92      | 196       | 91        | 102         |
|                  | CT2   | 2    | 1501               | 2075  | 2213         | 2458                    | 2674               | 3093                    |               | 92      | 196       | 91        | 112         |
| 36 x 78RT        | CT    | 2    | 1580               | 2309  | 2479         | 2850                    | 2927               | 3416                    |               | 92      | 196       | 91        | 115         |
|                  | CT2   | 2    | 1760               | 2489  | 2659         | 3030                    | 3107               | 3596                    |               | 92      | 196       | 91        | 125         |
| 36 x 84RT        | CT    | 2    | 1580               | 2309  | 2479         | 2850                    | 2927               | 3416                    |               | 92      | 196       | 91        | 115         |
|                  | CT2   | 2    | 1760               | 2489  | 2659         | 3030                    | 3107               | 3596                    |               | 92      | 196       | 91        | 125         |
| 36 x 90RT        | CT    | 2    | 1584               | 2556  | 2759         | 3174                    | 3271               | 3827                    |               | 92      | 196       | 91        | 127         |
|                  | CT2   | 2    | 1764               | 2736  | 2939         | 3354                    | 3451               | 4007                    |               | 92      | 196       | 91        | 137         |
| 36 x 96RT        | CT    | 2    | 1584               | 2556  | 2759         | 3174                    | 3271               | 3827                    |               | 92      | 196       | 91        | 127         |
|                  | CT2   | 2    | 1764               | 2736  | 2939         | 3354                    | 3451               | 4007                    |               | 92      | 196       | 91        | 137         |
| 42 x 78RT        | CT2   | 2    | 1996               | 2685  | 2894         | 3313                    | 3414               | 3976                    |               | 92      | 196       | 91        | 154         |
|                  | CT2D  | 2    | 3180               | 3869  | 4078         | 4497                    | 4598               | 5160                    |               |         |           |           | 168         |
| 42 x 84RT        | CT2   | 2    | 1996               | 2685  | 2894         | 3313                    | 3414               | 3976                    |               | 92      | 196       | 91        | 154         |
|                  | CT2D  | 2    | 3180               | 3869  | 4078         | 4497                    | 4598               | 5160                    |               |         |           |           | 168         |
| 48 x 78RT        | CT2   | 2    | 1999               | 2981  | 3218         | 3589                    | 3821               | 4459                    |               | 92      | 196       | 91        | 154         |
|                  | CT2D  | 2    | 3183               | 4165  | 4402         | 4773                    | 5005               | 5643                    |               |         |           |           | 168         |
| 48 x 84RT        | CT2   | 2    | 1999               | 2981  | 3218         | 3589                    | 3821               | 4459                    |               | 92      | 196       | 91        | 154         |
|                  | CT2D  | 2    | 3183               | 4165  | 4402         | 4773                    | 5005               | 5643                    |               |         |           |           | 168         |



2448RE-CT

### STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.

### OPTIONS

- Custom heights available.
- For applicable Power & Data modules, please see Table Accessories Price List.

### HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

**Example:** 3654RT - CT - PVF -





# CONDUCTOR TABLES GENERAL PURPOSE



| MODEL                       | BASES        |      | TOP SPECIFICATIONS |       |              |                    |                    |                    | OPTIONS       |                             |             | LBS |     |
|-----------------------------|--------------|------|--------------------|-------|--------------|--------------------|--------------------|--------------------|---------------|-----------------------------|-------------|-----|-----|
|                             | Code         | Qty. | For Laminate Top   |       |              | For Veneer Top     |                    |                    | FLIP TOP (FT) | CASTERS HARD (HC) SOFT (SC) | WHEELS (WB) |     |     |
|                             |              |      | SE PVF 2MM         | HF HB | HBV HBVR HBG | HF2 HB2 HKNR4 HBG2 | HF HB HBV HBVR HBG | HF2 HB2 HKNR4 HBG2 |               |                             |             |     |     |
| <i>Bullet</i>               |              |      |                    |       |              |                    |                    |                    |               |                             |             |     |     |
| 30 x 54B                    | CT           | 2    | 1069               | 1616  | 1730         | 1930               | 1990               | 2321               | 298           | 92                          | 196         | 91  | 79  |
| 30 x 60B                    | CT           | 2    | 1069               | 1616  | 1730         | 1930               | 1990               | 2321               | 298           | 92                          | 196         | 91  | 79  |
| 36 x 54B                    | CT           | 2    | 1187               | 2107  | 2270         | 2563               | 2603               | 3020               |               | 92                          | 196         | 91  | 89  |
| 36 x 60B                    | CT           | 2    | 1187               | 2107  | 2270         | 2563               | 2603               | 3020               |               | 92                          | 196         | 91  | 89  |
| 36 x 72B                    | CT           | 2    | 1320               | 2337  | 2517         | 2830               | 3012               | 3535               |               | 92                          | 196         | 91  | 102 |
| <i>Halfmoon</i>             |              |      |                    |       |              |                    |                    |                    |               |                             |             |     |     |
| 24 x 48H                    | CC           | 2    | 782                | 1276  | 1400         | 1550               | 1672               | 1953               |               | 92                          | 196         |     | 56  |
|                             | CT           | 2    | 862                | 1356  | 1480         | 1630               | 1752               | 2033               | 298           | 92                          | 196         | 91  | 60  |
| 30 x 60H                    | CC           | 2    | 989                | 1724  | 1895         | 2064               | 2275               | 2676               |               | 92                          | 196         |     | 75  |
|                             | CT           | 2    | 1069               | 1804  | 1975         | 2144               | 2355               | 2756               | 298           | 92                          | 196         | 91  | 79  |
| 36 x 72H                    | CT           | 2    | 1320               | 2324  | 2546         | 2753               | 3097               | 3639               |               |                             |             | 91  | 102 |
| <i>Trapezoid</i>            |              |      |                    |       |              |                    |                    |                    |               |                             |             |     |     |
| 30 x 60TP                   | CC           | 2    | 989                | 1442  | 1547         | 1729               | 1782               | 2089               |               | 92                          | 196         |     | 75  |
|                             | CT           | 2    | 1069               | 1522  | 1627         | 1809               | 1862               | 2169               |               | 92                          | 196         |     | 79  |
| 36 x 72TP                   | CC           | 2    | 1240               | 1854  | 1993         | 2308               | 2387               | 2829               |               | 92                          | 196         |     | 98  |
|                             | CT           | 2    | 1320               | 1934  | 2073         | 2388               | 2467               | 2909               |               | 92                          | 196         |     | 102 |
| <i>Radius (connector)</i>   |              |      |                    |       |              |                    |                    |                    |               |                             |             |     |     |
| 24 x 24                     | 24RC90       | -    | 380                | 689   | 779          | 893                | 915                | 1096               |               |                             |             |     | 17  |
| 30 x 30                     | 30RC90       | -    | 485                | 912   | 1025         | 1149               | 1214               | 1457               |               |                             |             |     | 27  |
| <i>Crescent (connector)</i> |              |      |                    |       |              |                    |                    |                    |               |                             |             |     |     |
| 30 x 36                     | 3036CRC90-CT | 1    | 801                | 1460  | 1544         | 1609               | 1819               | 2049               |               |                             |             |     | 45  |
| 36 x 42                     | 3642CRC90-CT | 1    | 1150               | 1769  | 1883         | 1969               | 2257               | 2569               |               |                             |             |     | 58  |



2448RE-CT

### STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.

### OPTIONS

- Custom heights available.
- For applicable Power & Data modules, please see Table Accessories Price List.

### HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

Example: 3054B - CT - PVF -





# CONDUCTOR TABLES TRAINING



|                             | Code   | Qty. | For Laminate Top |      |      | For Veneer Top |      | FLIP TOP (FT) | FOLD (FL) | CASTERS   |           | WHEELS (WB) |    |
|-----------------------------|--------|------|------------------|------|------|----------------|------|---------------|-----------|-----------|-----------|-------------|----|
|                             |        |      | PVF 2MM          | HF   | HKN1 | HF             | HKN1 |               |           | HARD (HC) | SOFT (SC) |             |    |
| <i>Rectangle</i>            |        |      |                  |      |      |                |      |               |           |           |           |             |    |
| 18 X 42RE                   | CC     | 2    | 721              | 904  | 1031 | 1087           | 1234 |               |           | 92        | 196       | 91          | 48 |
| 18 X 48RE                   | CC     | 2    | 721              | 904  | 1031 | 1087           | 1234 |               |           | 92        | 196       | 91          | 48 |
| 18 X 54RE                   | CC     | 2    | 765              | 971  | 1122 | 1181           | 1355 |               |           | 92        | 196       | 91          | 54 |
| 18 X 60RE                   | CC     | 2    | 765              | 971  | 1122 | 1181           | 1355 |               | 286       | 92        | 196       | 91          | 54 |
| 18 X 66RE                   | CC     | 2    | 823              | 1124 | 1303 | 1387           | 1600 |               | 286       | 92        | 196       | 91          | 60 |
| 18 X 72RE                   | CC     | 2    | 823              | 1124 | 1303 | 1387           | 1600 |               | 286       | 92        | 196       | 91          | 60 |
| 24 X 42RE                   | CC     | 2    | 765              | 971  | 1122 | 1181           | 1355 |               |           | 92        | 196       | 91          | 56 |
| 24 X 48RE                   | CC     | 2    | 765              | 971  | 1122 | 1181           | 1355 |               |           | 92        | 196       | 91          | 56 |
| 24 X 54RE                   | CC     | 2    | 823              | 1124 | 1303 | 1387           | 1600 |               |           | 92        | 196       | 91          | 64 |
| 24 X 60RE                   | CC     | 2    | 823              | 1124 | 1303 | 1387           | 1600 |               | 286       | 92        | 196       | 91          | 64 |
| 24 X 66RE                   | CC     | 2    | 966              | 1328 | 1547 | 1635           | 1896 |               | 286       | 92        | 196       | 91          | 73 |
| 24 X 72RE                   | CC     | 2    | 966              | 1328 | 1547 | 1635           | 1896 |               | 286       | 92        | 196       | 91          | 73 |
| 30 X 42RE                   | CC     | 2    | 814              | 1096 | 1272 | 1355           | 1567 |               |           | 92        | 196       | 91          | 64 |
| 30 X 48RE                   | CC     | 2    | 814              | 1096 | 1272 | 1355           | 1567 |               |           | 92        | 196       | 91          | 64 |
| 30 X 54RE                   | CC     | 2    | 872              | 1257 | 1500 | 1595           | 1860 |               |           | 92        | 196       | 91          | 75 |
| 30 X 60RE                   | CC     | 2    | 872              | 1257 | 1500 | 1595           | 1860 |               | 286       | 92        | 196       | 91          | 75 |
| 30 X 66RE                   | CC     | 2    | 1042             | 1354 | 1617 | 1709           | 2002 |               | 286       | 92        | 196       | 91          | 85 |
| 30 X 72RE                   | CC     | 2    | 1097             | 1504 | 1815 | 1923           | 2246 |               | 286       | 92        | 196       | 91          | 85 |
| <i>Radius (connector)</i>   |        |      |                  |      |      |                |      |               |           |           |           |             |    |
| 24, 90°                     | 24RC90 | -    | 380              | 689  | 893  | 915            | 1096 |               |           |           |           |             | 16 |
| 30, 90°                     | 30RC90 | -    | 485              | 912  | 1149 | 1214           | 1457 |               |           |           |           |             | 23 |
| 24, 30°                     | 24RC30 | -    | 347              | 658  | 862  | 883            | 1064 |               |           |           |           |             | 10 |
| 30, 30°                     | 30RC30 | -    | 456              | 882  | 1119 | 1185           | 1429 |               |           |           |           |             | 16 |
| <i>Triangle (connector)</i> |        |      |                  |      |      |                |      |               |           |           |           |             |    |
| 24, 90°                     | 24TC90 | -    | 380              | 689  | 893  | 915            | 1096 |               |           |           |           |             | 16 |
| 30, 90°                     | 30TC90 | -    | 485              | 912  | 1149 | 1214           | 1457 |               |           |           |           |             | 23 |
| 24, 30°                     | 24TC30 | -    | 347              | 658  | 862  | 883            | 1064 |               |           |           |           |             | 10 |
| 30, 30°                     | 30TC30 | -    | 456              | 882  | 1119 | 1185           | 1429 |               |           |           |           |             | 16 |

\*Folding tables available with PVC Flat (PVF) edge only.

### STANDARD FEATURES

- Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge. For other laminate please contact the factory for pricing.
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- Bases available in any Spectone color.
- Standard table height 29".
- All bases are standard with floor leveling glides.
- Training tables without a wire management trough are provided with inserts to attach a trough later if required.

### OPTIONS

- Custom heights available.
- For applicable Power & Data modules, please see Table Accessories Price List.

### HOW TO ORDER

1. Select Model
2. Select Base
3. Select Edge Style
4. Select Options
5. Select Top Finish
6. Select Edge Finish
7. Select Base Finish

**Example:** 1842RE - CC - PVF -

