

LAYOUTS







Description


- Spec's Gravity Public Seating offers specifiers outstanding value in an eco-friendly design.
- Your layout possibilities are unlimited with spacer, radius and corner tables for both standard and bariatric seating in virtually any combination.
- Bariatric seating is a 30" wide seat and is load tested to 750 lbs. Cannot be connected to other bariatric seats.
- 21" seat width is standard.
- · Standard with steel arms.
- Choice of wood or black polyurethane arms at an upcharge.
- Wood and polyurethane arms are replaceable in the field.
- All models offer a choice of no center arms, half arms or full arms to the floor.
- Glides and separate seat and Flex Back are standard.
- Please send a drawing of the configuration you require with your order.
- For fabrics you wish railroaded or repeats larger than 5" x 5", please contact the factory with repeat information and yardage requirement will be provided.

62 34 5201G Bariatric

LAYOUTS AND DIMENSIONS













PRODUCT CODE



ARM TYPE

OPTIONS









FRAME



FABRIC



ARMS



Select from one of our 9 standard wood stains or stain-to-match at no upcharge

textile partners

See Spectone Card or specfurniture.com/materials/finishes for a complete list of finish options and colors.





HOW TO ORDER



Specify Model


- ᢙ Specify Fabric Seat¹ Manufacturer, Pattern Name, Color
- B Specify Fabric Back¹ Manufacturer, Pattern Name, Color
- O Specify Frame Finish

Optional: Wood or Polyurethane Arms, CAL 133, Moisture Barrier, Connecting and Freestanding Tables

 1 When multiple fabrics are specified on two and three seat chairs, please provide a drawing and legend for fabric placement.

Shown with optional Polyurethane arm.

Model	Fabric - Seat	Fabric - Back	Frame Finish	Arm Type and Color
5201M	Momentum, Beeline, Canvas	Momentum, Beeline, Canvas	Silver	Polyurethane, Black



Single Seater with arms

Standard Features

- · Separate seat and Flex Back
- · Steel arms
- · Fully welded wall-saving frame
- Frame in any Spectone color
- Velcro removable back covers
- Replaceable seats
- · Use in connected layouts at no upcharge
- Glides
- Ships assembled
- Ships 1/carton 15 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options


• Field-replaceable polyurethane arms (P) available in Black, Sterling Grey and Taupe (RAL 7006), add \$106 List

SIN 711-16

- Field-replaceable wood arms (W) in Natural Maple, add \$152 List. Available in any of 9 standard stains or stain-to-match at no upcharge
- Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133

Single	Seater	with arm	IS					
2	COM per	single sea ingle back						
MODEL 5201M	COM 799	GR 1 887	GR 2 914	GR 3 974	GR 4 1059	GR 5 1126	GR 6 1214	
Dimensio seat H	0NS (inches 18.0) seat W	21.0	arm H	26.5			
total H	35.75	total W	25.0	depth	27.5			5201M*
Exceeds	BIFMA S	eating Dur	ability Te	st to 500	lbs per ch	nair		39 lbs

CAL 133, add \$115 List per chair



Two and Three Seaters with outside arms

Standard Features

- · Separate seat and Flex Back
- · Steel arms
- · Fully welded wall-saving frame
- Frame in any Spectone color
- Velcro removable back covers
- Replaceable seats
- Use in connected layouts at no upcharge
- Glides
- · Ships assembled
- Ships 1/carton 26 cu ft (2 seater), 1/carton 39 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Field-replaceable polyurethane arms (P) available in Black, Sterling Grey and Taupe (RAL 7006), add \$106 List
- Field-replaceable wood arms (W) in Natural Maple, add \$152 List. Available in any of 9 standard stains or stain-to-match at no upcharge
- Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAL 133

Two Seater with outside arms

5	COM per	single sea ingle back					
MODEL 5202M	COM 1449	GR 1 1622	GR 2 1679	GR 3 1798	GR 4 1967	GR 5 2101	GR 6 2277
Dimensio	ONS (inches	.)					

Dimensio	IIS (IIICHES)				
seat H	18.0	seat W	21.0	arm H	26.5
total H	35.75	total W	46.0	depth	27.5

Exceeds BIFMA Seating Durability Test to 500 lbs per two seater CAL 133, add \$230 List per two seater

Three Seater with outside arms

COM 5.25 yds
0.75 yd COM per single seat
1.0 yd COM per single back

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
5203M	2109	2370	2456	2633	2890	3091	3354
Dimensi	ODS (inchos)						


Dimensio	IIS (Inches)				
seat H	18.0	seat W	21.0	arm H	26.5
total H	35.75	total W	67.0	depth	27.5

Exceeds BIFMA Seating Durability Test to 500 lbs per three seater CAL 133, add 345 List per three seater





SPEC[®]



Two and Three Seaters with half arms

Standard Features

- · Separate seat and Flex Back
- · Steel arms
- · Fully welded wall-saving frame
- Frame in any Spectone color
- Velcro removable back covers
- Replaceable seats
- · Use in connected layouts at no upcharge
- Glides
- Ships assembled
- Ships 1/carton 26 cu ft (2 seater), 1/carton 39 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

• Field-replaceable polyurethane arms (P) available in Black, Sterling Grey and Taupe (RAL 7006), add \$159 List for 5212M or \$212 List for 5213M

SIN 711-17

- Field-replaceable wood arms (W) in Natural Maple, add \$231 List for 5212M or \$308 List for 5213M. Available in any of 9 standard stains or stain-to-match at no upcharge
- Connected and freestanding tables
- Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAL 133

Two Seater	with	half	arms	
IWO Seater	WILII	IIaII	ainis	

2	5 yds COM per s COM per si	0	t				
MODEL 5212M	COM 1555	GR 1 1729	GR 2 1785	GR 3 1906	GR 4 2073	GR 5 2207	GR 6 2382
Dimensio seat H total H	ons (inches) 18.0 35.75	seat W total W	21.0 47.75	arm H depth	26.5 27.5		

Exceeds BIFMA Seating Durability Test to 500 lbs per two seater CAL 133, add \$230 List per two seater

Three Seater with half arms


2	COM per	single sea ngle back					
MODEL 5213M	COM 2334	GR 1 2593	GR 2 2679	GR 3 2856	GR 4 3113	GR 5 3315	GR 6 3576
Dimensio seat H total H	0ns (inches) 18.0 35.75	seat W total W	21.0 70.25	arm H depth	26.5 27.5		

Exceeds BIFMA Seating Durability Test to 500 lbs per two seater CAL 133, add 345 List per three seater



67 lbs





Two and Three Seaters with full arms

Standard Features

- Separate seat and Flex Back
- · Steel arms
- · Fully welded wall-saving frame
- Frame in any Spectone color
- Velcro removable back covers
- Replaceable seats
- · Use in connected layouts at no upcharge
- Glides
- · Ships assembled
- Ships 1/carton 26 cu ft (2 seater), 1/carton 39 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Field-replaceable polyurethane arms (P) available in Black, Sterling Grey and Taupe (RAL 7006), add \$159 List for 5222M or \$212 List for 5223M
- Field-replaceable wood arms (W) in Natural Maple, add \$231 List for 5222M or \$308 List for 5223M. Available in any of 9 standard stains or stain-to-match at no upcharge
- Connected and freestanding tables
- Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAL 133

Two Seater	with	full	arms	
------------	------	------	------	--

2	COM per	single sea ingle back					
MODEL 5222M	COM 1555	GR 1 1729	GR 2 1785	GR 3 1906	GR 4 2073	GR 5 2207	GR 6 2382
Dimensio seat H total H	0NS (inches 18.0 35.75		21.0 47.75	arm H depth	26.5 27.5		
		eating Dur 30 List pe		st to 500	lbs per tw	o seater	

Three Seater with full arms

COM 5.25 yds
0.75 yd COM per single seat
1.0 yd COM per single back

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
5223M	2334	2593	2679	2856	3113	3315	3576


Dimensions (inches)									
seat H	18.0	seat W	21.0	arm H	26.5				
total H	35.75	total W	70.25	depth	27.5				

Exceeds BIFMA Seating Durability Test to 500 lbs per three seater CAL 133, add 345 List per three seater









Bariatric Single Seater with arms

Standard Features

- · Separate seat and Flex Back
- · Steel arms
- · Fully welded wall-saving frame
- Frame in any Spectone color
- Velcro removable back covers
- Replaceable seats
- · Use in connected layouts at no upcharge
- Glides
- · Cannot connect bariatric seating to bariatric seating
- Ships assembled
- Ships 1/carton 20 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options


• Field-replaceable polyurethane arms (P) available in Black, Sterling Grey and Taupe (RAL 7006), add \$106 List

SIN 711-16

- Field-replaceable wood arms (W) in Natural Maple, add \$152 List. Available in any of 9 standard stains or stain-to-match at no upcharge
- Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAL 133

COM 3.0) yds	le Seater					
		single back					
MODEL 5201G	COM 994	GR 1 1167	GR 2 1224	GR 3 1345	GR 4 1513	GR 5 1647	GR 6 1822
Dimensi							
seat H total H	18.0 35.75	seat W total W	30.0 34.0	arm H depth	26.5 27.5		
Exceeds	BIFMAS	Seating Du	rability Te	est to 750	lbs per ch	air	

CAL 133, add \$157 List per chair



Highback Single Seater with arms - Ottoman and Headrest



Standard Features


- Separate seat and Flex Back
- · Steel arms
- · Fully welded wall-saving frame
- Frame in any Spectone color
- Velcro removable back covers
- Replaceable seats
- · Use in connected layouts at no upcharge
- Glides
- Ships assembled
- Ships 1/carton 18 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than $5" \times 5"$

Options

- Field-replaceable polyurethane arms (P) available in Black, Sterling Grey and Taupe (RAL 7006), add \$106 List
- Field-replaceable wood arms (W) in Natural Maple, add \$152 List. Available in any of 9 standard stains or stain-to-match at no upcharge
- Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAL 133

D.75 yd		single sea single bac						
MODEL 5201H	COM 857	GR 1 962	GR 2 996	GR 3 1067	GR 4 1170	GR 5 1250	GR 6 1355	A
Dimensi seat H	ONS (inche 18.0	^{s)} seat W	21.0	arm H	26.5			
total H	44.5	total W	21.0	depth	20.5			



Freestanding Lounge Tables - Corner and Spacer Connecting Tables

Standard Features

- · Tops in laminate or veneer
- Select laminate tops from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge.
- Freestanding lounge tables available with PVC Flat (PVF), 2mm (2MM), exposed Baltic Birch plywood (PF, PKNR) or hardwood (HB) edge
- Connecting table tops available with PVC Flat (PVF) edge, Self edge (SE) or hardwood (HB) edge
- 9 standard veneer and hardwood edge stains. Stain-tomatch available at no upcharge.
- 1.75" post legs in any Spectone color

Freestanding Lounge Tables

- Tops utilize NU Green earth friendly core
- Glides
- 18" height

Radius Corner Tables are recommended for open areas

Options

- Non-standard laminates, contact Spec for pricing
- Custom size spacer tables for restricted spaces
- · Other sizes may be available

	Laminate	Laminate	Veneer					
Model	PVF/SE/2MM	PF/PKNR/HB	HB	Weight	Cu.Ft.			
52 - 24 x 24 SQ	629	817	965	28	7.2			
52 - 24 x 48 RE	785	991	1200	48	18			
52 - 30 x 30 SQ	732	868	1028	43	13.5			-
52 - 24 DIA	599	946	1142	26	7.2	1.	-	
52 - 30 DIA	699	1040	1242	40	7.2			

Corner and Spacer Connecting Tables

Model	Laminate PVF/SE	Laminate HB Edge	Veneer HB Edge	Weight	Cu.Ft.
52RC - 28 x 28 Radius Corner Table	677	848	1049	26	2
52SC - 28 x 28 Square Corner Table	677	848	1049	26	2
52TC - 45 degree Corner Table	677	848	1049	19	2
52ST - 21 x 24 <i>Spacer Table</i>	521	710	856	19	2
52ET - 21 x 24 <i>End Table</i>	567	755	903	19	2

