spec

MIDWAY Public Seating


LAYOUTS





Description

- Spec's high durability public seating in a lighter scale allows specifiers to maximize space requirements.
- Your layout possibilities are unlimited with spacer, radius and corner tables – for both standard and bariatric seating in virtually any combination.
- Bariatric seating is a 30" wide seat and is load tested to 750 lbs. Cannot be connected to other bariatric seats.
- 20.5" seat width is standard.
- Choice of polyurethane or wood arms which are replaceable in the field.
- All models offer a choice of no center arms, half arms or full arms to the floor.
- 1.25" diameter wall-saving frame is standard to protect both wall and fabric.
- Separate seat and back provide exceptional comfort and ease of maintenance.
- Please send a drawing of the configuration you require with your order.
- Optional floor mounting glides available.
- For fabrics you wish railroaded or repeats larger than 5" x 5", please contact the factory with repeat information and yardage requirement will be provided.

LAYOUTS AND DIMENSIONS












PRODUCT CODE





ARM



Wood



FINISHES







ARMS




Select from one of our 9 standard wood stains or stain-to-match at no upcharge

See Spectone Card or specfurniture.com/materials/finishes for a complete list of finish options and colors.



HOW TO ORDER



Model	Fabric - Seat	Fabric - Back	Frame Finish	Arm Type and Color
3201U	Momentum, Beeline, Canvas	Momentum, Beeline, Canvas	Silver	Polyurethane, Black

Single Seater with arms

Standard Features

- Separate seat and back
- Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- Frame in any Spectone color
- Velcro removable back covers
- Replaceable seats
- · Use in connected layouts at no upcharge
- Arms replaceable in the field
- Ships assembled
- Ships 1/carton 17 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than $5" \times 5"$

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are available in any of 9 standard stains or stain-to-match at no upcharge
- For Flex back add suffix FB and \$146 List. Note: Wall-saving frame is not available when Flex back is specified.
- Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAL 133

Single	Seater	with arm	IS					
2	COM pe	r single sea single back						
MODEL 3201U	COM 863	GR 1 963	GR 2 996	GR 3 1060	GR 4 1159	GR 5 1233	GR 6 1332	
Dimensi seat H	ons (inche 18.0	^{s)} seat W	20.5	arm H	26.0			
		total W Seating Dur 114 List pe	2	depth st to 500	26.0 Ibs per ch	nair		3201U 30 lbs





Two and Three Seaters with outside arms

Standard Features

- Separate seat and back
- Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- Frame in any Spectone color
- Velcro removable back covers
- Replaceable seats
- Use in connected layouts at no upcharge
- Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 28 cu ft (2 seater), 1/carton 42 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than $5" \times 5"$

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are available in any of 9 standard stains or stain-to-match at no up charge
- Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAL 133

2	COM per	single sea ingle back					
MODEL 3202U	COM 1380	GR 1 1576	GR 2 1642	GR 3 1775	GR 4 1971	GR 5 2121	GR 6 2317
	ONS (inches		00 5		06.0		
seat H total H	18.0 36.0	seat W total W	20.5 44.25	arm H dapth	26.0 26.0		
		eating Dur		depth		a costor	

Exceeds BIFMA Seating Durability Test to 500 lbs per two seater CAL 133, add \$228 List per two seater

Three Seater with outside arms

0.75 yd	COM 5.25 yds 0.75 yd COM per single seat 1.0 yd COM per single back								
MODEL 3203U	COM 1845	GR 1 2141	GR 2 2239	GR 3 2436	GR 4 2731	GR 5 2956	GR 6 3251		
Dimensio seat H total H									

Exceeds BIFMA Seating Durability Test to 500 lbs per three seater CAL 133, add 342 List per three seater









Two and Three Seaters with half arms

Standard Features

- · Separate seat and back
- Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- Frame in any Spectone color
- Velcro removable back covers
- Replaceable seats
- · Use in connected layouts at no upcharge
- Arms replaceable in the field
- Ships assembled
- Ships 1/carton 28 cu ft (2 seater), 1/carton 42 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are available in any of 9 standard stains or stain-to-match at no up charge
- Connected and freestanding tables
- Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133

Two Seater with half arms

COM 3.5 yds 0.75 yd COM per single seat 1.0 yd COM per single back										
MODEL 3212U	COM 1550	GR 1 1747	GR 2 1813	GR 3 1944	GR 4 2141	GR 5 2292	GR 6 2488			
Dimensio seat H total H										
Excode	RIEMA SA	ating Dur	ability Too	+ to 500 I	he nor two	contor				

Exceeds BIFMA Seating Durability Test to 500 lbs per two seater CAL 133, add \$228 List per two seater

Three Seater with half arms

0.75 yd	COM 5.25 yds 0.75 yd COM per single seat 1.0 yd COM per single back								
MODEL 3213U	COM 2154	GR 1 2449	GR 2 2548	GR 3 2742	GR 4 3038	GR 5 3264	GR 6 3560		
Dimensions (inches) seat H 18.0 seat W 20.5 arm H 26.0 total H 36.0 total W 67.25 depth 26.0									

Exceeds BIFMA Seating Durability Test to 500 lbs per three seater CAL 133, add \$342 List per three seater



58 lbs



Two and Three Seaters with full arms

Standard Features

- · Separate seat and back
- Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- Frame in any Spectone color
- Velcro removable back covers
- · Replaceable seats
- · Use in connected layouts at no upcharge
- Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 28 cu ft (2 seater), 1/carton 42 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are available in any of 9 standard stains or stain-to-match at no up charge
- Connected and freestanding tables
- Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAL 133

Two Seater with full arms

COM 3.5 yds 0.75 yd COM per single seat 1.0 yd COM per single back

MODEL 3222U	COM 1600	GR 1 1795	GR 2 1863	GR 3 1994	GR 4 2190	GR 5 2340	GR 6 2538
Dimensi	ONS (inches)						
seat H	18.0	seat W	20.5	arm H	26.0		
total H	36.0	total W	45.5	depth	26.0		

Exceeds BIFMA Seating Durability Test to 500 lbs per two seater CAL 133, add \$228 List per two seater

Three Seater with full arms

COM 5.25 yds 0.75 yd COM per single seat 1.0 yd COM per single back

MODEL 3223U		GR 1 2554	GR 2 2653	GR 3 2850	GR 4 3143	GR 5 3371	GR 6 3666
Dimensi	ONS (inches)						
seat H	18.0	seat W	20.5	arm H	26.0		
total H	36.0	total W	67.25	depth	26.0		

Exceeds BIFMA Seating Durability Test to 500 lbs per three seater CAL 133, add \$342 List per three seater



3222U 60 lbs





Bariatric Single Seater with arms

Standard Features

- · Separate seat and back
- Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- Frame in any Spectone color
- Velcro removable back covers
- Replaceable seats
- Use in connected layouts at no upcharge
- Arms replaceable in the field
- · Bariatric seating cannot connect to bariatric seating
- Ships assembled
- Baratric ships 1/carton 22 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are available in any of 9 standard stains or stain-to-match at no up charge
- Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAL 133

Bariatric Single Seater with arms

2	ob yds OM per si COM per s	0	k				
MODEL 3201G	COM 1052	GR 1 1189	GR 2 1233	GR 3 1323	GR 4 1459	GR 5 1563	GR 6 1698
Dimensio seat H	0NS (inches) 18.0	seat W	30.0	arm H	26.0		
total H	36.0	total W	32.75	depth	26.0		

Exceeds BIFMA Seating Durability Test to 750 lbs per chair CAL 133, add \$166 List per chair



3201G 38 lbs



Highback Single Seater with arms Ottoman

Standard Features

- · Separate seat and back
- Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- Frame in any Spectone color
- · Velcro removable back covers
- Replaceable seats
- · Use in connected layouts at no upcharge
- Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 19 cu ft
- Ottoman ships 1/carton 5 cu ft

Highback Single Seater with arms

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are available in any of 9 standard stains or stain-to-match at no up charge
- For Flex back add suffix FB and \$146 List. Note: Wall-saving frame is not available when Flex back is specified.
- Vinyl insert on top of the back, add \$45 List/seat back
- Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133

GR 5

1347

GR 6

1441

5	COM per	single sea				
MODEL 3201H	COM 986	GR 1 1083	GR 2 1114	GR 3 1178	GR 4 1273	G 1
Dimensi	ONS (inches	5)				
seat H	18.0	seat W	20.5	arm H	26.0	
total H	46.0	total W	23.75	depth	25.0	
		Seating Dur 38 List pe	,	st to 500	lbs per ch	air

Ottoma	Ottoman										
0.5 yd COM per ottoman											
MODEL 3230F	COM 352	GR 1 386	GR 2 397	GR 3 416	GR 4 451	GR 5 472	GR 6 506				
Ottomar H	Ottoman Dimensions (inches) H 11.5 W 19.25 depth 12.25										
CAL 133	3, add \$3	8 List									



3201H 32 lbs



12 lbs



Highback Bariatric Single Seater with arms

Standard Features

- · Separate seat and back
- Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- Frame in any Spectone color
- Velcro removable back covers
- Replaceable seats
- · Use in connected layouts at no upcharge
- Arms replaceable in the field
- · Bariatric seating cannot connect to bariatric seating
- Ships assembled
- Baratric Highback ships 1/carton 26 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are available in any of 9 standard stains or stain-to-match at no up charge
- Connected and freestanding tables
- Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAL 133

		Highback	Bariatric	Single	Seater	with	arms
--	--	----------	-----------	--------	--------	------	------

2	COM per s	ingle seat single bac	k				
MODEL 3201GH	COM 1179	GR 1 1341	GR 2 1394	GR 3 1497	GR 4 1658	GR 5 1779	GR 6 1939
Dimensio seat H total H	ons (inches 18.0 46.0	seat W total W	30.0 32.75	arm H depth	26.0 26.0		
Exceeds	BIFMA S	eating Dur	ability Te	st to 500	lbs per ch	air	

CAL 133, add \$204 List per chair



3201GH 40 lbs



Easy Access Hip Single Seater with arms

Standard Features

- · Separate seat and back
- Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- Frame in any Spectone color
- 24" seat height, no seat pitch (level)
- Footrest which assists entering/exiting chair

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

- Velcro removable back covers
- Replaceable seats
- Arms replaceable in the field
- Ships assembled

MODEL

3231

COM

964

• Ships 1/carton 19 cu ft

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are available in any of 9 standard stains or stain-to-match at no up charge
- Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAL 133

Easy Access Hip Single Seater with arms COM 1.75 yds 0.75 yd COM per single seat 1.0 yd COM per single back

GR 2

1098

GR 3

1161

GR 4

1259

GR 5

1333

GR 6

1434

Dimensio	Dimensions (inches)									
seat H	24.0	seat W	20.5	arm H	32.0					
total H	42.0	total W	23.75	depth	26.0					

GR 1

1064

Exceeds BIFMA Seating Durability Test to 500 lbs per chair CAL 133, add \$114 List per chair



3231 37 lbs



Freestanding Lounge Tables Corner and Spacer Connecting Tables

Standard Features

- Tops in laminate or veneer
- Select laminate tops from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge.
- Freestanding lounge tables available with PVC Flat (PVF), 2mm (2MM), exposed Baltic Birch plywood (PF, PKNR) or hardwood (HB) edge
- Connecting table tops available with PVC Flat (PVF) edge, Self edge (SE) or hardwood (HB) edge
- 9 standard veneer and hardwood edge stains. Stain-tomatch available at no upcharge.
- Frame in any Spectone color
- Tops utilize NU Green earth friendly core
- Glides
- 18" height

Options

- · Non-standard laminates, contact Spec for pricing
- Custom size spacer tables for restricted spaces
- Other sizes may be available

Radius Corner Tables are recommended for open areas

Freestanding Lounge Tables

Model	Laminate PVF/SE/2MM	Laminate PF/PKNR/HB	Veneer HB	Weight	Cu.Ft.	ł
2 - 24 x 24 SQ	600	775	911	28	7.2	
- 24 x 48 RE	747	934	1125	48	18	
2 - 30 x 30 SQ	697	822	969	43	13.5	
2 - 24 DIA	575	890	1073	26	7.2	
32 - 30 DIA	666	979	1164	40	13.5	

Corner and Spacer Connecting Tables

Model	Laminate PVF/SE	Weight	Cu.Ft.
32RC - 26 x 26 Radius Corner Table	622	26	2
32SC - 26 x 26 Square Corner Table	622	26	2
32TC45 - 19 x 23 45 degree Corner Tab	622 Ie	19	2
32ST - 19 x 21 Spacer or End Table	477	19	2

