spec

MIDWAY Public Seating


LAYOUTS





Description

- Spec's high durability public seating in a lighter scale allows specifiers to maximize space requirements.
- Your layout possibilities are unlimited with spacer, radius and corner tables – for both standard and bariatric seating in virtually any combination.
- Bariatric seating is a 30" wide seat and is load tested to 750 lbs. Cannot be connected to other bariatric seats.
- 20.5" seat width is standard.
- Choice of polyurethane or wood arms which are replaceable in the field.
- All models offer a choice of no center arms, half arms or full arms to the floor.
- 1.25" diameter wall-saving frame is standard to protect both wall and fabric.
- Separate seat and back provide exceptional comfort and ease of maintenance.
- Please send a drawing of the configuration you require with your order.
- · Optional floor mounting glides available.
- For fabrics you wish railroaded or repeats larger than 5" x 5", please contact the factory with repeat information and yardage requirement will be provided.

LAYOUTS AND DIMENSIONS











MIDWAY Public Seating



PRODUCT CODE

32 0 1 U

Series 32 : Midway Arm/Other

0 : Outside Arms

1 : Half Arms 2 : Full Arms

3 : Easy Access Hip Chair

Seats **Chair Type**

1 : Single Seat U : Mid Back 2 : Two-Seat H: Highback

3 : Three-Seat G : Bariatric

GH: Highback Bariatric

OPTIONS

ARM





Wood

Polyurethane

FINISHES



Select from one of our 76 standard Spectone colors

FABRIC



Select fabrics from one of our textile partners

ARMS





Taupe





Select from one of our 9 standard wood stains or stain-to-match at no upcharge

See Spectone Card or specfurniture.com/materials/finishes for a complete list of finish options and colors.



MIDWAY Public Seating

HOW TO ORDER



Specify Model

- ♠ Specify Fabric Seat¹
 Manufacturer, Pattern Name, Color
- B Specify Fabric Back ¹
 Manufacturer, Pattern Name, Color
- Specify Frame Finish
- Specify Arm Type and Color

Optional: Flex Back, CAL 133, Moisture Barrier, Connecting and Freestanding Tables, Ottoman, Vinyl Headrest Insert

 $^{
m 1}$ When multiple fabrics are specified on two and three seat chairs, please provide a drawing and legend for fabric placement.

Model	Fabric - Seat	Fabric - Back	Frame Finish	Arm Type and Color
3201U	Momentum, Beeline, Canvas	Momentum, Beeline, Canvas	Silver	Polyurethane, Black



SPEC SIN 711-16

MIDWAY Public Seating

Single Seater with arms

Standard Features

- · Separate seat and back
- · Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- Frame in any Spectone color
- · Velcro removable back covers
- · Replaceable seats
- Use in connected layouts at no upcharge
- · Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 17 cu ft

Contact SpecTM Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than $5" \times 5"$

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are available in any of 9 standard stains or stain-to-match at no upcharge
- For Flex back add suffix FB and \$174 List.

 Note: Wall-saving frame is not available when Flex back is specified.
- Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133

Single Seater with arms

COM 1.75 yds 0.75 yd COM per single seat 1.0 yd COM per single back

MODEL		G., I	GR 2	u 0		GR 5	u., 0
3201U	941	1049	1085	1155	1263	1345	1452

Dimensions (inches)

seat H 18.0 seat W 20.5 arm H 26.0 total H 36.0 total W 23.75 depth 26.0

Exceeds BIFMA Seating Durability Test to 500 lbs per chair CAL 133, add \$115 List per chair



3201U 30 lbs

Tall Frag 1 000

spec*

SIN 711-17

MIDWAY Public Seating

Two and Three Seaters with outside arms

Standard Features

- · Separate seat and back
- · Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- · Frame in any Spectone color
- · Velcro removable back covers
- · Replaceable seats
- Use in connected layouts at no upcharge
- · Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 28 cu ft (2 seater), 1/carton 42 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are available in any of 9 standard stains or stain-to-match at no up charge
- Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133

Two Seater with outside arms

COM 3.5 yds 0.75 yd COM per single seat 1.0 yd COM per single back

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
3202U	1506	1718	1789	1932	2147	2311	2525
Dimensio seat H total H			20.5 44.25	arm H depth			

Exceeds BIFMA Seating Durability Test to 500 lbs per two seater CAL 133, add \$230 List per two seater



3202U 56 lbs

Three Seater with outside arms

COM 5.25 yds 0.75 yd COM per single seat 1.0 yd COM per single back

 	 GR 2 2440	 	

Dimensions (inches)

seat H 18.0 seat W 20.5 arm H 26.0 total H 36.0 total W 64.75 depth 26.0

Exceeds BIFMA Seating Durability Test to 500 lbs per three seater CAL 133, add \$345 List per three seater



3203U 84 lbs

spec*

SIN 711-17

MIDWAY Public Seating

Two and Three Seaters with half arms

Standard Features

- · Separate seat and back
- · Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- · Frame in any Spectone color
- · Velcro removable back covers
- · Replaceable seats
- Use in connected layouts at no upcharge
- · Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 28 cu ft (2 seater), 1/carton 42 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are available in any of 9 standard stains or stain-to-match at no up charge
- Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133

Two Seater with half arms

COM 3.5 yds 0.75 yd COM per single seat 1.0 yd COM per single back

MODEL 3212U	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
	1689	1903	1975	2120	2333	2498	2711
Dimension seat H total H		seat W total W		arm H depth	26.0 26.0		

Exceeds BIFMA Seating Durability Test to 500 lbs per two seater CAL 133, add \$230 List per two seater



3212U 58 lbs

Three Seater with half arms

COM 5.25 yds 0.75 yd COM per single seat 1.0 yd COM per single back

	GR 2 2778		

Dimensions (inches)

seat H 18.0 seat W 20.5 arm H 26.0 total H 36.0 total W 67.25 depth 26.0

Exceeds BIFMA Seating Durability Test to 500 lbs per three seater CAL 133, add \$345 List per three seater



3213U 86 lbs

SIN 711-17

MIDWAY Public Seating

Two and Three Seaters with full arms

Standard Features

- · Separate seat and back
- Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- Frame in any Spectone color
- · Velcro removable back covers
- · Replaceable seats
- Use in connected layouts at no upcharge
- · Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 28 cu ft (2 seater), 1/carton 42 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are available in any of 9 standard stains or stain-to-match at no upcharge
- Connected and freestanding tables
- Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133

Two Seater with full arms

COM 3.5 yds 0.75 yd COM per single seat 1.0 yd COM per single back

MODEL 3222U	COM 1743	GR 1 1957	GR 2 2029	GR 3 2173	GR 4 2388	GR 5 2551	GR 6 2766
Dimension	ons (inches)						
seat H	18.0	seat W	20.5	arm H	26.0		
total H	36.0	total W	45.5	depth	26.0		

Exceeds BIFMA Seating Durability Test to 500 lbs per two seater CAL 133, add \$230 List per two seater

Three Seater with full arms

COM 5.25 yds 0.75 yd COM per single seat 1.0 yd COM per single back

MODEL 3223U		GR 1 2783	GR 2 2891	GR 3 3105	GR 4 3426	GR 5 3672	GR 6 3994
Dimensio	NS (inches)						
seat H	18.0	seat W	20.5	arm H	26.0		
total H	36.0	total W	67.25	depth	26.0		

Exceeds BIFMA Seating Durability Test to 500 lbs per three seater CAL 133, add \$345 List per three seater



3222U 60 lbs



3223U 88 lbs

SPEC° SIN 711-16

MIDWAY Public Seating

Bariatric Single Seater with arms

Standard Features

- · Separate seat and back
- · Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- Frame in any Spectone color
- · Velcro removable back covers
- · Replaceable seats
- Use in connected layouts at no upcharge
- · Arms replaceable in the field
- · Bariatric seating cannot connect to bariatric seating
- · Ships assembled
- Baratric ships 1/carton 22 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are available in any of 9 standard stains or stain-to-match at no upcharge
- Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133

Bariatric Single Seater with arms

COM 2.55 yds 0.8 yd COM per single seat 1.75 yd COM per single back

3201G	1146	1295	1345	1441	1589	1703	1851
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6

Dimensions (inches)

 seat H
 18.0
 seat W
 30.0
 arm H
 26.0

 total H
 36.0
 total W
 32.75
 depth
 26.0

Exceeds BIFMA Seating Durability Test to 750 lbs per chair CAL 133, add \$168 List per chair



3201G 38 lbs

SIN 711-16

MIDWAY Public Seating

Highback Single Seater with arms Ottoman

Standard Features

- · Separate seat and back
- Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- Frame in any Spectone color
- · Velcro removable back covers
- · Replaceable seats
- Use in connected layouts at no upcharge
- · Arms replaceable in the field
- · Ships assembled
- · Ships 1/carton 19 cu ft
- · Ottoman ships 1/carton 5 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are available in any of 9 standard stains or stain-to-match at no up charge
- For Flex back add suffix FB and \$174 List.

 Note: Wall-saving frame is not available when Flex back is specified.
- · Vinyl insert on top of the back, add \$42 List/seat back
- Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133

Highback Single Seater with arms

COM 1.85 yds 0.75 yd COM per single seat 1.1 yds COM per single back

MODEL 3201H	COM 1056	GR 1 1159	GR 2 1192	GR 3 1260	GR 4 1363	GR 5 1439	GR 6 1572
Dimension seat H total H	ons (inches) 18.0 46.0	seat W total W		arm H depth	26.0 25.0		
Fyeede	DIEMA C	ating Dur	ability Taa	+ + = E O O I	ha nar ah	air.	

Exceeds BIFMA Seating Durability Test to 500 lbs per chair CAL 133, add \$144 List per chair



0.5 yd COM per ottoman

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6				
	378	412	424	445	480	506	550				
Ottoman Dimensions (inches) H 11.5 W 19.25 depth 12.25											
CAL 133	CAL 133, add \$40 List										



3201H 32 lbs



3230F

SIN 711-16

MIDWAY Public Seating

Highback Bariatric Single Seater with arms

Standard Features

- · Separate seat and back
- Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- Frame in any Spectone color
- · Velcro removable back covers
- · Replaceable seats
- Use in connected layouts at no upcharge
- · Arms replaceable in the field
- Bariatric seating cannot connect to bariatric seating
- · Ships assembled
- Baratric Highback ships 1/carton 26 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are available in any of 9 standard stains or stain-to-match at no up charge
- Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133

Highback Bariatric Single Seater with arms

COM 3.0 yds 0.8 yd COM per single seat 2.2 yds COM per single back

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
3201GH	1261	1431	1488	1601	1773	1903	2112

Dimensions (inches)

seat H 18.0 seat W 30.0 arm H 26.0 total H 46.0 total W 32.75 depth 26.0

Exceeds BIFMA Seating Durability Test to 500 lbs per chair CAL 133, add \$209 List per chair



3201GH 40 lbs

SIN 711-16

MIDWAY Public Seating

Easy Access Hip Single Seater with arms

Standard Features

- · Separate seat and back
- Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- · Frame in any Spectone color
- 24" seat height, no seat pitch (level)
- · Footrest which assists entering/exiting chair
- · Velcro removable back covers
- · Replaceable seats
- Arms replaceable in the field
- Ships assembled
- · Ships 1/carton 19 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are available in any of 9 standard stains or stain-to-match at no up charge
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133

Easy Access Hip Single Seater with arms

COM 1.75 yds 0.75 yd COM per single seat 1.0 yd COM per single back

		GR 4 1368	

Dimensions (inches)

 seat H
 24.0
 seat W
 20.5
 arm H
 32.0

 total H
 42.0
 total W
 23.75
 depth
 26.0

Exceeds BIFMA Seating Durability Test to 500 lbs per chair CAL 133, add \$115 List per chair



3231 37 lbs

Spec[®]

MIDWAY Public Seating

Freestanding Lounge Tables
Corner and Spacer Connecting Tables

Standard Features

- · Tops in laminate or veneer
- Select laminate tops from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge.
- Freestanding lounge tables available with PVC Flat (PVF), 2mm (2MM), exposed Baltic Birch plywood (PF, PKNR) or hardwood (HB) edge
- Connecting table tops available with PVC Flat (PVF) edge, Self edge (SE) or hardwood (HB) edge
- 9 standard veneer and hardwood edge stains. Stain-to-match available at no upcharge.
- · Frame in any Spectone color
- · Tops utilize NU Green earth friendly core
- · Glides
- 18" height

Options

- Non-standard laminates, contact Spec for pricing
- Custom size spacer tables for restricted spaces
- · Other sizes may be available

Radius Corner Tables are recommended for open areas

Freestanding Lounge Tables

Model	Laminate PVF/SE/2MM	Laminate PF/PKNR/HB	Veneer HB	Weight	Cu.Ft.
32 - 24 x 24 SQ	656	844	992	28	7.2
32 - 24 x 48 RE	812	1018	1227	48	18
32 - 30 x 30 SQ	759	895	1055	43	13.5
32 - 24 DIA	626	972	1169	26	7.2
32 - 30 DIA	726	1067	1269	40	13.5



Corner and Spacer Connecting Tables

Model	Laminate PVF/SE	Weight	Cu.Ft.
32RC - 26 x 26 Radius Corner Table	677	26	2
32SC - 26 x 26 Square Corner Table	677	26	2
32TC45 - 19 x 23 45 degree Corner Tab	677 <i>le</i>	19	2
32ST - 19 x 21 Spacer or End Table	521	19	2

