


LAYOUTS





Description

- Spec's high durability public seating in a lighter scale allows specifiers to maximize space requirements.
- Your layout possibilities are unlimited with spacer, radius and corner tables – for both standard and bariatric seating in virtually any combination.
- Bariatric seating is a 30" wide seat and is load tested to 750 lbs. Cannot be connected to other bariatric seats.
- 20.5" seat width is standard.
- Choice of polyurethane or wood arms which are replaceable in the field.
- All models offer a choice of no center arms, half arms or full arms to the floor.
- 1.25" diameter wall-saving frame is standard to protect both wall and fabric.
- Separate seat and back provide exceptional comfort and ease of maintenance.
- Please send a drawing of the configuration you require with your order.
- Optional floor mounting glides available.
- For fabrics you wish railroaded or repeats larger than 5" x 5", please contact the factory with repeat information and yardage requirement will be provided.

LAYOUTS AND DIMENSIONS












PRODUCT CODE



OPTIONS

ARM



Wood



FINISHES







ARMS



9 standard wood stains or stain-to-match at no upcharge

See Spectone Card or specfurniture.com/materials/finishes for a complete list of finish options and colors.

В



HOW TO ORDER

Specify Model

- ᢙ Specify Fabric Seat¹ Manufacturer, Pattern Name, Color
- B Specify Fabric Back¹ Manufacturer, Pattern Name, Color
- Specify Frame Finish
- Specify Arm Type and Color

Optional: Flex Back, CAL 133, Moisture Barrier, Connecting and Freestanding Tables, Ottoman, Vinyl Headrest Insert

¹ When multiple fabrics are specified on two and three seat chairs, please provide a drawing and legend for fabric placement.

Model	Fabric - Seat	Fabric - Back	Frame Finish	Arm Type and Color
3201U	Momentum, Beeline, Canvas	Momentum, Beeline, Canvas	Silver	Polyurethane, Black

Single Seater with arms

Standard Features

- Separate seat and back
- Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- Frame in any Spectone color
- Velcro removable back covers
- Replaceable seats
- · Use in connected layouts at no upcharge
- Arms replaceable in the field
- Ships assembled
- Ships 1/carton 17 cu ft

Contact SpecTM Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than $5" \times 5"$

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are available in any of 9 standard stains or stain-to-match at no upcharge
- For Flex back add suffix FB and \$181 List. Note: Wall-saving frame is not available when Flex back is specified.
- Connected and freestanding tables
- Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAL 133

Single	Seater	with arm	IS					
2	COM per	^r single sea single back						
MODEL 3201U	COM 979	GR 1 1091	GR 2 1128	GR 3 1201	GR 4 1314	GR 5 1399	GR 6 1510	
Dimensio seat H	ns (inche 18.0	^{s)} seat W	20.5	arm H	26.0			
		total W Seating Dur 20 List pe		depth st to 500	26.0 Ibs per ch	iair		3201U 30 lbs



Two and Three Seaters with outside arms

Standard Features

- Separate seat and back
- Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- Frame in any Spectone color
- Velcro removable back covers
- Replaceable seats
- Use in connected layouts at no upcharge
- Arms replaceable in the field
- Ships assembled
- Ships 1/carton 28 cu ft (2 seater), 1/carton 42 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than $5" \times 5"$

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are available in any of 9 standard stains or stain-to-match at no up charge
- Connected and freestanding tables
- Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAL 133

Two Seater with outside arms

COM 3.5 yds 0.75 yd COM per single seat 1.0 yd COM per single back									
MODEL 3202U	COM 1566	GR 1 1787	GR 2 1861	GR 3 2009	GR 4 2233	GR 5 2403	GR 6 2626		
Dimensio seat H total H	0NS (inches) 18.0 36.0	seat W total W	20.5 44.25	arm H depth	26.0 26.0				
Fyceeds	Exceeds RIEMA Secting Durchility Test to 500 lbs per two sector								

Exceeds BIFMA Seating Durability Test to 500 lbs per two seater CAL 133, add \$240 List per two seater







Exceeds BIFMA Seating Durability Test to 500 lbs per three seater CAL 133, add \$360 List per three seater





Two and Three Seaters with half arms

Standard Features

- · Separate seat and back
- Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- Frame in any Spectone color
- Velcro removable back covers
- Replaceable seats
- · Use in connected layouts at no upcharge
- Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 28 cu ft (2 seater), 1/carton 42 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are available in any of 9 standard stains or stain-to-match at no up charge
- Connected and freestanding tables
- Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAL 133

Two Seater with half arms

COM 3.5 yds 0.75 yd COM per single seat 1.0 yd COM per single back								
MODEL 3212U	COM 1757	GR 1 1979	GR 2 2054	GR 3 2205	GR 4 2426	GR 5 2598	GR 6 2819	
Dimensi seat H total H	0NS (inches) 18.0 36.0	seat W total W	20.5 45.5	arm H depth	26.0 26.0			
Evenade	DIEMA S	nating Dur	ability Too	+ to 500 l	he nor two	contor		

Exceeds BIFMA Seating Durability Test to 500 lbs per two seater CAL 133, add \$240 List per two seater

3212U 58 lbs



Three Seater with half arms										
2	COM per	single se single bac								
MODEL 3213U	COM 2442	GR 1 2776	GR 2 2889	GR 3 3111	GR 4 3447	GR 5 3700	(

Dimensions (inches)									
18.0	seat W	20.5	arm H	26.0					
36.0	total W	67.25	depth	26.0					
	18.0	18.0 seat W	18.0 seat W 20.5	18 (inches) 18.0 seat W 20.5 arm H 36.0 total W 67.25 depth					

Exceeds BIFMA Seating Durability Test to 500 lbs per three seater CAL 133, add 360 List per three seater

- - -



Two and Three Seaters with full arms

Standard Features

- · Separate seat and back
- Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- Frame in any Spectone color
- Velcro removable back covers
- · Replaceable seats
- · Use in connected layouts at no upcharge
- Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 28 cu ft (2 seater), 1/carton 42 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are available in any of 9 standard stains or stain-to-match at no upcharge
- Connected and freestanding tables
- Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAL 133

Two Seater with full arms

COM 3.5 yds 0.75 yd COM per single seat 1.0 yd COM per single back

MODEL 3222U	COM 1813	GR 1 2035	GR 2 2110	GR 3 2260	GR 4 2484	GR 5 2653	GR 6 2877
Dimensi	ONS (inches)						
seat H	18.0	seat W	20.5	arm H	26.0		
total H	36.0	total W	45.5	depth	26.0		

Exceeds BIFMA Seating Durability Test to 500 lbs per two seater CAL 133, add \$240 List per two seater

Three Seater with full arms

COM 5.25 yds 0.75 yd COM per single seat 1.0 yd COM per single back

MODEL 3223U	COM 2562	GR 1 2894	GR 2 3007	GR 3 3229	GR 4 3563	GR 5 3819	GR 6 4154
Dimensio	ONS (inches))					
seat H	18.0	seat W	20.5	arm H	26.0		
total H	36.0	total W	67.25	depth	26.0		

Exceeds BIFMA Seating Durability Test to 500 lbs per three seater CAL 133, add \$360 List per three seater



3222U 60 lbs





Bariatric Single Seater with arms

Standard Features

- · Separate seat and back
- Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- Frame in any Spectone color
- · Velcro removable back covers
- Replaceable seats
- · Use in connected layouts at no upcharge
- Arms replaceable in the field
- · Bariatric seating cannot connect to bariatric seating
- Ships assembled
- Baratric ships 1/carton 22 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than $5" \times 5"$

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are available in any of 9 standard stains or stain-to-match at no upcharge
- Connected and freestanding tables
- Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAL 133

ic Single Seater with	arms
ic Single Seater with	arms

2	OM per s	ingle seat single bac	k				
MODEL 3201G	COM 1192	GR 1 1347	GR 2 1399	GR 3 1499	GR 4 1653	GR 5 1771	GR 6 1925
Dimensi seat H total H	ons (inches 18.0 36.0	seat W total W	30.0 32.75	arm H depth	26.0 26.0		

Exceeds BIFMA Seating Durability Test to 750 lbs per chai CAL 133, add \$175 List per chair



3201G 38 lbs

Highback Single Seater with arms Ottoman

Standard Features

- · Separate seat and back
- Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- Frame in any Spectone color
- · Velcro removable back covers
- Replaceable seats
- · Use in connected layouts at no upcharge
- Arms replaceable in the field
- · Ships assembled
- Ships 1/carton 19 cu ft
- Ottoman ships 1/carton 5 cu ft

Highback Single Seater with arms

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are available in any of 9 standard stains or stain-to-match at no up charge
- For Flex back add suffix FB and \$181 List. Note: Wall-saving frame is not available when Flex back is specified.
- Vinyl insert on top of the back, add \$44 List/seat back
- Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133

	COM per	single sea single bac					
MODEL 3201H	COM 1098	GR 1 1205	GR 2 1240	GR 3 1310	GR 4 1418	GR 5 1497	GR 6 1635
Dimensi seat H total H	0NS (inches 18.0 46.0) seat W total W		arm H depth	26.0 25.0		
		eating Dur 50 List pe	-	st to 500	lbs per ch	iair	
Ottoma	an						
0.5 yd C	COM per o	ttoman					
MODEL 3230F	сом 393	GR 1 428	GR 2 441	GR 3 463	GR 4 499	GR 5 526	GR 6 572

Ottoman	Dimensio	ns (inches)				
Н	11.5	W	19.25	depth	12.25	
CAL 133. add \$42 List						



3201H 32 lbs



12 lbs



Highback Bariatric Single Seater with arms

Standard Features

- · Separate seat and back
- Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- Frame in any Spectone color
- Velcro removable back covers
- Replaceable seats
- Use in connected layouts at no upcharge
- Arms replaceable in the field
- · Bariatric seating cannot connect to bariatric seating
- · Ships assembled
- Baratric Highback ships 1/carton 26 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than $5" \times 5"$

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are available in any of 9 standard stains or stain-to-match at no up charge
- Connected and freestanding tables
- Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAL 133

2	OM per s	single seat single bac	k					
MODEL 3201GH	COM 1311	GR 1 1488	GR 2 1548	GR 3 1665	GR 4 1844	GR 5 1979	GR 6 2196	RT
Dimensi	ONS (inches	s)						
seat H total H	18.0 46.0	seat W total W	30.0 32.75	arm H depth	26.0 26.0			
		Seating Dur 217 List pe		st to 500	lbs per ch	nair		3201GH 40 lbs



Easy Access Hip Single Seater with arms

Standard Features

- · Separate seat and back
- Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- Frame in any Spectone color
- 24" seat height, no seat pitch (level)
- · Footrest which assists entering/exiting chair

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

- Velcro removable back covers
- Replaceable seats
- Arms replaceable in the field
- Ships assembled
- Ships 1/carton 19 cu ft

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are available in any of 9 standard stains or stain-to-match at no up charge
- Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133

Easy Access Hip Single Seater with arms COM 1.75 yds 0.75 yd COM per single seat 1.0 yd COM per single back MODEL 3231 GR 4 GR 1 **1200** GR 2 1238 GR 3 1308 GR 5 1507 GR 6 1618 COM 1423 1087 Dimensions (inches) seat H 24.0 seat W 20.5 arm H 32.0 total W 23.75 total H 42.0 depth 26.0 Exceeds BIFMA Seating Durability Test to 500 lbs per chair 3231 37 lbs CAL 133, add \$120 List per chair



Freestanding Lounge Tables Corner and Spacer Connecting Tables

Standard Features

- · Tops in laminate or veneer
- Select laminate tops from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge.
- Freestanding lounge tables available with PVC Flat (PVF), 2mm (2MM), exposed Baltic Birch plywood (PF, PKNR) or hardwood (HB) edge
- Connecting table tops available with PVC Flat (PVF) edge, Self edge (SE) or hardwood (HB) edge
- 9 standard veneer and hardwood edge stains. Stain-tomatch available at no upcharge.
- Frame in any Spectone color
- Tops utilize NU Green earth friendly core
- Glides
- 18" height

Radius Corner Tables are recommended for open areas

Freestanding Lounge Tables

- · Non-standard laminates, contact Spec for pricing
- · Custom size spacer tables for restricted spaces
- · Other sizes may be available

Laminate Laminate Veneer Model PVF/SE/2MM PF/PKNR/HB HB Weight Cu.Ft. 32 - 24 x 24 SQ 682 878 1032 28 7.2 844 1059 1276 48 18 32 - 24 x 48 RE 789 43 13.5 32 - 30 x 30 SQ 1097 931 32 - 24 DIA 651 1011 1216 26 7.2 32 - 30 DIA 40 13.5 755 1110 1320

Corner and Spacer Connecting Tables

Model	Laminate PVF/SE	Weight	Cu.Ft.
32RC - 26 x 26 Radius Corner Table	704	26	2
32SC - 26 x 26 Square Corner Table	704	26	2
32TC45 - 19 x 23 45 degree Corner Tab	704 Ie	19	2
32ST - 19 x 21 Spacer or End Table	542	19	2



