

TABLE ACCESSORIES

POWER AND COMMUNICATION COMPATIBILITY MATRIX

| Tables | Power | Grommets | Interact G2 | Interact IV G2 | Interface G2 | Villa | Cove | Cove Mini | CPCMJ | Power access door with trough |
|--|-------|----------|-------------|----------------|--------------|-------|------|-----------|-------|-------------------------------|
| Acute | | • | • | • | • | • | • | | • | |
| Annex | | • | • | • | • | • | • | | • | |
| Ark | | • | • | • | • | • | • | | • | |
| Askew | | • | • | • | • | • | • | | • | |
| Boardgames | | • | • | • | • | • | • | | • | |
| Companion | | | | | | • | • | | • | |
| Conductor | | • | • | • | • | • | • | | • | |
| Cooper | | | | | | | | | | |
| Dani | | • | | | | • | • | | • | |
| Docker | | • | • | • | • | • | • | | • | |
| Drum/Cube/Oval | | • | | | | • | • | | • | |
| Drum Base | | • | • | • | • | • | • | | • | |
| EndZone | | • | | | | • | • | | | • |
| Factory | | • | • | • | • | • | • | | • | |
| Fitt | | • | • | • | • | • | • | | • | |
| Half Round | | • | • | • | • | • | • | | • | |
| Manhattan | | • | • | • | • | • | • | | • | |
| Midway | | | | | | • | • | | • | |
| Post Legs | | • | • | • | • | • | • | | • | |
| Sidekick | | | | | | | | | | |
| Tailgate | | | | | | | | | | • |
| Tailor Freestanding | | | | | | | | • | | |
| Trumpet, Disc, Square Metal, Rectangle Metal | | • | • | • | • | • | • | | • | |
| Tubular | | • | • | • | • | • | • | | • | |
| Varsity | | • | • | • | • | • | • | | • | |



TABLE ACCESSORIES

POWER AND COMMUNICATION

INTERACT G2

| MODEL | DESCRIPTION | LIST |
|--|---|--|
| <p>SPC-ACT-21-B-108 SPC-ACT-21-S-108 SPC-ACT-21-W-108</p> | <p>Interact G2 with Cord Interact G2, 2 power, Cord, Black Interact G2, 2 power, Cord, Silver Interact G2, 2 power, Cord, White Includes 1 Telecom Blank Plate, 2 Keystone Knockouts, 2 Cord Pass Throughs, 1 Convenience Outlet, 108" long cord.</p> | <p>443 443 443</p> |
| <p>SPC-ACT-21U-B-108 SPC-ACT-21U-S-108 SPC-ACT-21U-W-108</p> | <p>Interact G2 with USB, Cord Interact G2, 2 power, 2 2.1 amp USB, Cord, Black Interact G2, 2 power, 2 2.1 amp USB, Cord, Silver Interact G2, 2 power, 2 2.1 amp USB, Cord, White Includes 1 Telecom Blank Plate, 2 Keystone Knockouts, 2 Cord Pass Throughs, 1 Convenience Outlet, 108" long cord.</p> | <p>607 607 607</p> |
| <p>SPC-ACT-21-B-HW-108 SPC-ACT-21-S-HW-108 SPC-ACT-21-W-HW-108</p> | <p>Interact G2 with Hardwire Interact G2, 2 power, Hardwire, Black Interact G2, 2 power, Hardwire, Silver Interact G2, 2 power, Hardwire, White Includes 1 Telecom Blank Plate, 2 Keystone Knockouts, 2 Cord Pass Throughs, 1 Convenience Outlet, 108" hardwire.</p> | <p>495 495 495</p> |
| <p>SPC-ACT-21U-B-HW-108 SPC-ACT-21U-S-HW-108 SPC-ACT-21U-W-HW-108</p> | <p>Interact G2 with USB, Hardwire Interact G2, 2 power, 2 2.1 amp USB, Hardwire, Black Interact G2, 2 power, 2 2.1 amp USB, Hardwire, Silver Interact G2, 2 power, 2 2.1 amp USB, Hardwire, White Includes 1 Telecom Blank Plate, 2 Keystone Knockouts, 2 Cord Pass Throughs, 1 Convenience Outlet, 108" hardwire.</p> | <p>658 658 658</p> |



| MODEL | KEYSTONE FOR KNOCKOUTS | LIST |
|-------------------|--|------|
| RJ11-A | Siemon Cat 3 female/punch down, Black | 38 |
| RJ45-B | RJ45 Cat 6 Data Jack | 67 |
| HDMI-KEY-B | HDMI F/F Keystone Jack, Black | 71 |



TABLE ACCESSORIES

POWER AND COMMUNICATION

INTERACT IV G2

| MODEL | DESCRIPTION | LIST |
|--|---|-------------------|
| SPC-ACT-41-B-108 SPC-ACT-41-S-108 SPC-ACT-41-W-108 | Interact IV G2 with Cord Interact IV G2, 4 power, Cord, Black Interact IV G2, 4 power, Cord, Silver Interact IV G2, 4 power, Cord, White Includes 2 Keystone Knockouts, 2 Cord Pass Thoughts, 1 Convenience Outlet, 108” long cord. | 664 664 664 |
| SPC-ACT-41U-B-108 SPC-ACT-41U-S-108 SPC-ACT-41U-W-108 | Interact IV G2 with USB, Cord Interact IV G2, 4 power, 2 2.1 amp USB, Cord, Black Interact IV G2, 4 power, 2 2.1 amp USB, Cord, Silver Interact IV G2, 4 power, 2 2.1 amp USB, Cord, White Includes 2 Keystone Knockouts, 2 Cord Pass Thoughts, 1 Convenience Outlet, 108” long cord. | 828 828 828 |
| SPC-ACT-41-B-HW-108 SPC-ACT-41-S-HW-108 SPC-ACT-41-W-HW-108 | Interact IV G2 with Hardwire Interact IV G2, 4 power, Hardwire, Black Interact IV G2, 4 power, Hardwire, Silver Interact IV G2, 4 power, Hardwire, White Includes 2 Keystone Knockouts, 2 Cord Pass Thoughts, 1 Convenience Outlet, 108” hardwire. | 714 714 714 |
| SPC-ACT-41U-B-HW-108 SPC-ACT-41U-S-HW-108 SPC-ACT-41U-W-HW-108 | Interact IV G2 with USB, Hardwire Interact IV G2, 4 power, 2 2.1 amp USB, Hardwire, Black Interact IV G2, 4 power, 2 2.1 amp USB, Hardwire, Silver Interact IV G2, 4 power, 2 2.1 amp USB, Hardwire, White Includes 2 Keystone Knockouts, 2 Cord Pass Thoughts, 1 Convenience Outlet, 108” hardwire. | 879 879 879 |



| MODEL | KEYSTONE FOR KNOCKOUTS | LIST |
|------------|--|------|
| RJ11-A | Siemon Cat 3 female/punch down, Black | 38 |
| RJ45-B | RJ45 Cat 6 Data Jack | 67 |
| HDMI-KEY-B | HDMI F/F Keystone Jack, Black | 71 |

TABLE ACCESSORIES

POWER AND COMMUNICATION INTERFACE G2

| MODEL | DESCRIPTION | LIST |
|---|--|----------------------|
| SPC-INT-41-B-108 SPC-INT-41-S-108 SPC-INT-41-W-108 | Interface G2 with Cord Interface G2, 4 power, Cord, Black Interface G2, 4 power, Cord, Silver Interface G2, 4 power, Cord, White Includes 1 Telecom Blank Plate, 2 Telecom Plate Cutouts, 1 Convenience Outlet, 108" long cord. | 1103 1103 1103 |
| SPC-INT-41U-B-108 SPC-INT-41U-S-108 SPC-INT-41U-W-108 | Interface G2 with USB, Cord Interface G2, 4 power, 2 2.1 amp USB, Cord, Black Interface G2, 4 power, 2 2.1 amp USB, Cord, Silver Interface G2, 4 power, 2 2.1 amp USB, Cord, White Includes 1 Telecom Blank Plate, 2 Telecom Plate Cutouts, 1 Convenience Outlet, 108" long cord. | 1257 1257 1257 |



TABLE ACCESSORIES

POWER AND COMMUNICATION



INTERACT G2 & INTERFACE G2 TELECOM ACCESSORIES

| MODEL | DESCRIPTION | LIST |
|-------------|---|------|
| A-B | Telecom Plate with 1 RJ45 Siemon Cat 6. Available in Black (BL) , Gray (GR) and White (WH) . | 86 |
| A-B-B | Telecom Plate with 2 RJ45 Siemon Cat 6. Available in Black (BL) , Gray (GR) and White (WH) . | 150 |
| A-B-B-B | Telecom Plate with 3 RJ45 Siemon Cat 6. Available in Black (BL) , Gray (GR) and White (WH) . | 214 |
| A-B-B-B-B | Telecom Plate with 4 RJ45 Siemon Cat 6. Available in Black (BL) , Gray (GR) and White (WH) . | 279 |
| A-102-102 | Telecom Plate with 2 USB Type A/A with 72" cord attached. Available in Black (BL) , Gray (GR) and White (WH) . | 150 |
| A-B-B-C45 | Telecom Plate with 2 RJ45 Cat 6 Connectors and HDMI Female/Female with 36" patch cord attached. Available in Black (BL) , Gray (GR) and White (WH) . | 301 |
| A-C45 | Telecom Plate with 1 HDMI Female/Female with 36" patch cord attached. Available in Black (BL) , Gray (GR) and White (WH) . | 173 |
| A-C45-C51 | Telecom Plate with 1 HDMI Female/Female with 36" patch cord attached and 15 Pin HD VGA Female/Female with 60" patch cord attached. Available in Black (BL) , Gray (GR) and White (WH) . | 283 |
| A-C45-C51-L | Telecom Plate with 1 HDMI Female/Female with 36" patch cord attached, Mini Stereo Inline, and 15 Pin HD VGA Female/Female with 60" patch cord attached. Available in Black (BL) , Gray (GR) and White (WH) . | 326 |

TABLE ACCESSORIES

POWER AND COMMUNICATION

CPCM AND CPCMJ PACKAGES

| MODEL | DESCRIPTION | LIST | |
|----------|---|------|--|
| CPCMPP1 | CPCM POWER PACKAGE 1 Includes CPCM, CSP Surge Supressed Power Bar with 10' cord, CSP Snap in Power Bar Holder and 5" PVC Wire Managers (set of 4). Does not include data communication jacks. Specify 3', 6' or 10' cord length for CPCM. | 327 |  |
| | | | |
| CPCMJPP2 | CPCMJ POWER PACKAGE 2 Includes CPCMJ, CSP Surge Supressed Power Bar with 10' cord, CSP Snap in Power Bar Holder and 5" PVC Wire Managers (set of 4). Includes RJ45 Cat 6 or RJ11. Specify 1 of each or 2 of either. Specify 3', 6' or 10' cord length for CPCMJ. | 375 |  |
| | | | |



STANDARD FEATURES

- 15 Amp
- UL and CSA Listed



TABLE ACCESSORIES

POWER AND COMMUNICATION

CPCM AND CPCMJ ACCESSORIES






| | MODEL | DESCRIPTION | LIST | |
|---|--------------------------------|--|-------------------|---|
| | CPCM-3 CPCM-6 CPCM-10 | SINGLE DUPLEX WITHOUT JACKS Molded plastic housing and "flip-drop" lid. Available with cord lengths of 3', 6' or 10'. | 183 183 183 |  |
| | CPCMJ-3 CPCMJ-6 CPCMJ-10 | SINGLE DUPLEX WITH JACKS Molded plastic housing and "flip-drop" lid. Includes RJ45 Cat 6 or RJ11. Specify 1 of each or 2 of either. Available with cord lengths of 3', 6' or 10'. | 232 232 232 |  |
|  | GSP | SURGE SUPPRESSED SIX OUTLET POWER BAR Fits snug in the wire management trough and is standard with 10' cord in matte black. Is UL and CSA approved and can meet regional requirements. | 53 |  |
| | CSPHOLDER | CSP HOLDER PVC snap in holder secures power bar beneath table top. | 40 |  |

TABLE ACCESSORIES

POWER AND COMMUNICATION

COVE

| | MODEL | DESCRIPTION | LIST | |
|--|---|--|------|--|
| | COVC2P2U-B COVC2P2U-S COVC2P2U-W | Cove, Clamp Mounted Cove, 2 power, 2 USB, Black Cove, 2 power, 2 USB, Silver Pearl Cove, 2 power, 2 USB, Gloss White Clamp mount method works well for desks, benches, tables and casegoods. Cord is 108" long. USB is for charging only. | 482 | |
| | | | 482 | |
| | | | 482 | |
| | | | 482 | |
| | COVS2P2U-B COVS2P2U-S COVS2P2U-W | Cove, Screw Mounted Cove, 2 power, 2 USB, Black Cove, 2 power, 2 USB, Silver Pearl Cove, 2 power, 2 USB, Gloss White Screw mount method is best suited to installations where the back of the unit has limited or no access. Cord is 108" long. USB is for charging only. | 482 | |
| | | | 482 | |
| | | | 482 | |
| | | | 482 | |
| | COVC2PC-B COVC2PC-S COVC2PC-W | Cove, Clamp Mounted, 1 Convenience Outlet Cove, 2 power, 1 Convenience Outlet, Black Cove, 2 power, 1 Convenience Outlet, Silver Pearl Cove, 2 power, 1 Convenience Outlet, Gloss White Clamp mount method works well for desks, benches, tables and casegoods. Cord is 108" long. | 348 | |
| | | | 348 | |
| | | | 348 | |
| | | | 348 | |
| | COVC2P2U2C-B COVC2P2U2C-S COVC2P2U2C-W | Cove, Clamp Mounted, 2 Convenience Outlets Cove, 2 power, 2 USB, 2 Convenience Outlets, Black Cove, 2 power, 2 USB, 2 Convenience Outlets, Silver Pearl Cove, 2 power, 2 USB, 2 Convenience Outlets, Gloss White Clamp mount method works well for desks, benches, tables and casegoods. Cord is 108" long. USB is for charging only. | 615 | |
| | | | 615 | |
| | | | 615 | |
| | | | 615 | |








TABLE ACCESSORIES

POWER AND COMMUNICATION

VILLA™ SERIES - DAISYLINK™ SYSTEM - SINGLE KIT

| TABLE SIZE | MODEL | DESCRIPTION | LIST | |
|-------------|------------------|---|------|---|
| 36" L TABLE | VILLS2P2D-36B | 36" Villa, 2 power, 2 data ports, Black | 442 |  |
| | VILLS2P2D-36S | 36" Villa, 2 power, 2 data ports, Silver | 442 | |
| | VILLS2P2D-36W | 36" Villa, 2 power, 2 data ports, White | 442 | |
| 42" L TABLE | VILLS2P2D-42B | 42" Villa, 2 power, 2 data ports, Black | 442 | |
| | VILLS2P2D-42S | 42" Villa, 2 power, 2 data ports, Silver | 442 | |
| | VILLS2P2D-42W | 42" Villa, 2 power, 2 data ports, White | 442 | |
| 48" L TABLE | VILLS2P2D-48B | 48" Villa, 2 power, 2 data ports, Black | 442 | |
| | VILLS2P2D-48S | 48" Villa, 2 power, 2 data ports, Silver | 442 | |
| | VILLS2P2D-48W | 48" Villa, 2 power, 2 data ports, White | 442 | |
| 60" L TABLE | VILLS2P2D-60B | 60" Villa, 2 power, 2 data ports, Black | 442 | |
| | VILLS2P2D-60S | 60" Villa, 2 power, 2 data ports, Silver | 442 | |
| | VILLS2P2D-60W | 60" Villa, 2 power, 2 data ports, White | 442 | |
| 72" L TABLE | VILLS2P2D-72B | 72" Villa, 2 power, 2 data ports, Black | 442 | |
| | VILLS2P2D-72S | 72" Villa, 2 power, 2 data ports, Silver | 442 | |
| | VILLS2P2D-72W | 72" Villa, 2 power, 2 data ports, White | 442 | |
| | | 2 Data Caps are included. RJ45 Data Jacks are not included. | | |
| 36" L TABLE | VILLS2P2U2RJ-36B | 36" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Black | 733 |  |
| | VILLS2P2U2RJ-36S | 36" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Silver | 733 | |
| | VILLS2P2U2RJ-36W | 36" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, White | 733 | |
| 42" L TABLE | VILLS2P2U2RJ-42B | 42" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Black | 733 | |
| | VILLS2P2U2RJ-42S | 42" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Silver | 733 | |
| | VILLS2P2U2RJ-42W | 42" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, White | 733 | |
| 48" L TABLE | VILLS2P2U2RJ-48B | 48" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Black | 733 | |
| | VILLS2P2U2RJ-48S | 48" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Silver | 733 | |
| | VILLS2P2U2RJ-48W | 48" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, White | 733 | |
| 60" L TABLE | VILLS2P2U2RJ-60B | 60" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Black | 733 | |
| | VILLS2P2U2RJ-60S | 60" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Silver | 733 | |
| | VILLS2P2U2RJ-60W | 60" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, White | 733 | |
| 72" L TABLE | VILLS2P2U2RJ-72B | 72" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Black | 733 | |
| | VILLS2P2U2RJ-72S | 72" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Silver | 733 | |
| | VILLS2P2U2RJ-72W | 72" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, White | 733 | |
| | VRJ45 | Single RJ45 Cat6, Black | 67 |  |
| | VHDMI-KEY | HDMI F/F Keystone Jack, Black | 71 | |

SINGLE KIT INCLUDES:




TABLE ACCESSORIES

POWER AND COMMUNICATION


VILLA™ SERIES - DAISYLINK™ SYSTEM - DOUBLE KIT

| TABLE SIZE | MODEL | DESCRIPTION | LIST | |
|-------------|------------------|---|------|--|
| 60" L TABLE | VILLD2P2D-60B | 60" Villa, 2 power, 2 data ports, Black | 832 | |
| | VILLD2P2D-60S | 60" Villa, 2 power, 2 data ports, Silver | 832 | |
| | VILLD2P2D-60W | 60" Villa, 2 power, 2 data ports, White | 832 | |
| 72" L TABLE | VILLD2P2D-72B | 72" Villa, 2 power, 2 data ports, Black | 832 | |
| | VILLD2P2D-72S | 72" Villa, 2 power, 2 data ports, Silver | 832 | |
| | VILLD2P2D-72W | 72" Villa, 2 power, 2 data ports, White | 832 | |
| 84" L TABLE | VILLD2P2D-84B | 84" Villa, 2 power, 2 data ports, Black | 832 | |
| | VILLD2P2D-84S | 84" Villa, 2 power, 2 data ports, Silver | 832 | |
| | VILLD2P2D-84W | 84" Villa, 2 power, 2 data ports, White | 832 | |
| 96" L TABLE | VILLD2P2D-96B | 96" Villa, 2 power, 2 data ports, Black | 832 | |
| | VILLD2P2D-96S | 96" Villa, 2 power, 2 data ports, Silver | 832 | |
| | VILLD2P2D-96W | 96" Villa, 2 power, 2 data ports, White | 832 | |
| | | 2 Data Caps are included. RJ45 Data Jacks are not included. | | |
| 60" L TABLE | VILLD2P2U2RJ-60B | 60" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Black | 1414 | |
| | VILLD2P2U2RJ-60S | 60" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Silver | 1414 | |
| | VILLD2P2U2RJ-60W | 60" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, White | 1414 | |
| 72" L TABLE | VILLD2P2U2RJ-72B | 72" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Black | 1414 | |
| | VILLD2P2U2RJ-72S | 72" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Silver | 1414 | |
| | VILLD2P2U2RJ-72W | 72" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, White | 1414 | |
| 84" L TABLE | VILLD2P2U2RJ-84B | 84" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Black | 1414 | |
| | VILLD2P2U2RJ-84S | 84" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Silver | 1414 | |
| | VILLD2P2U2RJ-84W | 84" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, White | 1414 | |
| 96" L TABLE | VILLD2P2U2RJ-96B | 96" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Black | 1414 | |
| | VILLD2P2U2RJ-96S | 96" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, Silver | 1414 | |
| | VILLD2P2U2RJ-96W | 96" Villa, 2 power, 2 USB 2.1 AMP ports, 2 RJ45 cat 6 data, White | 1414 | |
| | VRJ45 | Single RJ45 Cat6, Black | 67 | |
| | VHDMI-KEY | HDMI F/F Keystone Jack, Black | 71 | |

Specify double kit when two Villas are in one single table

DOUBLE KIT INCLUDES

Villa Power Base



Villa Flush Lid




TABLE ACCESSORIES

POWER AND COMMUNICATION

VILLA™ SERIES - CORDED






| | MODEL | DESCRIPTION | LIST | |
|--|---------------|--|------|---|
| | VILLCDKO-36B | Corded Villa, 2 power, 2 data ports, 36" cord, Black | 339 |  |
| | VILLCDKO-36S | Corded Villa, 2 power, 2 data ports, 36" cord, Silver | 339 | |
| | VILLCDKO-72B | Corded Villa, 2 power, 2 data ports, 72" cord, Black | 339 |  |
| | VILLCDKO-72S | Corded Villa, 2 power, 2 data ports, 72" cord, Silver | 339 | |
| | VILLCDKO-108B | Corded Villa, 2 power, 2 data ports, 108" cord, Black | 339 |  |
| | VILLCDKO-108S | Corded Villa, 2 power, 2 data ports, 108 cord, Silver | 339 | |
| | VILLCUDKO-72B | Corded Villa, 2 power, 2 USB 2.1 AMP charging ports, 2 data ports, 72" cord, Black | 509 |  |
| | VILLCUDKO-72S | Corded Villa, 2 power, 2 USB 2.1 AMP charging ports, 2 data ports, 72" cord, Silver 2 Data Caps are included. RJ45 Data Jacks are not included. | 509 | |
| | VRJ45 | Single RJ45 Cat6, Black | 67 |  |
| | VHDMI-KEY | HDMI F/F Keystone Jack, Black | 71 | |



TABLE ACCESSORIES

POWER AND COMMUNICATION

VILLA™ SERIES - OPTIONS

| | MODEL | DESCRIPTION | LIST | |
|---|----------------------|---|------|---|
| | VILLPOWERFEED | Multi-Circuit Hardwired Power Infeed UL Listed & CSA Certified | 244 |  |
| | VILLQDINSERT | Insert for floor box and wall outlet applications. Fits standard Decora® opening. UL Listed & CSA Certified | 107 |  |
|  | VILLFEEDPLUG | Single Circuit Power Infeed with 72" Molded Plug Required for non-sequenced power applications. UL Listed | 236 |  |
| | VILL42FFL-72 | Female/Female Interconnecting Cable UL Listed & CSA Certified | 154 |  |
| | VILLDAISYT | Daisy-T Power Manager | 161 |  |