



PRODUCT CODE

91 01 MC - NA

Series

Number of Seats

Type

Arms

91 : Tailor

1 : Single Seat 2 : Two Seat

MC : Mid-Back Connected

NA: No Arm L : Left Arm

3 : Three Seat

R: Right Arm

OPTIONS

ARM GAP



ARM CAP



POWER



In table



In seat

FINISHES



Select from one of our 76 standard Spectone colors

FABRIC



Select fabrics from one of our textile partners

LAMINATE



Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica,

Arborite and Pionite matte finish laminates at no upcharge



SE

ARM CAPS





*Wood arms are available in 9 standard stains or stain-to-match at no upcharge.

Polyurethane


Wood*

EDGE





HOW TO ORDER



Specify Model

- ♠ Specify Fabric Seat¹
 Manufacturer, Pattern Name, Color
- B Specify Fabric Back¹
 Manufacturer, Pattern Name, Color
- Specify Fabric Arms¹
 Manufacturer, Pattern Name, Color
- Specify Frame Finish

Optional: CAL 133, Moisture Barrier, 1" Gap Between Seat and Arm, Arm Caps, Connecting and Freestanding Tables, Power

Restrictions may apply. See price list tables below for more information.

¹ When multiple fabrics are specified on two and three seat chairs, please provide a drawing and legend for fabric placement.

Model	Fabric - Seat 1	Fabric - Seat 2	Fabric - Back 1	Fabric - Back 2	Fabric - Arm 1	Frame Finish
9102MC-L	Momentum, Beeline, Canvas	Silver				





To configure Tailor Modular, please specify left to right facing the configuration.


Tailor has two arm styles - end arms which are tapered, and connecting arms which are straight. Please provide a layout drawing with your purchase order or quote request and Customer Service will determine the appropriate arm (end or connecting) depending on their position within the layout. Arms are shipped assembled on the chair.







Straight Connecting Arm





Note: Single seat configuration is shown in the example

Tapered End Arms are installed at the ends of the layout run.

Note: Exceptions apply, see next page for more information.

- When arms are specified between seats or seat-totable, a Straight Connecting Arm will be used.
- To complete your configuration, choose from end of run, spacer or corner connecting tables.





The configuration above can be specified as:

9101MC Single Seat, Two Arms

(one Tapered End, one Straight Connecting) 9101MC-R

Single Seat, With Right Arm Only


(Straight Connecting)

91RC Corner Table - Radius Corner 9101MC Single Seat, Two Arms

(two Straight Connecting)

9101MC-R Single Seat, With Right Arm Only

(Tapered End)





TAPERED END ARMS ON BOTH ENDS

Configurations with arms on both ends will have Tapered End Arms as standard.



Configuration above shows Tapered End Arms on outside of chairs, Straight Connecting Arms in center. Regardless of its complexity, when a configuration is ending in arms on both ends, the configuration will be specified with a Tapered End Arm as standard.



STRAIGHT CONNECTING ARM ON ONE END


Configurations with an arm on one end will have Straight Connecting Arm as standard.



Configuration above is ending in a table on one end, and an arm on the other end of the run. Regardless of its complexity, when a configuration is ending in one arm only, the configuration will be specified with a Straight Connecting Arm as standard. Customers may specify Tapered End Arm at the end of such run, but a special note must be given to Customer Service at the time of quote/order. Note that the arm beside the table will always be a Straight Connecting Arm.



FOUR SEAT DESIGN, EXAMPLE 1



		98.		п	4
7					\vdash

A four-seat configuration may be specified as two two-seat sofas.

9102MC-L Two Seat, With Left Arm Only


(Tapered End)

9102MC-R Two Seat, With Right Arm Only

(Tapered End)

FOUR SEAT DESIGN, EXAMPLE 2





A four-seat configuration may also be specified as four single seat chairs. Please note that the number of legs in this case is double than in the example above.

Note: Specifying with single seats allows for higher flexibility, but this also

increases the number of legs.

9101MC-L Single Seat, With Left Arm Only


(Tapered End)

9101MC-NA Single Seat, Without Arms 9101MC-NA Single Seat, Without Arms 9101MC-R Single Seat, With Right Arm Only

(Tapered End)

FOUR SEAT DESIGN, EXAMPLE 3





Arms may be added between each seat, increasing the gap between each chair base, as well as the overall width of the configuration.

9101MC Single Seat, Two Arms

(one Tapered End, one Straight Connecting)

9101MC-R Single Seat, With Right Arm Only

(Straight Connecting)

9101MC-R Single Seat, With Right Arm Only


(Straight Connecting)


9101MC-R Single Seat, With Right Arm Only

(Tapered End)



END TABLE ON BOTH ENDS, EXAMPLE





91ERC - 24 x 12 9102MC-NA

91ERC - 24 x 12

End of Run Table Closed - Half Size


Two Seat, Without Arms

End of Run Table Closed - Half Size

SPACER TABLE BETWEEN SEATS, EXAMPLE







9101MC

91STC - 24 x 24 COV-1U-S 9101MC Single Seat, Two Arms (one Tapered End, one Straight Connecting) Spacer Table Closed - Full Size Cove, 1 power, 2USB, Silver Pearl Single Seat, Two Arms (one Straight Connecting, one Tapered End)



Standard Features

- · Separate seat and back
- · Wall-saving frame
- Glides
- One connecting plate per unit
- Ships assembled
- · Ships 1/carton 24 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

To ensure proper configuration please provide a layout drawing.

Options

- · Polyurethane arm caps available in Black (B), Taupe RAL 7006 (T) or Sterling Grey (G), add \$118 List per arm
- · For wood arm caps, select from 9 standard stains, or stainto-match at no upcharge, add \$139 List per arm
- 1" gap between seat and arm available at \$48 List per arm
- Upholstered arms/seat/back can match or contrast
- · Cove Mini power module centered in the seat front is available in Black, Silver Pearl and Gloss White. Add \$426 List per seat per module
- · Antibacterial and antimicrobial fabrics available
- CAL 133







Tapered End Arm

Cove Mini

Single Seat, Without Arms

COM 2.75 yds 1.25 yds COM per single seat 1.5 yds COM per single back

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
9101MC-NA	962	1109	1156	1258	1408	1525	1676

Dimensions (inches)

seat W 23.0 seat H 18.0

total H 33.0 total W 23.0 depth 29.0

Exceeds BIFMA Seating Durability Test to 500 lbs CAL 133, add \$209 List per unit



9101MC-NA 43 lbs

Single Seat, Two Arms

COM 4.25 yds 1.25 yds COM per single seat 1.5 yds COM per single back 0.75 yds COM per arm

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
9101MC	1468	1698	1773	1931	2166	2346	2583

Dimensions (inches)

seat H 18.0 seat W 23.0 arm H 24.5 total H 33.0 total W 29.5 29.0 depth

Exceeds BIFMA Seating Durability Test to 500 lbs CAL 133, add \$323 List per unit



9101MC 67 lbs





Standard Features

- · Separate seat and back
- · Wall-saving frame
- Glides
- · One connecting plate per unit
- · Ships assembled
- · Ships 1/carton 24 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

To ensure proper configuration please provide a layout drawing.

Options

- · Polyurethane arm caps available in Black (B), Taupe RAL 7006 (T) or Sterling Grey (G), add \$118 List per arm
- For wood arm caps, select from 9 standard stains, or stainto-match at no upcharge, add \$139 List per arm
- 1" gap between seat and arm available at \$48 List per arm
- Upholstered arms/seat/back can match or contrast
- · Cove Mini power module centered in the seat front is available in Black, Silver Pearl and Gloss White. Add \$426 List per seat per module
- · Antibacterial and antimicrobial fabrics available
- CAL 133







Tapered End Arm

Straight Connecting

Cove Mini

Single Seat, With Right Arm Only

COM 3.5 yds 1.25 yds COM per single seat 1.5 yds COM per single back 0.75 yds COM per arm

	1215						
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6

Dimensions (inches)

seat H 18.0 23.0 24.5 seat W arm H total H 33.0 total W 26.25 depth 29.0

Exceeds BIFMA Seating Durability Test to 500 lbs CAL 133, add \$266 List per unit

Single Seat, With Left Arm Only

COM 3.5 yds 1.25 yds COM per single seat 1.5 yds COM per single back 0.75 yds COM per arm

MODEL COM GR 1 GR 2 GR 3 GR 4 GR 5 GR 6 9101MC-L 1215 1403 1465 1595 1787 1934 2130

Dimensions (inches)

seat H 18.0 seat W 23.0 arm H 24.5 total H 33.0 total W 26.25 depth 29.0

Exceeds BIFMA Seating Durability Test to 500 lbs CAL 133, add \$266 List per unit



9101MC-R 55 lbs

9101MC-L 55 lbs





Standard Features

- · Separate seat and back
- · Wall-saving frame
- Glides
- One connecting plate per unit
- Ships assembled
- · Ships 1/carton 32 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

To ensure proper configuration please provide a layout drawing.

Options

- Polyurethane arm caps available in Black (B), Taupe RAL 7006 (T) or Sterling Grey (G), add \$118 List per arm
- · For wood arm caps, select from 9 standard stains, or stainto-match at no upcharge, add \$139 List per arm
- 1" gap between seat and arm available at \$48 List per arm
- Upholstered arms/seat/back can match or contrast
- · Cove Mini power module centered in the seat front is available in Black, Silver Pearl and Gloss White. Add \$426 List per seat per module
- · Antibacterial and antimicrobial fabrics available
- CAL 133







Tapered End Arm

Bariatric Single Seat, Two Arms

COM 5 yds 1.5 yds COM per single seat 2 yds COM per single back 0.75 yds COM per arm

9101GC	1604	1858	1949	2137	2417	2631	2915
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6

Dimensions (inches)

seat H 18.0 seat W 30.0 arm H 24.5 total H 33.0 total W 36.5 depth 29.0

Exceeds BIFMA Seating Durability Test to 750 lbs

CAL 133, add \$381 List per unit





Standard Features

- · Separate seat and back
- · Wall-saving frame
- Glides
- One connecting plate per unit
- Ships assembled
- · Ships 1/carton 43 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

To ensure proper configuration please provide a layout drawing.

Options

- · Polyurethane arm caps available in Black (B), Taupe RAL 7006 (T) or Sterling Grey (G), add \$118 List per arm
- · For wood arm caps, select from 9 standard stains, or stainto-match at no upcharge, add \$139 List per arm
- 1" gap between seat and arm available at \$48 List per arm
- Upholstered arms/seat/back can match or contrast
- · Cove Mini power module centered in the seat front is available in Black, Silver Pearl and Gloss White. Add \$426 List per seat per module
- · Antibacterial and antimicrobial fabrics available
- CAL 133







Tapered End Arm

Cove Mini

Two Seat, Without Arms

COM 5.5 yds 1.25 yds COM per single seat 1.5 yds COM per single back

MODEL 9102MC-NA	 	GR 2 2062	 	
Dimensions (inches)				

Dimensions (inches)

seat H 18.0 seat W 23.0

total H 33.0 total W 46.0 29.0 depth

Exceeds BIFMA Seating Durability Test to 570 lbs CAL 133, add \$418 List per unit



Two Seat, With Two Arms

COM 7 yds 1.25 yds COM per single seat 1.5 yds COM per single back 0.75 yds COM per arm

MODEL			GR 2				
9102MC	2178	2555	2678	2938	3323	3617	4008

Dimensions (inches)

seat H 18.0 seat W 23.0 arm H 24.5 total H 33.0 total W 52.5 29.0 depth

Exceeds BIFMA Seating Durability Test to 570 lbs CAL 133, add \$532 List per unit



9102MC 116 lbs



Standard Features

- · Separate seat and back
- · Wall-saving frame
- Glides
- One connecting plate per unit
- Ships assembled
- · Ships 1/carton 43 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

To ensure proper configuration please provide a layout drawing.

Options

- · Polyurethane arm caps available in Black (B), Taupe RAL 7006 (T) or Sterling Grey (G), add \$118 List per arm
- · For wood arm caps, select from 9 standard stains, or stainto-match at no upcharge, add \$139 List per arm
- 1" gap between seat and arm available at \$48 List per arm
- Upholstered arms/seat/back can match or contrast
- · Cove Mini power module centered in the seat front is available in Black, Silver Pearl and Gloss White. Add \$426 List per seat per module
- · Antibacterial and antimicrobial fabrics available
- CAL 133







Tapered End Arm

Cove Mini

Two Seat, With Right Arm Only

COM 6.25 yds 1.25 yds COM per single seat 1.5 yds COM per single back 0.75 yds COM per arm

MODEL 9102MC-R	00111	G., I	GR 2 2370	u 0	G., .	u 0	GR 6 3555
Dimensions (inches)							

Dimensions (inches)

23.0 24.5 seat H 18.0 seat W arm H total H 33.0 total W 49.25 29.0 depth

Exceeds BIFMA Seating Durability Test to 570 lbs CAL 133, add \$475 List per unit



Two Seat, With Left Arm Only

COM 6.25 yds 1.25 yds COM per single seat 1.5 yds COM per single back 0.75 yds COM per arm

MODEL			GR 2				
9102MC-L	1925	2260	2370	2602	2943	3207	3555

Dimensions (inches)

seat H 18.0 seat W 23.0 arm H 24.5 total H 33.0 total W 49.25 29.0 depth

Exceeds BIFMA Seating Durability Test to 570 lbs CAL 133, add \$475 List per unit



9102MC-L 104 lbs



Standard Features

- · Separate seat and back
- · Wall-saving frame
- Glides
- · One connecting plate per unit
- Ships assembled
- · Ships 1/carton 62 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

To ensure proper configuration please provide a layout drawing.

Options

- · Polyurethane arm caps available in Black (B), Taupe RAL 7006 (T) or Sterling Grey (G), add \$118 List per arm
- For wood arm caps, select from 9 standard stains, or stainto-match at no upcharge, add \$139 List per arm
- 1" gap between seat and arm available at \$48 List per arm
- · Upholstered arms/seat/back can match or contrast
- · Cove Mini power module centered in the seat front is available in Black, Silver Pearl and Gloss White. Add \$426 List per seat per module
- · Antibacterial and antimicrobial fabrics available
- CAL 133







Tapered End Arm

Cove Mini

Three Seat, Without Arms

COM 8.25 yds 1.25 yds COM per single seat 1.5 yds COM per single back

GR 6 MODEL GR 1 GR 2 GR 4 GR 5 COM GR 3 9103MC-NA 2382 2823 2967 3273 3722 4068 4526

Dimensions (inches)

23.0 seat H 18.0 seat W

total H 33.0 total W 69.0 depth 29.0

Exceeds BIFMA Seating Durability Test to 750 lbs CAL 133, add \$627 List per unit

9103MC-NA 137 lbs

Three Seat, With Two Arms

COM 9.75 yds 1.25 yds COM per single seat 1.5 yds COM per single back 0.75 yds COM per arm

18.0

33.0

seat H

total H

MODEL COM GR 1 GR 2 GR 3 GR 4 GR 5 9103MC 2888 3412 3583 3945 4479 4890 Dimensions (inches)

arm H

depth

24.5

29.0

Exceeds BIFMA Seating Durability Test to 750 lbs CAL 133, add \$741 List per unit

23.0

75.5

seat W

total W





Standard Features

- · Separate seat and back
- · Wall-saving frame
- Glides
- · One connecting plate per unit
- · Ships assembled
- · Ships 1/carton 62 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

To ensure proper configuration please provide a layout drawing.

Options

- · Polyurethane arm caps available in Black (B), Taupe RAL 7006 (T) or Sterling Grey (G), add \$118 List per arm
- For wood arm caps, select from 9 standard stains, or stainto-match at no upcharge, add \$139 List per arm
- 1" gap between seat and arm available at \$48 List per arm
- · Upholstered arms/seat/back can match or contrast
- · Cove Mini power module centered in the seat front is available in Black, Silver Pearl and Gloss White. Add \$426 List per seat per module
- · Antibacterial and antimicrobial fabrics available
- CAL 133







Tapered End Arm

Straight Connecting

Cove Mini

Three Seat, With Right Arm Only

COM 9 vds 1.25 yds COM per single seat 1.5 yds COM per single back

0.75 yds COM per arm

MODEL 9103MC-R GR 1 **3117** GR 2 3276 GR 4 **4101** 2634 3609 4478 4978

Dimensions (inches)

seat H 18.0 seat W 23.0 24.5 arm H total H 33.0 total W 72.25 depth 29.0

Exceeds BIFMA Seating Durability Test to 750 lbs CAL 133, add \$684 List per unit



COM 9 yds 1.25 yds COM per single seat 1.5 yds COM per single back 0.75 yds COM per arm

MODEL COM GR 1 GR 2 GR 3 GR 4 GR 5 GR 6 9103MC-L 2634 3117 3276 3609 4101 4478 4978

Dimensions (inches)

seat H 18.0 seat W 23.0 arm H 24.5 total H 33.0 total W 72.25 depth 29.0

Exceeds BIFMA Seating Durability Test to 750 lbs CAL 133, add \$684 List per unit



9103MC-R

149 lbs





TABLES

Standard Features

- · Tables in laminate or veneer
- Select laminate tops from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge.
- 9 standard veneers. Stain-to-match available at no upcharge.
- · Tables available with Self Edge (SE) only
- · Steel table legs available in any Spectone color
- · Tops utilize NU Green earth friendly core
- · Glides
- · One connecting plate per unit
- · Ships KD
- 17" height

Options

 To add Cove Mini, clamp mounted with 1 power, 2 USB (charging only), and a 108" long cord to Tailor modular tables, add \$344 List.

Cove will be located on the flat front face of the closed tables as standard. It is not recommended to specify power on open tables. Specify separately at time of order.



Black Silver Pearl Gloss White COVSMC1P1U-B COVSMC1P1U-S COVSMC1P1U-W

To ensure proper configuration please provide a layout drawing.

Corner and Spacer Connecting Tables

		Laminate	Veneer		
Model		SE	SE	Weight	Cu.Ft.
91STC - 24X24	SPACER TABLE CLOSED - FULL SIZE	830	1163	32	11
91STO - 24X24	SPACER TABLE OPEN - FULL SIZE	852	1192	30	11
91STC - 24X12	SPACER TABLE CLOSED - HALF SIZE	777	1087	20	7
91STO - 24X12	SPACER TABLE OPEN - HALF SIZE	798	1117	20	7
91ERC - 24X24	END OF RUN TABLE CLOSED - FULL SIZE	1002	1402	33	11
91ERO - 24X24	END OF RUN TABLE OPEN – FULL SIZE	1023	1432	31	11
91ERC - 24X12	END OF RUN TABLE CLOSED - HALF SIZE	948	1327	21	7
91ERO - 24X12	END OF RUN TABLE OPEN – HALF SIZE	969	1357	21	7
91ERB	END OF RUN TABLE - BULLET	1090	1526	36	14
91HM	END OF RUN TABLE – HALF-MOON	1456	2231	75	25
91RC	CORNER TABLE - 90 RADIUS CORNER	1090	1526	45	16
91RC45	CORNER TABLE - 45 RADIUS CORNER	1090	1526	32	12



