# **spec**<sup>°</sup>

## TAILOR Lounge Collection - MODULAR



#### PRODUCT CODE

	91 01 M	<b>C</b> – <b>NA</b>	
Series	Number of Seats	Туре	Arms
91 : Tailor	1 : Single Seat 2 : Two Seat 3 : Three Seat	MC : Mid-Back Connected	NA : No Arm L : Left Arm R: Right Arm

OPTIONS

ARM GAP









#### FINISHES

FRAME



Select from one of our 76 standard Spectone colors

#### ARM CAPS



FABRIC



In table

Select fabrics from one of our textile partners

LAMINATE




Select from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge

### EDGE

SE



#### HOW TO ORDER



#### **Specify Model**

- Specify Fabric Seat<sup>1</sup> Manufacturer, Pattern Name, Color
- B Specify Fabric Back<sup>1</sup> Manufacturer, Pattern Name, Color
- Specify Fabric Arms<sup>1</sup> Manufacturer, Pattern Name, Color
- Specify Frame Finish

Optional: CAL 133, Moisture Barrier, 1" Gap Between Seat and Arm, Arm Caps, Connecting and Freestanding Tables, Power Restrictions may apply. See price list tables below for more information.

<sup>1</sup> When multiple fabrics are specified on two and three seat chairs, please provide a drawing and legend for fabric placement.

Model	Fabric - Seat 1	Fabric - Seat 2	Fabric - Back 1	Fabric - Back 2	Fabric - Arm 1	Frame Finish
9102MC-L	Momentum, Beeline, Canvas	Silver				



LAYOUTS

To configure Tailor Modular, please specify left to right facing the configuration.

Tailor has two arm styles - end arms which are tapered, and connecting arms which are straight. Please provide a layout drawing with your purchase order or quote request and Customer Service will determine the appropriate arm (end or connecting) depending on their position within the layout. Arms are shipped assembled on the chair.







Straight Connecting Arm

Choose from one-, two-, three-seat and bariatric modular designs.

Note: Single seat configuration is shown in the example below.


Tapered End Arms are installed at the ends of the layout run.


Note: Exceptions apply, see next page for more information.



When arms are specified between seats or seat-totable, a Straight Connecting Arm will be used.

D To complete your configuration, choose from end of run, spacer or corner connecting tables.





The configuration above can be specified as:

9101MC	Single Seat, Two Arms
	(one Tapered End, one Straight Connecting)
9101MC-R	Single Seat, With Right Arm Only
	(Straight Connecting)
91RC	Corner Table - Radius Corner
9101MC	Single Seat, Two Arms
	(two Straight Connecting)
9101MC-R	Single Seat, With Right Arm Only
	(Tapered End)



#### TAPERED END ARMS ON BOTH ENDS

Configurations with arms on both ends will have Tapered End Arms as standard.



Configuration above shows Tapered End Arms on outside of chairs, Straight Connecting Arms in center. Regardless of its complexity, when a configuration is ending in arms on both ends, the configuration will be specified with a Tapered End Arm as standard.



#### STRAIGHT CONNECTING ARM ON ONE END


Configurations with an arm on one end will have Straight Connecting Arm as standard.




Configuration above is ending in a table on one end, and an arm on the other end of the run. Regardless of its complexity, when a configuration is ending in one arm only, the configuration will be specified with a Straight Connecting Arm as standard. Customers may specify Tapered End Arm at the end of such run, but a special note must be given to Customer Service at the time of quote/order. Note that the arm beside the table will always be a Straight Connecting Arm.



FOUR SEAT DESIGN, EXAMPLE 1






A four-seat configuration may be specified as two two-seat sofas.

9102MC-L Two Seat, With Left Arm Only (Tapered End) 9102MC-R Two Seat, With Right Arm Only (Tapered End)

FOUR SEAT DESIGN, EXAMPLE 2






A four-seat configuration may also be specified as four single seat chairs. Please note that the number of legs in this case is double than in the example above.

Note: Specifying with single seats allows for higher flexibility, but this also increases the number of legs.

9101MC-L	Single Seat, With Left Arm Only
	(Tapered End)
9101MC-NA	Single Seat, Without Arms
9101MC-NA	Single Seat, Without Arms
9101MC-R	Single Seat, With Right Arm Only
	(Tapered End)







Arms may be added between each seat, increasing the gap between each chair base, as well as the overall width of the configuration.

9101MC	Single Seat, Two Arms
	(one Tapered End, one Straight Connecting)
9101MC-R	Single Seat, With Right Arm Only
	(Straight Connecting)
9101MC-R	Single Seat, With Right Arm Only
	(Straight Connecting)
9101MC-R	Single Seat, With Right Arm Only
	(Tapered End)




END TABLE ON BOTH ENDS, EXAMPLE






91ERC - 24 x 12 9102MC-NA 91ERC - 24 x 12 End of Run Table Closed - Half Size Two Seat, Without Arms End of Run Table Closed - Half Size

#### SPACER TABLE BETWEEN SEATS, EXAMPLE





9101MC

91STC - 24 x 24 COV-1U-S 9101MC Single Seat, Two Arms (one Tapered End, one Straight Connecting) Spacer Table Closed - Full Size Cove, 1 power, 2USB, Silver Pearl Single Seat, Two Arms (one Straight Connecting, one Tapered End)



#### **Standard Features**

- · Separate seat and back
- · Wall-saving frame
- Glides
- One connecting plate per unit
- · Ships assembled, 1/carton 24 cu ft

*Contact Spec Customer Service to railroad fabrics* (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

To ensure proper configuration please provide a layout drawing.



Wall-saving Frame

#### Single Seat, Without Arms

COM 2.75 yds 1.25 yds COM per single seat 1.5 yds COM per single back								
MODEL 9101MC-	NA	COM 962	GR 1 <b>1109</b>	GR 2 <b>1156</b>	GR 3 <b>1258</b>	GR 4 <b>1408</b>	GR 5 <b>1525</b>	GR 6 <b>1676</b>
Dimensio seat H total H	008 (inches) 18.0 33.0	seat W total W	23.0 23.0	depth	29.0			

GR 3

1931

GR 4

2166

GR 5

2346

GR 6

2583

Tapered End Arm Straight Connecting Arm

\$426 List per seat per module

• Polyurethane arm caps available in Black (B), Taupe RAL

· For wood arm caps, select from 9 standard stains, or stain-

• 1" gap between seat and arm available at \$48 List per arm

7006 (T) or Sterling Grey (G), add \$118 List per arm

to-match at no upcharge, add \$139 List per arm

· Upholstered arms/seat/back can match or contrast

· Antibacterial and antimicrobial fabrics available

· Cove Mini power module centered in the seat front is

available in Black, Silver Pearl and Gloss White. Add

**Options** 

• CAL 133

50

Cove Mini

9101MC-NA 43 lbs



### Single Seat, Two Arms

CAL 133, add \$209 List per unit

COM 4.25 yds 1.25 yds COM per single seat 1.5 yds COM per single back 0.75 yds COM per arm MODEL COM GR 1 GR 2 9101MC 1468 1698 1773

Exceeds BIFMA Seating Durability Test to 500 lbs

Dimensions (inches)								
seat H	18.0	seat W	23.0	arm H	24.5			
total H	33.0	total W	29.5	depth	29.0			

Exceeds BIFMA Seating Durability Test to 500 lbs CAL 133, add \$323 List per unit



#### **Standard Features**

- Separate seat and back
- · Wall-saving frame
- Glides
- One connecting plate per unit
- · Ships assembled, 1/carton 24 cu ft

*Contact Spec Customer Service to railroad fabrics* (*specify repeat info and yardage requirement will be provided*) *and for repeats greater than* 5" x 5"

To ensure proper configuration please provide a layout drawing.



Wall-saving Frame

#### Single Seat, With Right Arm Only

1.5 yds	s COM pe	er single sea single bacl er arm						
MODEL COM GR 1 GR 2 GR 3 GR 4 GR 5   9101MC-R 1215 1403 1465 1595 1787 1934								GR 6 <b>2130</b>
Dimensi seat H total H	0NS (inches 18.0 33.0	s) seat W total W	23.0 26.25	arm H depth	24.5 29.0			
		Seating Dur 266 List pe	,	st to 500	lbs			

#### Single Seat, With Left Arm Only

1.5 yds (	COM per	single sea single back arm						
MODEL 9101MC-L		COM <b>1215</b>	GR 1 <b>1403</b>	GR 2 <b>1465</b>	GR 3 <b>1595</b>	GR 4 <b>1787</b>	GR 5 <b>1934</b>	GR 6 <b>2130</b>
Dimensions (inches) seat H 18.0 seat W 23.0 arm H 24.5 total H 33.0 total W 26.25 depth 29.0								
Exceeds BIFMA Seating Durability Test to 500 lbs CAL 133, add \$266 List per unit								

#### Options

- Polyurethane arm caps available in Black (B), Taupe RAL 7006 (T) or Sterling Grey (G), add \$118 List per arm
- For wood arm caps, select from 9 standard stains, or stainto-match at no upcharge, add \$139 List per arm
- 1" gap between seat and arm available at \$48 List per arm
- Upholstered arms/seat/back can match or contrast
- Cove Mini power module centered in the seat front is available in Black, Silver Pearl and Gloss White. Add \$426 List per seat per module
- · Antibacterial and antimicrobial fabrics available
- CAL 133





rm Straight Connecting Arm

Cove Mini



9101MC-R 55 lbs



55 lbs



#### **Standard Features**

- Separate seat and back
- · Wall-saving frame
- Glides
- One connecting plate per unit
- Ships assembled, 1/carton 32 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

To ensure proper configuration please provide a layout drawing.



Wall-saving Frame

#### Bariatric Single Seat, Two Arms

2 yds C	COM per	single seat ingle back er arm	t						
MODEL 9101GC	:	COM <b>1604</b>	GR 1 <b>1858</b>	GR 2 <b>1949</b>	GR 3 <b>2137</b>	GR 4 <b>2417</b>	GR 5 <b>2631</b>	GR 6 <b>2915</b>	
Dimensi	ONS (inche	s)							
seat H	18.0	seat W	30.0	arm H	24.5				
total H	33.0	total W	36.5	depth	29.0				9101GC
		Seating Dur 381 List pe	,	est to 750	lbs				75 lbs

#### **Options**

- Polyurethane arm caps available in Black (B), Taupe RAL 7006 (T) or Sterling Grey (G), add \$118 List per arm
- · For wood arm caps, select from 9 standard stains, or stainto-match at no upcharge, add \$139 List per arm
- 1" gap between seat and arm available at \$48 List per arm
- · Upholstered arms/seat/back can match or contrast
- · Cove Mini power module centered in the seat front is available in Black, Silver Pearl and Gloss White. Add \$426 List per seat per module
- · Antibacterial and antimicrobial fabrics available
- CAL 133



Straight Connecting Arm

Cove Mini



#### **Standard Features**

- Separate seat and back
- · Wall-saving frame
- Glides
- One connecting plate per unit
- Ships assembled, 1/carton 43 cu ft

*Contact Spec Customer Service to railroad fabrics* (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

To ensure proper configuration please provide a layout drawing.



Wall-saving Frame

#### Two Seat, Without Arms

COM 5.5 yds 1.25 yds COM per single seat 1.5 yds COM per single back

MODEL 9102MC	-NA	COM 1671	GR 1 <b>1966</b>	GR 2 <b>2062</b>	GR 3 <b>2265</b>	GR 4 <b>2566</b>	GR 5 <b>2796</b>	GR 6 <b>3101</b>
Dimensio	ONS (inches)							
seat H	18.0	seat W	23.0					
total H	33.0	total W	46.0	depth	29.0			

Tapered End Arm

• CAL 133

**Options** 



Straight Connecting Arm

• Polyurethane arm caps available in Black (B), Taupe RAL 7006 (T) or Sterling Grey (G), add \$118 List per arm

· For wood arm caps, select from 9 standard stains, or stain-

• 1" gap between seat and arm available at \$48 List per arm

to-match at no upcharge, add \$139 List per arm

· Upholstered arms/seat/back can match or contrast

· Antibacterial and antimicrobial fabrics available

\$426 List per seat per module

· Cove Mini power module centered in the seat front is

available in Black, Silver Pearl and Gloss White. Add

Cove Mini



## Exceeds BIFMA Seating Durability Test to 570 lbs CAL 133, add \$418 List per unit

Two Se	eat, Witl	n Two Ar	ms					
1.5 yds	s COM pe	r single se single bac r arm						
MODEL 9102MC	:	COM <b>2178</b>	GR 1 2555	GR 2 <b>2678</b>	GR 3 <b>2938</b>	GR 4 <b>3323</b>	GR 5 <b>3617</b>	GR 6 <b>4008</b>
Dimensi seat H total H	0NS (inches 18.0 33.0	) seat W total W	23.0 52.5	arm H depth	24.5 29.0			
		eating Dur 32 List pe	,	st to 570	lbs			





#### **Standard Features**

- Separate seat and back
- · Wall-saving frame
- Glides
- One connecting plate per unit
- Ships assembled, 1/carton 43 cu ft

*Contact Spec Customer Service to railroad fabrics* (*specify repeat info and yardage requirement will be provided*) *and for repeats greater than* 5" x 5"

To ensure proper configuration please provide a layout drawing.



Wall-saving Frame

#### Two Seat, With Right Arm Only

COM 6.25 yds 1.25 yds COM per single seat 1.5 yds COM per single back 0.75 yds COM per arm								
MODEL 9102MC-R		COM <b>1925</b>	GR 1 <b>2260</b>	GR 2 <b>2370</b>	GR 3 <b>2602</b>	GR 4 <b>2943</b>	GR 5 <b>3207</b>	GR 6 <b>3555</b>
Dimensions (inches) seat H 18.0 seat W total H 33.0 total W		23.0 49.25	arm H depth	24.5 29.0				

Exceeds BIFMA Seating Durability Test to 570 lbs CAL 133, add \$475 List per unit

#### Two Seat, With Left Arm Only

1.5 yds	s COM pe	er single se single back er arm						
MODEL 9102MC-L		COM <b>1925</b>	GR 1 <b>2260</b>	GR 2 <b>2370</b>	GR 3 <b>2602</b>	GR 4 <b>2943</b>	GR 5 <b>3207</b>	GR 6 3555
Dimensi seat H total H	0NS (inches 18.0 33.0	si seat W total W	23.0 49.25	arm H depth	24.5 29.0			
		Seating Dur 75 List pe	2	st to 570	lbs			

#### Options

- Polyurethane arm caps available in Black (B), Taupe RAL 7006 (T) or Sterling Grey (G), add \$118 List per arm
- For wood arm caps, select from 9 standard stains, or stainto-match at no upcharge, add \$139 List per arm
- 1" gap between seat and arm available at \$48 List per arm
- Upholstered arms/seat/back can match or contrast
- Cove Mini power module centered in the seat front is available in Black, Silver Pearl and Gloss White. Add \$426 List per seat per module
- Antibacterial and antimicrobial fabrics available
- CAL 133





Straight Connecting Arm

Cove Mini







#### **Standard Features**

- Separate seat and back
- · Wall-saving frame
- Glides
- One connecting plate per unit
- · Ships assembled, 1/carton 62 cu ft

*Contact Spec Customer Service to railroad fabrics* (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

To ensure proper configuration please provide a layout drawing.



Wall-saving Frame

#### Three Seat, Without Arms

	s COM pe	er single se single bac							
MODEL 9103MC	-NA	COM <b>2382</b>	GR 1 <b>2823</b>	GR 2 <b>2967</b>	GR 3 <b>3273</b>	GR 4 <b>3722</b>	GR 5 <b>4068</b>	GR 6 <b>4526</b>	F
Dimensio seat H total H	0NS (inches 18.0 33.0	seat W total W	23.0 69.0	depth	29.0				


Exceeds BIFMA Seating Durability Test to 750 lbs CAL 133, add \$627 List per unit

#### Three Seat, With Two Arms

1.5 yds	s COM pe	r single sea single bac r arm							
MODEL 9103MC		COM <b>2888</b>	GR 1 <b>3412</b>	GR 2 <b>3583</b>	GR 3 <b>3945</b>	GR 4 <b>4479</b>	GR 5 <b>4890</b>	GR 6 <b>5433</b>	
Dimensions (inches) seat H 18.0 seat W 23.0 arm H 24.5 total H 33.0 total W 75.5 depth 29.0									
		eating Dur 41 List pe	,	st to 750	lbs				

#### Options

- Polyurethane arm caps available in Black (B), Taupe RAL 7006 (T) or Sterling Grey (G), add \$118 List per arm
- For wood arm caps, select from 9 standard stains, or stainto-match at no upcharge, add \$139 List per arm
- 1" gap between seat and arm available at \$48 List per arm
- Upholstered arms/seat/back can match or contrast
- Cove Mini power module centered in the seat front is available in Black, Silver Pearl and Gloss White. Add \$426 List per seat per module
- · Antibacterial and antimicrobial fabrics available
- CAL 133



n Straight Con Arm

Cove Mini







#### **Standard Features**

- · Separate seat and back
- · Wall-saving frame
- Glides
- One connecting plate per unit
- · Ships assembled, 1/carton 62 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

To ensure proper configuration please provide a layout drawing.



Wall-saving Frame

#### Options

- Polyurethane arm caps available in Black (B), Taupe RAL 7006 (T) or Sterling Grey (G), add \$118 List per arm
- For wood arm caps, select from 9 standard stains, or stainto-match at no upcharge, add \$139 List per arm
- 1" gap between seat and arm available at \$48 List per arm
- Upholstered arms/seat/back can match or contrast
- Cove Mini power module centered in the seat front is available in Black, Silver Pearl and Gloss White. Add \$426 List per seat per module
- Antibacterial and antimicrobial fabrics available

Arm

• CAL 133





Tapered End Arm Stra

Cove Mini



Toll Free: 1-888-761-7732



**TABLES** 

#### **Standard Features**

- · Tables in laminate or veneer
- Select laminate tops from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge.
- 9 standard veneers. Stain-to-match available at no upcharge.
- Tables available with Self Edge (SE) only
- · Steel table legs available in any Spectone color
- Tops utilize NU Green earth friendly core
- Glides
- One connecting plate per unit
- Ships KD
- 17" height

#### Options

• To add Cove Mini, clamp mounted with 1 power, 2 USB (charging only), and a 108" long cord to Tailor modular tables, add \$344 List.

Cove will be located on the flat front face of the closed tables as standard. It is not recommended to specify power on open tables. Specify separately at time of order.



Black Silver Pearl Gloss White

COVSMC1P1U-B COVSMC1P1U-S COVSMC1P1U-W

To ensure proper configuration please provide a layout drawing.

#### **Corner and Spacer Connecting Tables**

Model		Laminate SE	Veneer SE	Weight	Cu.Ft.
91STC - 24X24	SPACER TABLE CLOSED - FULL SIZE	830	1163	32	11
91STO - 24X24	SPACER TABLE OPEN - FULL SIZE	852	1192	30	11
91STC - 24X12	SPACER TABLE CLOSED - HALF SIZE	777	1087	20	7
91STO - 24X12	SPACER TABLE OPEN - HALF SIZE	798	1117	20	7
91ERC - 24X24	END OF RUN TABLE CLOSED - FULL SIZE	1002	1402	33	11
91ERO - 24X24	END OF RUN TABLE OPEN - FULL SIZE	1023	1432	31	11
91ERC - 24X12	END OF RUN TABLE CLOSED - HALF SIZE	948	1327	21	7
91ERO - 24X12	END OF RUN TABLE OPEN - HALF SIZE	969	1357	21	7
91ERB	END OF RUN TABLE - BULLET	1090	1526	36	14
91HM	END OF RUN TABLE - HALF-MOON	1456	2231	75	25
91RC	CORNER TABLE - 90 RADIUS CORNER	1090	1526	45	16
91RC45	CORNER TABLE - 45 RADIUS CORNER	1090	1526	32	12



91STC - 24 x 24 32 lbs

91ERC - 24 x 24

33 lbs



91STO - 24 x 24

30 lbs

91ERO - 24 x 24

31 lbs

91STC - 24 x 12 20 lbs

91ERC - 24 x 12

21 lbs

91STO - 24 x 12 20 lbs



91ERO - 24 x 12 21 lbs





36 lbs



