SPEC*

TRAFFIC Public Seating


LAYOUTS





Description

- Today's high traffic public areas demand high durability and low maintenance without sacrificing design.
- Perforated steel seats, with optional field replaceable cushions, can be connected with perforated steel or laminate spacer tables to fit virtually any layout.
- Standard seat width is 22". Bariatric seating is a 30" wide seat and is load tested to 750 lbs.
- Seat, leg column and foot can be specified in different finishes
- Arms or armless can be specified in any standard width combination.
- Arms only for Bariatric.
- Please send a drawing of the configuration you require with your order.
- · Optional floor mounting brackets available.
- Seat mounting option location offers wall-saving if desired.
- For fabrics you wish railroaded or repeats larger than 5" x 5", please contact the factory with repeat information and yardage requirement will be provided.

LAYOUTS AND DIMENSIONS











TRAFFIC Public Seating



PRODUCT CODE



Series

Arm 00 : No Arms

Chair Type

70 : Traffic 00 : No Ai 10 : Arms

N: Without Cushions
U: With Cushions

OPTIONS









Without Cushion

With Cushion

With Arms

Without Arms

FINISHES

FRAME

Select from one of our 76 standard Spectone colors

FABRIC



Select fabrics from one of our textile partners

See Spectone Card or specfurniture.com/materials/ finishes for a complete list of finish options and colors.

HOW TO ORDER



Specify Model

- A Specify Fabric Seat, If Applicable Manufacturer, Pattern Name, Color
- Specify Fabric Back, If Applicable Manufacturer, Pattern Name, Color
- Specify Frame Finish

Optional: CAL 133, Moisture Barrier, Floor Mounting Brackets, Connecting Tables

Model	Fabric - Seat	Fabric - Back	Frame Finish
7000U	Momentum, Beeline, Canvas	Momentum, Beeline, Canvas	Silver

SPEC® MAS SIN 33721

TRAFFIC Public Seating

Perforated Beam without arms

Standard Features

- Available with or without replaceable upholstered cushions
- Available with or without black polyurethane arms
- · Frame in any Spectone color
- Levelers
- · Can be mounted standard or wall-saving
- · Ships KD
- Ships 1/carton 11.5 cu ft/seat

Prices are per seat and include beam and base

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Corner and spacer tables
- · Use in connected layouts at no upcharge
- Floor mounting brackets, add \$51 List / leg. Includes 2 brackets per leg.
- · Antibacterial and antimicrobial fabrics available
- CAL 133



Traffic without arms, without upholstered cushions

N/A COM per single seat

MODEL LIST 7000N 837

Dimensions (inches)

seat H 18.75 seat W 22.0 depth 25.5 total H 31.75 total W 24.75 depth wall-saving 27.5

Exceeds BIFMA Seating Durability Test to 500 lbs per seat



7000N 43 lbs/seat

Traffic without arms, with upholstered cushions

0.5 yd COM per single seat and back

MODEL COM GR 1 GR 2 GR 3 GR 4 GR 5 GR 6 7000U 858 899 915 942 985 1019 1060

Dimensions (inches)

seat H 19.25 seat W 22.0 depth 25.5 total H 32.0 total W 24.75 depth 27.5

Exceeds BIFMA Seating Durability Test to 500 lbs per seat CAL 133, add \$60 List per seat



7000U 44 lbs/seat

Spec*

TRAFFIC Public Seating

Perforated Beam with arms

Standard Features


- Available with or without replaceable upholstered cushions
- · Available with or without black polyurethane arms
- · Frame in any Spectone color
- Levelers
- · Can be mounted standard or wall-saving
- · Ships KD
- Ships 1/carton 11.5 cu ft/seat

Prices are per seat and include beam and base

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- · Corner and spacer tables
- · Use in connected layouts at no upcharge
- Floor mounting brackets, add \$51 List / leg. Includes 2 brackets per leg.
- · Antibacterial and antimicrobial fabrics available
- CAL 133



Traffic with arms, without upholstered cushions

N/A COM per single seat

MODEL LIST **7010N 837**

Dimensions (inches)

seat H 18.75 seat W 22.0 depth 25.5 total H 31.75 total W 24.75 depth wall-saving 27.5

Exceeds BIFMA Seating Durability Test to 500 lbs per seat

Exceeds bit with Seating Durability Test to 500 lbs per seat



7010N 47 lbs/seat

Traffic with arms and upholstered cushions

0.5 yd COM per single seat and back

MODEL						GR 5	
7010U	858	899	915	942	985	1019	1060

Dimensions (inches)

seat H 19.25 seat W 22.0 arm H 27.25 total H 32.0 total W 24.75 depth 25.5 depth wall-saving 27.5

Exceeds BIFMA Seating Durability Test to 500 lbs per seat CAL 133, add \$60 List per seat



7010U 48 lbs/seat

spec

MAS SIN 33721

TRAFFIC Public Seating

Bariatric Perforated Beam with arms

Standard Features

- Available with or without replaceable upholstered cushions
- · Black polyurethane arms
- · Frame in any Spectone color
- Levelers
- · Not available as freestanding unit
- · Can be mounted standard or wall-saving
- · Cannot connect bariatric seats to bariatric seats
- Ships KD
- · Ships 1/carton 11.5 cu ft/seat

Prices are per seat and include beam and base

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Corner and spacer tables
- · Use in connected layouts at no upcharge
- Floor mounting brackets, add \$51 List / leg. Includes 2 brackets per leg.
- · Antibacterial and antimicrobial fabrics available
- CAL 133



Bariatric Traffic with arms, without upholstered cushions

N/A COM per single seat

MODEL COM **7010NG 1091**

Dimensions (inches)

seat H 18.75 seat W 30.0 arm H 27.25

total H 31.75 total W 32.75 depth 25.5 depth wall-saving 27.5

Exceeds BIFMA Seating Durability Test to 750 lbs per seat



7010NG 47 lbs/seat

Bariatric Traffic with arms and upholstered cushions

0.75 yd COM per single seat and back

MODEL COM GR 1 GR 2 GR 3 GR 4 GR 5 GR 6 7010UG 1102 1163 1184 1222 1282 1327 1388

Dimensions (inches)

seat H 19.25 seat W 30.0 arm H 27.25

total H 32.0 total W 32.75 depth 25.5 depth wall-saving 27.5

Exceeds BIFMA Seating Durability Test to 750 lbs per seat CAL 133, add \$72 List per seat



7010UG 48 lbs/seat

Spec[®] MAS SIN 33721

TRAFFIC Public Seating

Corner and Spacer Connecting Tables

Standard Features

- Select laminate tops from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge.
- Self edge (SE) or PVC Flat (PVF) edge
- Use in connected layouts at no upcharge
- · Tops utilize NU Green earth friendly core
- Radius table only available in laminate
- 18" height
- · Ships KD

Options

- · Non-standard laminates, contact Spec for pricing
- Tops in perforated metal
- Veneer and hardwood edges

Radius Corner Tables are recommended for open areas

Corner and Spacer Connecting Tables

Model	Laminate PVF/SE	Perforated Metal	Weight	Cu.Ft.
70RC 30 x 30 Radius Corner Table	702	N/A	31	3
70SC 30 x 30 Square Corner Table	702	899	32	3
70ST 21 x 21 Spacer or End Table	676	761	21	3

