


LAYOUTS



Description


- Today's high traffic public areas demand high durability and low maintenance without sacrificing design.
- Perforated steel seats, with optional field replaceable cushions, can be connected with perforated steel or laminate spacer tables to fit virtually any layout.
- Standard seat width is 22". Bariatric seating is a 30" wide seat and is load tested to 750 lbs.
- Seat, leg column and foot can be specified in different finishes.
- Arms or armless can be specified in any standard width combination.
- Arms only for Bariatric.
- Please send a drawing of the configuration you require with your order.
- Optional floor mounting brackets available.
- Seat mounting option location offers wall-saving if desired.
- For fabrics you wish railroaded or repeats larger than 5" x 5", please contact the factory with repeat information and yardage requirement will be provided.

LAYOUTS AND DIMENSIONS



|+24.75 +| +24.75 +|+-28.75 -+|





Perforated Beam without arms

Standard Features

- Available with or without replaceable upholstered cushions
- · Available with or without black polyurethane arms
- Frame in any Spectone color
- Levelers
- · Can be mounted standard or wall-saving
- Ships KD
- Ships 1/carton 11.5 cu ft/seat

Prices are per seat and include beam and base

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Corner and spacer tables
- · Use in connected layouts at no upcharge
- Floor mounting brackets, add \$51 List / leg. Includes 2 brackets per leg.
- Antibacterial and antimicrobial fabrics available
- CAL 133



Traffic without arms, without upholstered cushions

N/A COM per single seat

MODEL LIST 7000N 837

Dimensions (inches) seat H 18.75 seat W 22.0 depth 25.5 total H 31.75 total W 24.75 depth wall-saving 27.5

Exceeds BIFMA Seating Durability Test to 500 lbs per seat

Traffic without arms, with upholstered cushions

0.5 yd COM per single seat and back

| MODEL | COM | GR 1 | GR 2 | GR 3 | GR 4 | GR 5 | GR 6 |
|--------------|------------|------------|------------|------------|------------|-------------|-------------|
| 7000U | 858 | 899 | 915 | 942 | 985 | 1019 | 1060 |
| Dimensi | ONS (inche | s) | | | | | |

seat H 19.25 seat W 22.0 depth 25.5 total H 32.0 total W 24.75 depth 27.5

Exceeds BIFMA Seating Durability Test to 500 lbs per seat CAL 133, add 60 List per seat



7000N 43 lbs/seat



7000U 44 lbs/seat



Perforated Beam with arms

Standard Features

- Available with or without replaceable upholstered cushions
- · Available with or without black polyurethane arms
- Frame in any Spectone color
- Levelers
- · Can be mounted standard or wall-saving
- Ships KD
- Ships 1/carton 11.5 cu ft/seat

Prices are per seat and include beam and base

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Corner and spacer tables
- · Use in connected layouts at no upcharge
- Floor mounting brackets, add \$51 List / leg. Includes 2 brackets per leg.
- Antibacterial and antimicrobial fabrics available
- CAL 133



Traffic with arms, without upholstered cushions

N/A COM per single seat

| MODEL 7010N |
|---------------------------|
| |

Dimensions (inches) seat H 18.75 seat W 22.0 depth 25.5 total H 31.75 total W 24.75 depth wall-saving 27.5

Exceeds BIFMA Seating Durability Test to 500 lbs per seat

Traffic with arms and upholstered cushions

0.5 yd COM per single seat and back

| MODEL 7010U | COM 858 | GR 1 899 | GR 2 915 | GR 3 942 | GR 4 985 | GR 5 1019 | GR 6 1060 | |
|---|-------------------------------|--------------------|--------------------|--------------------|--------------------|---------------------|---------------------|------|
| Dimensio seat H total H | 005 (inches) 19.25 32.0 | seat W total W | 22.0 24.75 | arm H depth | 27.25 25.5 | depth wa | all-saving | 27.5 |
| Exceeds BIFMA Seating Durability Test to 500 lbs per seat CAL 133, add \$60 List per seat | | | | | | | | |



7010N 47 lbs/seat



7010U 48 lbs/seat

Bariatric Perforated Beam with arms

Standard Features

- Available with or without replaceable upholstered cushions
- Black polyurethane arms
- · Frame in any Spectone color
- Levelers
- Not available as freestanding unit
- · Can be mounted standard or wall-saving
- Cannot connect bariatric seats to bariatric seats
- Ships KD
- Ships 1/carton 11.5 cu ft/seat

Prices are per seat and include beam and base

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than $5" \times 5"$

Options

- Corner and spacer tables
- · Use in connected layouts at no upcharge
- Floor mounting brackets, add \$51 List / leg. Includes 2 brackets per leg.
- Antibacterial and antimicrobial fabrics available
- CAL 133




Bariatric Traffic with arms, without upholstered cushions

N/A COM per single seat

| MODEL | COM |
|--------|------|
| 7010NG | 1091 |

Dimensions (inches) seat H 18.75 s



Exceeds BIFMA Seating Durability Test to 750 lbs per seat

Bariatric Traffic with arms and upholstered cushions

0.75 yd COM per single seat and back

| MODEL 7010UG | COM 1102 | GR 1 1163 | GR 2 1184 | GR 3 1222 | GR 4 1282 | GR 5 1327 | GR 6 1388 | |
|-------------------------------|------------------------------|---------------------|----------------------------------|---------------------|---------------------|---------------------|---------------------|------|
| Dimensio seat H total H | NS (inches) 19.25 32.0 | seat W total W | 30.0 32.75 | arm H depth | 27.25 25.5 | depth w | vall-saving | 27.5 |
| Exceeds I CAL 133 | | 0 | ability Tes [.] seat | t to 750 I | bs per sea | at | | |



7010NG 47 lbs/seat



spec

Corner and Spacer Connecting Tables

Standard Features

- Select laminate tops from 15 standard laminates or choose any standard Wilsonart, Nevamar, Formica, Arborite and Pionite matte finish laminates at no upcharge.
- Self edge (SE) or PVC Flat (PVF) edge
- Use in connected layouts at no upcharge
- Tops utilize NU Green earth friendly core
- Radius table only available in laminate
- 18" height
- Ships KD

Options

- Non-standard laminates, contact Spec for pricing
- · Tops in perforated metal
- Veneer and hardwood edges

Radius Corner Tables are recommended for open areas



Corner and Spacer Connecting Tables

| Model | Laminate PVF/SE | Perforated Metal | Weight | Cu.Ft. | SC |
|-------------------------------------|--------------------|---------------------|--------|--------|----|
| 70RC 30 x 30 Radius Corner Table | 702 | N/A | 31 | 3 | ST |
| 70SC 30 x 30 Square Corner Table | 702 | 899 | 32 | 3 | |
| 70ST 21 x 21 Spacer or End Table | 676 | 761 | 21 | 3 | RC |

